

National Summary for Article 17 - Italy

1 General information

1.1 Number of SCIs and SACs

The table below provides the total number and total area of sites proposed and designated under the Habitats Directive (Sites of Community Importance, SCIs & Special Areas of Conservation, SACs), terrestrial area of sites and number and area of marine sites (i.e. any site with a marine component).

Empty cells in tables mean that the component requested is not applicable.

	All		Terrestrial	Marine	
	No.	Area (km ²)	Area (km ²)	No.	Area (km ²)
SCIs & SACs	2576	78532	72184	295	6348
SACs only	0	0	0	0	0
Date of database used: 01-10-2012					

1.2 Number of sites with comprehensive management plans (Art. 6(1))

Number of sites for which comprehensive management plans have been adopted: **1011**

Percentage of network area covered by comprehensive management plans: **43%***

Number of sites for which management plans are under preparation (optional): **692**

*Italy reports that this includes both conservation measures and comprehensive management plans

2. Number of habitats and species/subspecies

The table in this section gives the number of habitat types and species/subspecies in each Annex of the Habitats Directive by biogeographical and marine regions in Italy. The species and habitats with the following presence status are included in the table: 'present', species of which taxonomy is not clear (SR TAX), species where the link to the corresponding name in the Habitats Directive is not clear (LR), species extinct after the Directive came into force (EX) and optional reports (OP).

Region	HABITATS				SPECIES				
	Annex I		Annex II		Annex IV		Annex V		
	Non-priority	Priority	Non-priority	Priority	Including those in Annex II	Excluding those in Annex II	Including those in Annex II	Excluding those in Annex II	
Number of habitats & species in the MS	100	31	153	47	249	95	36	27	
	131		200		249		36		
Alpine	55	21	75	11	114	58	28	21	
Continental	64	17	83	11	109	48	26	20	
Mediterranean	74	21	94	33	161	60	20	15	
Marine Mediterranean	6	1	1	2	14	11	2	2	

Additional information:

Number of assessments of marginal habitat types: **22**

Number of assessments of marginal & occasional species: **44**

Number of assessments of newly arriving species: **2**

Number of species regionally extinct prior the Habitats Directive came into force: **2**

Number of species regionally extinct after the Habitats Directive came into force: **4**

Number of species globally extinct after the Habitats Directive came into force: **none**

Number of assessments of species/habitat types for which no reports received: **1**

3. Information on Conservation status


Please note that the figures shown for 2001-2006 and 2007-2012 are not necessarily directly comparable because there can be differences in number of assessments between the reporting rounds, changes in how some features were allocated in biogeographical regions etc.

The following have been excluded from all statistics under section 3:


- Habitats reported as marginal (MAR) or with scientific reserve (SR)
- Species reported as marginal (MAR), occasional (OCC), newly arriving (ARR), regionally extinct before the Habitats Directive came into force (PEX) and introduced species (INT). In addition reports that give only an information about species without evaluation of the conservation status
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected (IRM).

3.1 a) Overall assessment of conservation status of habitats and species (%)

These figures show the percentage of biogeographical assessments in each category of conservation status for habitats and species, respectively. The information on which these figures are based are presented in the table below the figures (real values).



Conservation status of **habitats**



Conservation status of **species**

■ FV - Favourable ■ NA - Not reported ■ XX - Unknown ■ U1 - Unfavourable inadequate ■ U2 - Unfavourable bad

Year of assessment	HABITATS					SPECIES				
	FV	NA	XX	U1	U2	FV	NA	XX	U1	U2
2007	159		22	79	9	192		77	192	103
2013	57		27	104	71	217	4	49	185	90



3.1 b) Percentage of assessments where the conservation status has changed between the reporting periods

This table shows the percentage of assessments where the Member State has indicated a change between two reporting rounds (2001-2006 and 2007-2012) and the percentages of all reported changes where the change has been reported as a genuine change. Change can be either a change from one conservation status category to another or a change within the same category (within the qualifiers ‘-’, ‘+’, ‘=’, ‘x’). Data have been taken from the ‘audit trail table’ where the Member State indicates the nature of change. The Member State’s results on this audit trail are shown under section 7.

	SPECIES	HABITAT TYPES
% of assessments that changed	68%	76%
% of total changes considered genuine	7%	0%

3.2 Improving/deteriorating trends of habitats and species with an unfavourable conservation status (%)

These figures show the proportion of unfavourable assessments (U1 & U2) which are improving, deteriorating, stable or unknown.



Habitats – overall trend in Conservation Status

Species – overall trend in Conservation Status

U (+) = unfavourable (inadequate and bad) improving, U (=) = unfavourable stable, U (-) = unfavourable declining, U (x) = unfavourable unknown trend

This table shows trends in conservation status of habitats & species separately for those cases where the overall conclusion is unfavourable inadequate (U1) and unfavourable bad (U2).


Qualifiers of CS	U1+	U1=	U1-	U1x	U2+	U2=	U2-	U2x
Habitats		22	63	19	1	9	52	9
Species	1	25	139	20	5	3	79	3

Note: U1+ = unfavourable-inadequate improving, U1= = unfavourable-inadequate stable, U1- = unfavourable-inadequate declining, U1x = unfavourable-inadequate trend unknown, U2+ = unfavourable-bad improving, U2= = unfavourable-bad stable, U2- = unfavourable-bad declining, U2x = unfavourable-bad trend unknown


3.3 Overall assessment of conservation status of habitats and species by biogeographical/marine region (%)

These figures show the percentage of assessments in each of conservation status category by biogeographical and marine region, for habitats and species, respectively.

Please note that some habitats reported as terrestrial in 2001-2006 have been reported as marine in 2007-2012 (e.g. estuaries). Some species (e.g. seals, marine turtles) which in some cases were reported for both marine and terrestrial regions were only reported for one region in 2007-2012 (this statement only applies to Member States with marine regions).



Conservation status of **habitats** in biogeographical and marine regions




Conservation status of **species** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

3.4 Overall assessment of conservation status by habitat category/species group (%)

These figures show the percentage of biogeographical and marine assessments in each conservation status category by habitat category and by taxonomic group, for habitats and species, respectively.


The figures show the proportion of assessments in each conservation status class for 2007-2012 (upper bar) and 2001-2006 (lower bar). The information (number of assessments) on which these figures are based are presented in the tables below each figure (real values).

HabitatsConservation status of **habitats** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	HABITATS				
		FV	NA	XX	U1	U2
Forests	2007	45		3	24	1
	2013	9		7	38	19
Rocky habitats	2007	28			1	1
	2013	20			5	1
Bogs, mires & fens	2007	15			4	
	2013			3	5	10
Grasslands	2007	24		4	8	
	2013	7		4	17	10
Sclerophyllous scrubs	2007	11		2	7	
	2013	8		1	9	2
Heath & scrub	2007	8			3	
	2013	3		3	4	
Freshwater habitats	2007	21		1	13	1
	2013	4		7	12	13
Dunes habitats	2007	2		3	9	6
	2013	1			3	13
Coastal habitats	2007	5		9	10	
	2013	5		2	11	3

NB: Coastal habitats cover coastal and halophytic habitats (code 1xx) and Dunes habitat types cover coastal sand dunes and inland dunes (code 2xx) as listed in the Habitats Directive

SpeciesConservation status of **species** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	SPECIES				
		FV	NA	XX	U1	U2
Other invertebrates	2007			3		2
	2013	2			3	
Mammals	2007	26		17	50	35
	2013	51		21	39	17
Reptiles	2007	23		20	11	1
	2013	37			14	4
Amphibians	2007	19		6	29	3
	2013	31			14	6
Fish	2007	8		11	30	11
	2013	6			14	34
Arthropods	2007	13		4	22	43
	2013	37		5	30	12
Molluscs	2007	5		1	7	4
	2013	4			12	2
Vascular plants	2007	88		13	37	4
	2013	49	4	14	48	14
Non-vascular plants	2007	10		2	6	
	2013			9	11	1

3.5 Reasons for change in reported values of parameters (%)

This table provides information on reasons for changes of values reported for the parameters 'Range', 'Area (habitat)', 'Population' and 'Habitat for the species' between reporting periods 2001-2006 and 2007-2012. The table gives the percentage of habitats/species assessments for which a particular reason for change in values was reported. The reporting format lists three principal reasons for change: genuine change, better knowledge/data and use of different method.

Reason for change	Habitats		Species/subspecies		
	Surface area of range	Surface area of habitat	Surface area of range	Population size	Area of habitat for the species
Genuine change			5	3	6
Better knowledge/data	97	97	46	59	59
Use of different method	100	97	93	57	44


Note: More than one reason for change can be reported for each habitat and species.

4 Frequency of main pressures and threats (%) ¹

This section provides information on the relative importance of pressures and threats (aggregated to level 1) reported for habitats and species. The figures show the percentage of biogeographical assessments reported as being affected by one or more pressures or threats categorised as of 'high importance'. The information for the number of pressures and threats on which these figures are based are presented in the tables below the figures.

¹ The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.




Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **259**

Number of assessments with no high ranking threats (or no threats at all reported): **111**

Number of assessment with no high ranking pressures (or no pressures at all): **109**

Pressures and threats	HABITATS	
	Number of threats	Number of pressures
A - Agriculture	23	24
B - Sylviculture, forestry	21	21
C - Mining, extraction of materials and energy production	32	32
D - Transportation and service corridors	18	21
E - Urbanisation, residential and commercial development	23	25
F - Biological resource use other than agriculture & forestry	6	5
G - Human intrusions and disturbances	46	47
H - Pollution	28	27
I - Invasive, other problematic species and genes	2	2
J - Natural System modifications	45	46
K - Natural biotic and abiotic processes (without catastrophes)	12	11
L - Geological events, natural catastrophes	1	1
M - Climate change	1	1



Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **545**

Number of assessments with no high ranking threats (or no threats at all reported): **188**

Number of assessment with no high ranking pressures (or no pressures at all): **202**

Pressures and threats	SPECIES	
	Number of threats	Number of pressures
A - Agriculture	88	85
B - Sylviculture, forestry	64	65
C - Mining, extraction of materials and energy production	20	17
D - Transportation and service corridors	25	20
E - Urbanisation, residential and commercial development	44	38
F - Biological resource use other than agriculture & forestry	34	33
G - Human intrusions and disturbances	68	55
H - Pollution	32	31
I - Invasive, other problematic species and genes	55	53
J - Natural System modifications	161	162
K - Natural biotic and abiotic processes (without catastrophes)	50	46
L - Geological events, natural catastrophes	5	4
M - Climate change	14	4
X - No threats or pressures	1	1

5 Natura 2000 coverage and conservation measures ²


Note: The figures under section 5 cover only Annex I habitat types and Annex II species.

5.1 Natura 2000 coverage (%)

This section presents statistics on the coverage of Annex I habitats and Annex II species in Natura 2000 sites by habitat category/species group. These figures show the percentage of habitats/species assessments in three classes based on coverage by Natura 2000 sites, for habitats and species, respectively. The geometric mean is used if Member States have reported minimum and maximum values. The information for the number of assessments per coverage by Natura 2000 on which these figures are based are presented in the tables below the figures (real values). Please note that these statistics are based on Article 17 data and are independent from the results of the Biogeographical Seminars.

² The following have been excluded:


- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.

% of **habitat assessments** in 3 classes of coverage by Natura 2000 sites

coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the habitat category.

Group	HABITATS			
	0-24%	25-74%	75-100%	unknown
Forests	29	24	20	
Rocky habitats		8	17	1
Bogs, mires & fens		5	13	
Grasslands	9	14	15	
Sclerophyllous scrubs	2	5	13	
Heath & scrub		6	4	
Freshwater habitats	4	10	22	
Dunes habitats	2	9	5	1
Coastal habitats	1	3	10	7



% of **species assessments** in 3 classes of coverage by Natura 2000 sites


coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the species category.

Group	SPECIES			
	0-24%	25-74%	75-100%	unknown
Mammals			1	43
Reptiles				17
Amphibians				23
Fish				50
Arthropods				59
Molluscs				9
Vascular plants				96
Non-vascular plants				12

5.2 Main conservation measures (%)

This section provides information on the relative importance of conservation measures at level 1 implemented during the reporting period 2007-2012 for Annex I habitats and Annex II species. The figures show the percentage of biogeographical assessments for which one or more 'high importance' conservation measures was implemented. Measures not reported are omitted.




% of **habitat assessments** for which one or more
'high' importance measures were reported

Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct habitat types have been included in calculations.

Total number of assessments considered in the calculation: **259**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **87**




Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct species have been included in calculations.

Total number of assessments considered in the calculation: **310**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **165**

5.3 Impact of conservation measures (%)

This section provides information on the effects of implemented conservation measures for each level 1 measure category. The figures show, for each level 1 measure category, the frequency of reported effects. The information for the number of assessments per measure category on which these figures are based are presented in the tables below the figures (full names of the measures are shown in the tables).




% of **habitat assessments** for which
a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	HABITATS				
	maintain	enhance	longterm	no effect	unknown or not evaluated
2 - Measures related to agriculture and open habitats	29	18	18	0	0
3 - Measures related to forests and wooded habitats	55	23	60	0	3
4 - Measures related to wetland, freshwater and coastal habitats	50	28	50	0	0
6 - Measures related to spatial planning	115	61	279	0	72
7 - Measures related to hunting, taking and fishing and species management	12	12	11	0	1
9 - Measures related to special resource use	10	0	4	0	0



Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	SPECIES				
	maintain	enhance	longterm	no effect	unknown or not evaluated
2 - Measures related to agriculture and open habitats	8	1	7	0	6
3 - Measures related to forests and wooded habitats	4	0	7	1	2
4 - Measures related to wetland, freshwater and coastal habitats	19	18	20	0	11
6 - Measures related to spatial planning	50	20	67	0	89
7 - Measures related to hunting, taking and fishing and species management	26	19	34	0	15
8 - Measures related to urban areas, industry, energy and transport	3	1	1	0	3
9 - Measures related to special resource use	0	1	0	0	1

6 Data quality and completeness ³

The aim of this section is to provide an overview of the data gaps in the report; most of these gaps are due to insufficient knowledge. This section does not refer to potential errors or technical problems in the Member State's report and concentrates on what is relevant for evaluating data completeness.

The tables give percentages of habitats/species assessments with unknown or missing information for components of conservation status and conclusions.

³ The statistics on missing information take into account that for the plant species listed in Annex V at the genus level only 'Overall assessment of conservation status' and 'Overall trend' are mandatory. The same approach was used for the species extinct after the Habitats Directive came into force.

6.1 a) Percentage of mandatory information that is missing (%)

Habitats

Habitat range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat area	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Structure & functions	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	0.4
	Measures	0
Overall	Conclusion	0
	Trend	0
	Maps	0

Species

Species range	Area	0
	Trend	0.8
	Reference value	0
	Conclusion	0
Species population	Size	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat for species	Area	0
	Trend	1.3
	Area of suitable habitat*	94
	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	0
	Measures	0.3
Overall	Conclusion	0.7
	Trend	0
	Maps	0

*This field is a mandatory field in the reporting format, however there is an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.1 b) Percentage of mandatory information reported as unknown (%)

Habitats

Habitat range	Area	0
	Trend	16
	Reference value	7
	Conclusion	14
Habitat area	Area	0
	Trend	16
	Reference value	7
	Conclusion	14
Structure & functions	Conclusion	13
Future prospects	Conclusion	12
Pressures & threats		0
Natura 2000	Coverage	3
	Measures	11
Overall	Conclusion	10
	Trend	16
	Maps	0

Species

Species range	Area	0.8
	Trend	8
	Reference value	7
	Conclusion	6
Species population	Size	2
	Trend	23
	Reference value	16
	Conclusion	19
Habitat for species	Area	97
	Trend	11
	Area of suitable habitat*	0
	Conclusion	8
Future prospects	Conclusion	12
Pressures & threats		3
Natura 2000	Coverage	100
	Measures	19
Overall	Conclusion	9
	Trend	8
	Maps	1.2

*This field is a mandatory field in the reporting format, however there remained an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.2 Methods used to estimate values or trends in Member State reports (%)

This section presents information about the quality of estimated values and trends in habitat and species biogeographical reports. For some parameters and trends, the reporting format requires an indication of which of three methods (complete survey or a statistically robust estimate, partial data with some extrapolation and/or modelling, expert opinion with no or minimal sampling) have been used to estimate the values or trends. The tables in this section present percentage of habitats/species assessments for which values were estimated by each of the three methods mentioned above.

Habitats

	Map	Range	Area	Area trend	Str.&Funct.	N2000	Average
Expert opinion (%)	43	43	41	97	98	0	53
Extrapolation (%)	57	54	59	0	2	0	29
Complete survey (%)	0	3	0	0	0	97	17
Absent data (%)	0	0	0	3	0	3	1

Species

	Map	Range	Population	Pop. trend	Habitat	N2000*	Average
Expert opinion (%)	7	9	26	38	2	0	14
Extrapolation (%)	67	66	46	41	0	0	37
Complete survey (%)	24	23	26	3	0	0	13
Absent data (%)	2	2	3	18	97	100	37

*This column covers only Annex II species

Source of information:

[Link to the national general report on CDR](#)

[Link to the national report for habitats on CDR](#)

[Link to the national report for species on CDR](#)

Other links (national links to be provided by the Member State)

7. List of habitats and species reported and their conservation status

This section lists habitats and species reported by the Member State and the overall conclusions on their conservation status for the reporting period 2001-2006 (indicated as 2007) and 2007-2012 (indicated as 2013). Information from the audit trail has been used for this list and its focus is on what was reported in 2013.

There are two tables for habitats and species if relevant for the Member State. The second table includes only habitats or species with a status OCC, SR, MAR etc. Please note that occurrences e.g. OCC if only reported in 2007, are included only in the second table.

In addition the list includes information provided by the Member State on the nature of change in the overall conservation status between the reporting periods.

The codes are the following :

- a = there is a genuine change: the overall conservation status improved (or deteriorated) due to natural or non-natural reasons (management, intervention, etc.)
- b1 = the change observed is due to more accurate data (e.g. better mapping of distribution) or improved knowledge (e.g. on ecology of species or habitat)
- b2 = the change observed is due to a taxonomic review: one taxon becoming several taxa, or vice versa
- c1 = the change observed is due to use of different methods to measure or evaluate individual parameters or the overall conservation status
- c2 = the change observed is mainly due to the use of different thresholds e.g. to fix Favourable reference values
- d = no information about the nature of change
- e = the change observed is due to less accurate or absent data than the one used in the previous reporting period
- nc = no change (e.g. overall trend in conservation status only evaluated in 2013 but assumed to be the same in 2007 or not known)

Habitats reported by Italy

Group	Name	Code	Year	ALP	CON	MED	MMED
Forests	(Sub-) Mediterranean pine forests with endemic black pines	9530	2013 2007	U1- FV c1	U1= U1 FV b1	FV FV	
	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	9410	2013 2007	U1- FV c1	U1= U1 FV b1		
	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	91E0	2013 2007	U2- U1 c1	U2- U1 c1	U1= U1 b1	
	Alpine Larix decidua and/or Pinus cembra forests	9420	2013 2007	FV FV			
	Apeninne beech forests with Taxus and Ilex	9210	2013 2007	FV FV	U1= FV FV c1	FV FV	
	Apennine beech forests with Abies alba and beech forests with Abies nebrodensis	9220	2013 2007	FV FV	FV FV	FV FV	
	Asperulo-Fagetum beech forests	9130	2013 2007	U1- FV c1			
	Atlantic acidophilous beech forests with Ilex and sometimes also Taxus in the shrublayer (Quercion robori-Betuletum ilicis)	9120	2013 2007	U1x	XX	XX	
	Bog woodland	91D0	2013 2007	U1= U1 b1			
	Castanea sativa woods	9260	2013 2007	U1- FV c1	U1- FV c1	U1- FV c1	
	Eastern white oak woods	91AA	2013 2007	XX	U2x	U2x	
	Endemic forests with Juniperus spp.	9560	2013 2007	U1x			
	Forests of Ilex aquifolium	9380	2013 2007			U1- FV b1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	Galio-Carpinetum oak-hornbeam forests	9170	2013 2007	U2x			
	Illyrian Fagus sylvatica forests (Aremonio-Fagion)	91K0	2013 2007	U1- FV c1			
	Illyrian oak-hornbeam forests (Erythronio-Carpinion)	91L0	2013 2007	U2- U1 c1	U1= U1 b1	U1x	
	Luzulo-Fagetum beech forests	9110	2013 2007	U1- FV c1	FV FV	XX FV	d
	Medio-European limestone beech forests of the Cephalanthero-Fagion	9150	2013 2007	U1- FV c1			
	Medio-European subalpine beech woods with Acer and Rumex arifolius	9140	2013 2007	U1- U1 b1			
	Mediterranean pine forests with endemic Mesogean pines	9540	2013 2007		U2- U1 c1	U1- FV c1	
	Mediterranean Taxus baccata woods	9580	2013 2007			U1x XX b1	
	Old acidophilous oak woods with Quercus robur on sandy plains	9190	2013 2007		U2- U1 c1		
	Olea and Ceratonia forests	9320	2013 2007			U1- FV c1	
	Pannonian woods with Quercus pubescens	91H0	2013 2007	U2- FV c1			
	Pannonian-Balkanic turkey oak – sessile oak forests	91M0	2013 2007			U1x	U1x
	Platanus orientalis and Liquidambar orientalis woods (Platanion orientalis)	92C0	2013 2007			U1- FV c1	
	Quercus ilex and Quercus rotundifolia forests	9340	2013 2007	U1- FV c1	FV FV	U1- FV c1	
	Quercus macrolepis forests	9350	2013 2007			U2=	
	Quercus suber forests	9330	2013 2007			U1- FV c1	
	Quercus trojana woods	9250	2013 2007			U1- FV c1	
	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus	91F0	2013 2007	U2- U1 c1	U2- U1 c1	U2- U1 c1	
	Salix alba and Populus alba galleries	92A0	2013 2007	U1- FV c1	U2- U1 c1	U2- FV c1	
	Southern Apennine Abies alba forests	9510	2013 2007	U1x		U1- FV c1	
	Southern riparian galleries and thickets (Nerio-Tamaricetea and Securinegion tinctoriae)	92D0	2013 2007			U1- FV c1	
	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	9430	2013 2007	U2- U1 c1	XX U1 d		
	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	9160	2013 2007	U1- FV b1	XX U1 d	XX U1 d	
	Thermophilous Fraxinus angustifolia woods	91B0	2013 2007		U2x U1 c1	U2x XX b1	
	Tilio-Acerion forests of slopes, screees and ravines	9180	2013 2007	U2- FV c1	U1- FV c1	U1- FV c1	

Group	Name	Code	Year	ALP	CON	MED	MMED
Rocky habitats	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	8120	2013 2007	FV FV	FV U1 c1	FV FV	
	Calcareous rocky slopes with chasmophytic vegetation	8210	2013 2007	FV FV	FV FV	FV	
	Caves not open to the public	8310	2013 2007	U1- FV	U1- FV	U1- FV	
	Fields of lava and natural excavations	8320	2013 2007		c1	c1	
	Limestone pavements	8240	2013 2007	FV FV		FV FV	
	Permanent glaciers	8340	2013 2007	U2= U2 b1			
	Siliceous rock with pioneer vegetation of the <i>Sedo-Scleranthion</i> or of the <i>Sedo albi-Veronicion dillenii</i>	8230	2013 2007	U1- FV	FV FV	FV	
	Siliceous rocky slopes with chasmophytic vegetation	8220	2013 2007	FV FV	FV FV	FV	
	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	8110	2013 2007	FV FV	FV FV	FV	
	Submerged or partially submerged sea caves	8330	2013 2007				FV FV
	Western Mediterranean and thermophilous scree	8130	2013 2007	U1- FV	FV FV	FV FV	
Bogs, mires & fens	Active raised bogs	7110	2013 2007	U2- FV c1			
	Alkaline fens	7230	2013 2007	U2- FV c1	U2- FV c1	U1- FV c1	
	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	7240	2013 2007	U2- FV c1			
	Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i>	7210	2013 2007	U2- U1 c1	U2- FV c1	U2- FV c1	
	Degraded raised bogs still capable of natural regeneration	7120	2013 2007	XX U1 d			
	Depressions on peat substrates of the <i>Rhynchosporion</i>	7150	2013 2007	U2- FV c1	U2x FV c1	XX FV d	
	Petrifying springs with tufa formation (<i>Cratoneurion</i>)	7220	2013 2007	U1- FV c1	U1- FV c1	U1- FV c1	
	Transition mires and quaking bogs	7140	2013 2007	U2- FV c1	U2- FV c1	U1= U1 b1	
Grasslands	Alpine and subalpine calcareous grasslands	6170	2013 2007	FV FV	FV FV	FV FV	
	Calaminarian grasslands of the <i>Violetalia calaminaliae</i>	6130	2013 2007		XX XX	U1x XX	
	Dehesas with evergreen <i>Quercus</i> spp.	6310	2013 2007			U1- FV c1	
	Eastern sub-Mediterranean dry grasslands (<i>Scorzoneratalia villosae</i>)	62A0	2013 2007	U2- FV c1	U2- FV c1	FV	
	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	6430	2013 2007	U1- FV c1	FV FV	U1- FV c1	
	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	6510	2013 2007	U2- U1 c1	U1= U1 c1	U1- FV c1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	Mediterranean tall humid grasslands of the Molinio-Holoschoenion	6420	2013 2007	XX XX	U1x XX b1	U1- FV c1	
	Molinia meadows on calcareous, peaty or clayey-silt-laden soils (Molinion caeruleae)	6410	2013 2007	U2- U1 c1	U1= U1 b1	U2- U1 c1	
	Mountain hay meadows	6520	2013 2007	U2- U1 c1	U2- U1 c1		
	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	6220	2013 2007	XX FV d	U1- FV c1	FV FV	
	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	6110	2013 2007	U2- FV c1	U1- FV c1	XX FV d	
	Semi-natural dry grasslands and scrubland facies on calcareous substrates (Festuco-Brometalia) (*)	6210	2013 2007	U1- FV c1	U1- FV c1	U1- FV	
	Siliceous alpine and boreal grasslands	6150	2013 2007	FV FV	U1x		
	Species-rich Nardus grasslands, on siliceous substrates in mountain areas (and submountain areas in	6230	2013 2007	U2- FV c1	U1- FV c1	U1- FV	
	Sub-Pannonic steppic grasslands	6240	2013 2007	U2- U1 c1			
Sclerophyllous scrubs	Arborescent matorral with Juniperus spp.	5210	2013 2007	U1- FV c1	U1- FV c1	U1- FV	
	Arborescent matorral with Laurus nobilis	5230	2013 2007		FV U1 c1	U1- FV c1	
	Arborescent matorral with Ziziphus	5220	2013 2007			U2- U1 c1	
	Endemic phryganas of the Euphorbio-Verbascion	5430	2013 2007			U1- FV c1	
	Juniperus communis formations on heaths or calcareous grasslands	5130	2013 2007	FV FV	FV FV	FV FV	
	Laurus nobilis thickets	5310	2013 2007		U1= U1 b1	XX FV d	
	Low formations of Euphorbia close to cliffs	5320	2013 2007			FV FV	
	Sarcopoterium spinosum phryganas	5420	2013 2007			FV U1 c1	
	Stable xerothermophilous formations with Buxus sempervirens on rock slopes (Berberidion p.p.)	5110	2013 2007	U1x XX b1	U1= U1 b1	FV XX b1	
	Thermo-Mediterranean and pre-desert scrub	5330	2013 2007		FV U1 c1	U1- FV c1	
	West Mediterranean clifftop phryganas (Astragalo-Plantaginetum subulatae)	5410	2013 2007			U2- U1 c1	
Heath & scrub	Alpine and Boreal heaths	4060	2013 2007	FV FV	FV FV	XX U1 d	
	Bushes with Pinus mugo and Rhododendron hirsutum (Mugo-Rhododendretum hirsuti)	4070	2013 2007	U1- FV b1			
	Endemic oro-Mediterranean heaths with gorse	4090	2013 2007	XX FV d		FV FV	
	European dry heaths	4030	2013 2007	U1= U1 b1	U1- FV b1	XX FV d	
	Sub-Arctic Salix spp. scrub	4080	2013 2007	U1= U1 b1			

Group	Name	Code	Year	ALP	CON	MED	MMED
Freshwater habitats	Alpine rivers and the herbaceous vegetation along their banks	3220	2013 2007	U1- FV c1	U1- FV c1		
	Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i>	3230	2013 2007	U2- U1 c1	U2- U1 c1		
	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	3240	2013 2007	U1- FV c1	U1- FV c1	XX	
	Constantly flowing Mediterranean rivers with <i>Glaucium flavum</i>	3250	2013 2007		XX FV d	U1- FV c1	
	Constantly flowing Mediterranean rivers with <i>Paspalo-Agrostidion</i> species and hanging curtains of <i>Salix</i>	3280	2013 2007	XX FV d	XX FV d	FV FV	
	Hard oligo-mesotrophic waters with benthic vegetation of <i>Chara</i> spp.	3140	2013 2007	U1= U1 b1	U1= U1 b1	FV FV	
	Intermittently flowing Mediterranean rivers of the <i>Paspalo-Agrostidion</i>	3290	2013 2007			FV FV	
	Mediterranean temporary ponds	3170	2013 2007	XX FV d	U2- U1 c1	U1=	
	Natural dystrophic lakes and ponds	3160	2013 2007	U2- U1 c1		XX U1 d	
	Natural eutrophic lakes with <i>Magnopotamion</i> or <i>Hydrocharition</i> — type vegetation	3150	2013 2007	U2- FV c1	U2- FV c1	U1- FV c1	
	Oligotrophic to mesotrophic standing waters with vegetation of the <i>Littorelletea uniflorae</i> and/or of the	3130	2013 2007	U2x XX b1	U2- U1 b1	XX U1 d	
	Oligotrophic waters containing very few minerals generally on sandy soils of the West Mediterranean, with	3120	2013 2007			U1=	
	Oligotrophic waters containing very few minerals of sandy plains (<i>Littorelletalia uniflorae</i>)	3110	2013 2007	U2= U2 b1	U2x c1		
	Rivers with muddy banks with <i>Chenopodium rubri</i> p.p. and <i>Bidention p.p.</i> vegetation	3270	2013 2007	U1- FV c1	U1- FV c1	FV FV	
	Water courses of plain to montane levels with the <i>Ranunculion fluitantis</i> and <i>Callitricho-Batrachion</i> vegetation	3260	2013 2007	U2- U1 c1	U2- U1 c1	U2- U1 c1	
Dunes habitats	Brachypodietalia dune grasslands with annuals	2240	2013 2007			U1x XX b1	
	Cisto-Lavenduletalia dune sclerophyllous scrubs	2260	2013 2007		U2=	U2- U1 b1	
	Coastal dunes with <i>Juniperus</i> spp.	2250	2013 2007		U2+ U2 b1	U2- U1 c1	
	Crucianellion maritimae fixed beach dunes	2210	2013 2007			U2- U1 b1	
	Dunes with <i>Hippophaë rhamnoides</i>	2160	2013 2007		U2- U1 c1		
	Embryonic shifting dunes	2110	2013 2007		U2=	U2=	
	Fixed coastal dunes with herbaceous vegetation ('grey dunes')	2130	2013 2007		U2- U1 c1		
	Inland dunes with open <i>Corynephorus</i> and <i>Agrostis</i> grasslands	2330	2013 2007		U2x XX b1		
	Malcolmietalia dune grasslands	2230	2013 2007		U2- U1 b1	U1x XX b1	
	Shifting dunes along the shoreline with <i>Ammophila arenaria</i> ('white dunes')	2120	2013 2007		U2=	U2=	
					U2 b1	U2 b1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	Wooded dunes with <i>Pinus pinea</i> and/or <i>Pinus pinaster</i>	2270	2013 2007		FV FV b1	U1- FV b1	
Coastal habitats	Annual vegetation of drift lines	1210	2013 2007		U1=	FV U1 c1	
	Coastal lagoons	1150	2013 2007			FV FV C1	
	Estuaries	1130	2013 2007				XX
	Halo-nitrophilous scrubs (<i>Pegano-Salsoletea</i>)	1430	2013 2007			FV U1 c1	c1
	Inland salt meadows	1340	2013 2007		U1=		
					U1 b1		
	Large shallow inlets and bays	1160	2013 2007				U1x U1 b1
	Mediterranean and thermo-Atlantic halophilous scrubs (<i>Sarcocornetea fruticosi</i>)	1420	2013 2007		U1x XX b1	U1x XX b1	
	Mediterranean salt meadows (<i>Juncetalia maritimii</i>)	1410	2013 2007		U2x XX b1	U1x XX b1	
	Mediterranean salt steppes (<i>Limonietalia</i>)	1510	2013 2007			U2=	
						XX b1	
	Mudflats and sandflats not covered by seawater at low tide	1140	2013 2007				XX
	Posidonia beds (<i>Posidonion oceanicae</i>)	1120	2013 2007				c1
	Reefs	1170	2013 2007			FV FV	
	Salicornia and other annuals colonizing mud and sand	1310	2013 2007		U1=	U1=	
					U1 b1	U1 b1	
	Sandbanks which are slightly covered by sea water all the time	1110	2013 2007				U1x U1 b1
	Spartina swards (<i>Spartinion maritimiae</i>)	1320	2013 2007		U2- U1 c1		
	Vegetated sea cliffs of the Mediterranean coasts with endemic <i>Limonium spp.</i>	1240	2013 2007		FV FV	U1- FV c1	

Habitat types reported as scientific reserve (SR), marginal (MAR), invalid report in marine region (IRM) etc. (only listed when a scientific reserve etc has been reported)

Group	Name	Code	Year	ALP	CON	MED	MMED
Forests	Asperulo-Fagetum beech forests	9130	2013 2007		SR U1- FV c1		
	Endemic forests with <i>Juniperus spp.</i>	9560	2013 2007			MAR FV	
	Medio-European limestone beech forests of the Cephalanthero-Fagion	9150	2013 2007		MAR FV	MAR FV	
	Mediterranean pine forests with endemic Mesogean pines	9540	2013 2007	MAR U1			
	Pannonic woods with <i>Quercus pubescens</i>	91H0	2013 2007		MAR FV		

Group	Name	Code	Year	ALP	CON	MED	MMED
	Southern Apennine <i>Abies alba</i> forests	9510	2013 2007		MAR		
Rocky habitats	Limestone pavements	8240	2013 2007		SR FV FV		
Bogs, mires & fens	Active raised bogs	7110	2013 2007			MAR	
	Degraded raised bogs still capable of natural regeneration	7120	2013 2007		MAR		
Grasslands	Calaminarian grasslands of the <i>Violetalia calaminariae</i>	6130	2013 2007	MAR			
	Mountain hay meadows	6520	2013 2007			MAR	
	Siliceous alpine and boreal grasslands	6150	2013 2007			MAR	
Sclerophyllous scrubs	Low formations of <i>Euphorbia</i> close to cliffs	5320	2013 2007		MAR		
Heath & scrub	Bushes with <i>Pinus mugo</i> and <i>Rhododendron hirsutum</i> (<i>Mugo-Rhododendretum hirsuti</i>)	4070	2013 2007		MAR		
	Endemic oro-Mediterranean heaths with gorse	4090	2013 2007		MAR FV		
Freshwater habitats	Alpine rivers and the herbaceous vegetation along their banks	3220	2013 2007			MAR	
	Intermittently flowing Mediterranean rivers of the <i>Paspalo-Agrostidion</i>	3290	2013 2007		MAR FV		
	Natural dystrophic lakes and ponds	3160	2013 2007		MAR		
Dunes habitats	Inland dunes with open <i>Corynephorus</i> and <i>Agrostis</i> grasslands	2330	2013 2007	MAR			
Coastal habitats	Halo-nitrophilous scrubs (<i>Pegano-Salsoetea</i>)	1430	2013 2007		MAR		
	Mediterranean salt steppes (<i>Limonietalia</i>)	1510	2013 2007		MAR XX b1		
	Submarine structures made by leaking gases	1180	2013 2007				SR XX

Species reported by Italy

Group	Name	Code	Year	ALP	CON	MED	MMED
Non-vascular plants	<i>Buxbaumia viridis</i>	1386	2013 2007	U1- FV b1	U1- d	U1- U1	
	<i>Cladonia</i> spp. (subgenus <i>Cladina</i>)	1378	2013 2007	U1- FV b1	U1- FV b1	U1- FV b1	
	<i>Dicranum viride</i>	1381	2013 2007	U1x U1+ d			
	<i>Drepanocladus vernicosus</i>	1393	2013 2007	XX U1	XX U1		
	<i>Leucobryum glaucum</i>	1400	2013 2007	XX FV c1	XX FV c1	XX FV c1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Mannia triandra</i>	1379	2013 2007	XX			
	<i>Orthotrichum rogeri</i>	1387	2013 2007	U1-	U1-		
	<i>Petalophyllum ralfsii</i>	1395	2013 2007			U2- U1 b1	
	<i>Riccia breidleri</i>	1384	2013 2007	U1- XX b1			
	<i>Scapania massalongii</i>	1394	2013 2007	U1- U1 d			
	<i>Sphagnum spp.</i>	1409	2013 2007	XX FV c1	XX FV c1	XX FV c1	
Vascular plants	<i>Abies nebrodensis</i>	1431	2013 2007			U2x FV b1	
	<i>Adenophora liliifolia</i>	4068	2013 2007	FV FV			
	<i>Adonis distorta</i>	1479	2013 2007	U1- FV b1	XX FV c1	XX FV c1	
	<i>Aldrovanda vesiculosa</i>	1516	2013 2007			U1	*
	<i>Anchusa crispa</i>	1674	2013 2007			U1- FV b1	
	<i>Androsace mathildae</i>	1630	2013 2007	U1- FV c1			
	<i>Aquilegia alpina</i>	1480	2013 2007	FV FV	FV FV		
	<i>Aquilegia bertolonii</i>	1474	2013 2007		FV XX b1	FV FV	
	<i>Armeria helodes</i>	1646	2013 2007		U2- U2-		
	<i>Arnica montana</i>	1762	2013 2007	FV FV	FV FV		
	<i>Artemisia genipi</i>	1764	2013 2007	FV FV			
	<i>Asplenium adulterinum</i>	4066	2013 2007	FV U1 c1	FV U1 c1		
	<i>Aster sorrentinii</i>	1757	2013 2007			U1- FV c1	
	<i>Astragalus aquilanus</i>	1558	2013 2007	U1- XX b1		U1- XX b1	
	<i>Astragalus centralpinus</i>	1557	2013 2007	FV FV			
	<i>Astragalus maritimus</i>	1548	2013 2007			U2- U1 b1	
	<i>Astragalus verrucosus</i>	1555	2013 2007			U1- U1 d	
	<i>Athamanta cortiana</i>	1613	2013 2007			U1- U1+ b1	
	<i>Bassia saxicola</i>	1445	2013 2007			U1= FV b1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Brassica glabrescens</i>	1498	2013 2007		FV XX b1		
	<i>Brassica insularis</i>	1496	2013 2007		FV FV		
	<i>Brassica macrocarpa</i>	1494	2013 2007		U1- U1 d		
	<i>Caldesia parnassifolia</i>	1832	2013 2007		*	U2	
	<i>Campanula morettiana</i>	1750	2013 2007	FV FV			
	<i>Campanula sabatia</i>	1751	2013 2007		U1- FV b1		
	<i>Campanula zoysii</i>	4071	2013 2007	FV FV			
	<i>Carex panormitana</i>	1897	2013 2007		U1- FV b1		
	<i>Centaurea horrida</i>	1791	2013 2007		U1- FV b1		
	<i>Centaurea kartschiana</i>	1798	2013 2007		U1= FV b1		
	<i>Crambe tataria</i>	4091	2013 2007		U1- U1 d		
	<i>Crocus etruscus</i>	1873	2013 2007			U1x FV nc	
	<i>Cypripedium calceolus</i>	1902	2013 2007	FV FV			
	<i>Cytisus aeolicus</i>	1546	2013 2007			U1- U1 d	
	<i>Daphne petraea</i>	1583	2013 2007	FV FV			
	<i>Dianthus rupicola</i>	1468	2013 2007			FV FV	
	<i>Dracocephalum austriacum</i>	1689	2013 2007	U1- FV b1			
	<i>Eleocharis carniolica</i>	1898	2013 2007	U1- U1 d	U1- U1 d		
	<i>Erucastrum palustre</i>	1502	2013 2007		U2+ U2- a		
	<i>Eryngium alpinum</i>	1604	2013 2007	U2- U1- b1			
	<i>Euphrasia genargentea</i>	1720	2013 2007			U1- U1 d	
	<i>Euphrasia marchesettii</i>	1714	2013 2007		U1- U1 d		
	<i>Galanthus nivalis</i>	1866	2013 2007	FV FV	FV FV	FV FV	
	<i>Galium litorale</i>	1661	2013 2007			U1- U1 d	
	<i>Genista holopetala</i>	1547	2013 2007		FV U1 b1		

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Gentiana ligustica</i>	1656	2013 2007	FV FV		FV FV	
	<i>Gentiana lutea</i>	1657	2013 2007	FV FV	FV FV	FV FV	
	<i>Gladiolus palustris</i>	4096	2013 2007	U1x FV c1	U1x FV c1	U1x FV c1	
	<i>Gypsophila pillosa</i>	1467	2013 2007	XX FV d			
	<i>Helianthemum caput-felis</i>	1591	2013 2007			U1- U1 d	
	<i>Herniaria latifolia</i> ssp. <i>litardierei</i>	1466	2013 2007			FV U1 b1	
	<i>Himantoglossum adriaticum</i>	4104	2013 2007	U1-	FV	FV	
	<i>Iris marsica</i>	1876	2013 2007	XX FV d	FV FV	FV FV	
	<i>Isoetes malinverniana</i>	1415	2013 2007		U2- FV b1		
	<i>Jonopsidium savianum</i>	1499	2013 2007			FV FV	
	<i>Kosteletzkya pentacarpos</i>	1581	2013 2007		U1- U1 d	U1 U1	*
	<i>Lamyropsis microcephala</i>	1768	2013 2007			U2- U1 b1	
	<i>Leontodon siculus</i>	1790	2013 2007			FV FV	
	<i>Leucojum nicaeense</i>	1871	2013 2007			U2- U1- c1	
	<i>Lilium rubrum</i>	1841	2013 2007		XX FV c1		
	<i>Limonium insulare</i>	1634	2013 2007			U1- FV b1	
	<i>Limonium pseudolaetum</i>	1642	2013 2007			U1- FV b1	
	<i>Limonium strictissimum</i>	1643	2013 2007			U1x U1 d	
	<i>Linaria flava</i>	1715	2013 2007			U1- FV b1	
	<i>Linaria pseudolaxiflora</i>	4114	2013 2007			U1= FV c1	
	<i>Linaria tonzigii</i>	1710	2013 2007	XX FV c1			
	<i>Lindernia procumbens</i>	1725	2013 2007	XX FV c1	XX FV c1		
	<i>Linum muelleri</i>	1572	2013 2007			U1= FV b1	
	<i>Liparis loeselii</i>	1903	2013 2007	U1- FV b1	U2- FV b1		
	<i>Lycopodium spp.</i>	1413	2013 2007	XX FV c1	XX FV c1	XX XX	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Marsilea quadrifolia</i>	1428	2013 2007	*	U2- FV b1	U2-	
	<i>Marsilea strigosa</i>	1429	2013 2007			U1- U1 d	
	<i>Moehringia tommasinii</i>	1458	2013 2007		U1= U1 d		
	<i>Muscari gussonei</i>	1850	2013 2007			U1- FV b1	
	<i>Ophrys lunulata</i>	1905	2013 2007			FV FV	
	<i>Paeonia officinalis ssp. banatica</i>	2097	2013 2007 d	U1x U1+ b1	FV		
	<i>Petagnia saniculifolia</i>	1602	2013 2007			U1- U1 d	
	<i>Physoplexis comosa</i>	1749	2013 2007	FV FV			
	<i>Primula apennina</i>	1627	2013 2007		FV FV		
	<i>Primula glaucescens</i>	1629	2013 2007	FV FV			
	<i>Primula palinuri</i>	1628	2013 2007			U1- FV b1	
	<i>Primula spectabilis</i>	1626	2013 2007	FV FV			
	<i>Ribes sardoum</i>	1531	2013 2007			U2= U1 b1	
	<i>Rouya polygama</i>	1608	2013 2007			U1- U1 d	
	<i>Ruscus aculeatus</i>	1849	2013 2007	FV FV	FV FV	FV FV	
	<i>Salicornia veneta</i>	1443	2013 2007		FV FV		
	<i>Saxifraga berica</i>	1525	2013 2007			XX U1+ c1	
	<i>Saxifraga florulenta</i>	1527	2013 2007	FV FV			
	<i>Saxifraga presolanensis</i>	1530	2013 2007	FV FV			
	<i>Saxifraga tombeanensis</i>	1524	2013 2007	U1- FV b1			
	<i>Saxifraga valdensis</i>	1522	2013 2007	XX XX			
	<i>Silene hicesiae</i>	1461	2013 2007			U1- XX b1	
	<i>Silene velutina</i>	1465	2013 2007			FV FV	
	<i>Spiranthes aestivalis</i>	1900	2013 2007	U1- FV c1	U1- FV c1	U1- FV c1	
	<i>Stipa austroitalica</i>	1883	2013 2007			FV FV	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Stipa veneta</i>	1880	2013 2007		U2- U1+ a		
	<i>Trichomanes speciosum</i>	1421	2013 2007			U2- U1 c1	
	<i>Trifolium saxatile</i>	1545	2013 2007	XX FV c1			
	<i>Woodwardia radicans</i>	1426	2013 2007			U1- FV b1	
Molluscs	<i>Anisus vorticulus</i>	4056	2013 2007				
	<i>Helix pomatia</i>	1026	2013 2007	U1- U1 c1	U1- U1 c1		
	<i>Lithophaga lithophaga</i>	1027	2013 2007				U2+ U1 b1
	<i>Microcondylaea compressa</i>	1031	2013 2007		U1- U2 c1		
	<i>Patella ferruginea</i>	1012	2013 2007				U2= U2 nc
	<i>Pinna nobilis</i>	1028	2013 2007				U1= XX b1
	<i>Unio elongatus</i>	1033	2013 2007	U1x FV c1	U1- FV c1	U1- U1 c1	
	<i>Vertigo angustior</i>	1014	2013 2007	FV FV	U1x FV c1	U1x FV c1	
	<i>Vertigo genesii</i>	1015	2013 2007	FV			
	<i>Vertigo geyeri</i>	1013	2013 2007				
	<i>Vertigo mouliniana</i>	1016	2013 2007	FV	U1- U1 a	U1- U1 a	
Arthropods	<i>Arytrura musculus</i>	4027	2013 2007				
	<i>Austropotamobius pallipes</i>	1092	2013 2007	FV U1 c1	U1- U1 c1	U1- U1 c1	
	<i>Austropotamobius torrentium</i>	1093	2013 2007	U2- U1 c1			
	<i>Brachytrupes megacephalus</i>	4047	2013 2007			U2	
	<i>Buprestis splendens</i>	1085	2013 2007			FV FV	
	<i>Callimorpha quadripunctaria</i>	1078	2013 2007	FV FV	FV FV	FV FV	
	<i>Carabus olympiae</i>	1080	2013 2007	U1- U1 a			
	<i>Cerambyx cerdo</i>	1088	2013 2007	U1- FV c1	FV FV	FV FV	
	<i>Coenagrion mercuriale</i>	1044	2013 2007		U1- U2 b1	FV U2 b1	
	<i>Coenonympha oedippus</i>	1071	2013 2007		U1= U1 c1		

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Cordulegaster heros</i>	4046	2013 2007				
	<i>Cordulegaster trinacriae</i>	1047	2013 2007		FV U2 b1		
	<i>Cucujus cinnaberinus</i>	1086	2013 2007		U1= XX		
	<i>Erannis ankeraria</i>	4033	2013 2007		FV	FV	
	<i>Erebia calcaria</i>	1072	2013 2007	FV U1 b1			
	<i>Erebia christi</i>	1073	2013 2007	U1- U2 b1			
	<i>Eriogaster catax</i>	1074	2013 2007	U2x U2 c1	U1x U1 c1	FV U2 c1	
	<i>Euphydryas aurinia</i>	1065	2013 2007	FV FV	U2- U2 c1	FV U1 c1	
	<i>Fabriciana elisa</i>	1064	2013 2007			FV U1 b1	
	<i>Graphoderus bilineatus</i>	1082	2013 2007		U1x	U1x	
	<i>Hyles hippophaes</i>	1077	2013 2007	U1- U2 c1	U2- XX c1		
	<i>Hypodryas maturna</i>	1052	2013 2007	U2- U2 a			
	<i>Leptodirus hochenwarti</i>	4019	2013 2007		FV FV		
	<i>Leucorrhinia pectoralis</i>	1042	2013 2007		U2-		
	<i>Lindenia tetraphylla</i>	1043	2013 2007		d		U1= U2 b1
	<i>Lopinga achine</i>	1067	2013 2007	FV FV	U2- U1 b1		
	<i>Lucanus cervus</i>	1083	2013 2007	FV U2 b1	FV U2 b1	FV U2 b1	
	<i>Lycaena dispar</i>	1060	2013 2007		FV U1- b1	U1- U1 c1	
	<i>Maculinea arion</i>	1058	2013 2007	FV U2 b1	U1- U2 b1	U1- U2 c1	
	<i>Maculinea teleius</i>	1059	2013 2007		U2- U2		
	<i>Melanargia arge</i>	1062	2013 2007			U1- U1 c1	
	<i>Morimus funereus</i>	1089	2013 2007	FV FV	FV FV		
	<i>Myrmecophilus baronii</i>	4051	2013 2007				
	<i>Ophiogomphus cecilia</i>	1037	2013 2007		FV U2 b1		
	<i>Osmoderma eremita</i>	1084	2013 2007	U1- U2 b1	U1- U2 b1	U1- U2 b1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	Oxygastra curtisii	1041	2013 2007		XX U2 b1	FV U2 b1	
	Papilio alexanor	1054	2013 2007	U1- U2 b1			
	Papilio hospiton	1055	2013 2007			FV U1 b1	
	Parnassius apollo	1057	2013 2007	FV U1 b1		U1- U2 b1	
	Parnassius mnemosyne	1056	2013 2007	FV U2 b1		U1- U1 b1	
	Proserpinus proserpina	1076	2013 2007	FV U2 c1	U1x U2 c1	FV U2 c1	
	Rhysodes sulcatus	4026	2013 2007		XX	XX	
	Rosalia alpina	1087	2013 2007	U1= U2 c1	U1= U1 c1	U1= U1 c1	
	Saga pedo	1050	2013 2007	U1= U2 c1	U1- U2 a	U1- U2 c1	
	Scyllarides latus	1090	2013 2007				U2= XX b1
	Stephanopachys substriatus	1927	2013 2007	XX U2 e			
	Stylurus flavipes	1040	2013 2007		FV U2 b1		
	Sympetrum braueri	1039	2013 2007		U2- U2 d		
	Zerynthia polyxena	1053	2013 2007	FV U1 b1	FV U2 b1	FV U2 b1	
Fish	Acipenser naccarii	1100	2013 2007		U2+ U2+		
	Alburnus albidus	1120	2013 2007			U2- FV b1	
	Alosa agone	4124	2013 2007	FV U1- b1		FV	
	Alosa fallax	1103	2013 2007		U2+ U1 b1	U2+ U1 b1	
	Aphanius fasciatus	1152	2013 2007		U1= U1 d	U1= U1 d	
	Barbus meridionalis	1138	2013 2007	U2- U1- b1	U2- U1- b1	U2- U1- b1	
	Barbus plebejus	1137	2013 2007	U1- U1 d	U2- U1 b1		
	Barbus tyberinus	5097	2013 2007		U1-	U1-	
	Chondrostoma genei	1115	2013 2007		U2- U2 d		
	Chondrostoma soetta	1140	2013 2007	U2- U1 b1	U2- U2- b1		
	Cobitis bilineata	5304	2013 2007	U1= U1 d	U1= U1 d	U1= U1 d	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Cobitis zanandreai</i>	5305	2013 2007			U2x	
	<i>Cottus gobio</i>	1163	2013 2007	U1- U1 d	U2- U1 b1		
	<i>Knipowitschia panizzae</i>	1155	2013 2007		FV U1 b1	FV	
	<i>Lampetra fluviatilis</i>	1099	2013 2007			U2- U2 d	
	<i>Lampetra planeri</i>	1096	2013 2007		U2- U2 a	U2- U2 a	
	<i>Lethenteron zanandreai</i>	1097	2013 2007	U1- U1 d	U2- U1- b1		
	<i>Leuciscus lucumonis</i>	1132	2013 2007		U2- XX b1	U2- XX b1	
	<i>Leuciscus souffia</i>	1131	2013 2007	FV FV	U1- FV a	U1= FV a	
	<i>Padogobius nigricans</i>	1156	2013 2007		U2- U1 a	U2- U1 a	
	<i>Petromyzon marinus</i>	1095	2013 2007		U2- U2-	U2- U2-	
	<i>Pomatoschistus canestrinii</i>	1154	2013 2007		FV FV		
	<i>Rutilus pigus</i>	1114	2013 2007	U2- U1 b1	U2- U1- b1		
	<i>Rutilus rubilio</i>	1136	2013 2007		U1= FV a	U1= FV a	
	<i>Sabanejewia larvata</i>	1991	2013 2007	U2- FV b1	U2- U2 b1		
	<i>Salmo cetti</i>	5349	2013 2007	U2- U2 d	U2- U2 d	U2- U2 d	
	<i>Salmo marmoratus</i>	1107	2013 2007	U2- U1+ b1	U2- U1+ b1		
	<i>Thymallus thymallus</i>	1109	2013 2007	U2- U1- b1	U2- U1- b1		
Amphibians	<i>Bombina variegata</i>	1193	2013 2007	U2- U1- a	U2- U1- a	U2- U1- a	
	<i>Bufo viridis</i>	1201	2013 2007	FV FV	FV FV	FV FV	
	<i>Discoglossus pictus</i>	1189	2013 2007			FV U1- b1	
	<i>Discoglossus sardus</i>	1190	2013 2007			U2- U1- b1	
	<i>Euproctus platycephalus</i>	1165	2013 2007			U1- U2 b1	
	<i>Hydromantes ambrosii</i>	1181	2013 2007			FV U1 b1	
	<i>Hydromantes flavus</i>	1182	2013 2007			FV FV	
	<i>Hydromantes genei</i>	1180	2013 2007			U1x U1 d	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Hydromantes imperialis</i>	1184	2013 2007			FV FV	
	<i>Hydromantes strinatii</i>	1994	2013 2007	FV FV	XX c1	FV FV	
	<i>Hydromantes supramontis</i>	1183	2013 2007			FV FV	
	<i>Hyla arborea</i>	1203	2013 2007	U1- U1 nc	U1- FV b1	U1- FV b1	
	<i>Hyla meridionalis</i>	1205	2013 2007			FV U1 c1	
	<i>Hyla sarda</i>	1204	2013 2007			FV FV	
	<i>Pelobates fuscus insubricus</i>	1199	2013 2007		U2- U2 d		
	<i>Proteus anguinus</i>	1186	2013 2007		U1- FV c1		
	<i>Rana dalmatina</i>	1209	2013 2007	FV XX b1	U1- FV a	U1- U1 d	
	<i>Rana esculenta</i>	1210	2013 2007	FV FV	FV FV	FV FV	
	<i>Rana italica</i>	1206	2013 2007	FV U1 b1	FV XX b1	FV FV	
	<i>Rana latastei</i>	1215	2013 2007	U1- U1 d	U1- U1- b1		
	<i>Rana ridibunda</i>	1212	2013 2007		FV U1 b1		
	<i>Rana temporaria</i>	1213	2013 2007	FV FV	FV U1 b1	FV U1 b1	
	<i>Salamandra atra</i>	1177	2013 2007	FV U1 b1			
	<i>Salamandra atra aurorae</i>	1178	2013 2007	U2- U1- a			
	<i>Salamandra lanzai</i>	1179	2013 2007	U1- U1 d			
	<i>Salamandrina terdigitata</i>	1175	2013 2007	FV U1 b1	FV U1- b1	FV U1 b1	
	<i>Triturus carnifex</i>	1167	2013 2007	U1- U1 d	U1- U1- b1	U1- U1- b1	
	<i>Triturus italicus</i>	1168	2013 2007	FV XX b1	FV U1 b1	FV U1- b1	
Reptiles	<i>Algyroides fitzingeri</i>	1240	2013 2007			FV XX b1	
	<i>Algyroides nigropunctatus</i>	1243	2013 2007		FV FV		
	<i>Caretta caretta</i>	1224	2013 2007				U1- XX b1
	<i>Chalcides ocellatus</i>	1274	2013 2007			FV FV	
	<i>Coluber hippocrepis</i>	1288	2013 2007			FV XX b1	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Coluber viridiflavus</i>	1284	2013 2007	FV FV	FV FV	FV FV	
	<i>Coronella austriaca</i>	1283	2013 2007	FV FV	FV FV	FV FV	
	<i>Cyrtopodion kotschy</i>	1228	2013 2007			FV FV	
	<i>Elaphe lineata</i>	6136	2013 2007			FV	
	<i>Elaphe longissima</i>	1281	2013 2007	FV FV	FV FV	FV XX	
	<i>Elaphe quatuorlineata</i>	1279	2013 2007 b1	FV U1- b1	FV U1 b1	FV U1	
	<i>Elaphe situla</i>	1293	2013 2007			U1- FV b1	
	<i>Emys orbicularis</i>	1220	2013 2007	U2- XX b1	U2- XX b1	U2- XX b1	
	<i>Emys trinacris</i>	5370	2013 2007			U1-	
	<i>Lacerta agilis</i>	1261	2013 2007	U1= XX b1			
	<i>Lacerta bedriagae</i>	1245	2013 2007			FV FV	
	<i>Lacerta horvathi</i>	1262	2013 2007	FV FV			
	<i>Lacerta viridis</i>	1263	2013 2007 b1	FV U1 b1	U1- FV a	U1- FV a	
	<i>Natrix natrix cetti</i>	1290	2013 2007			U1- XX b1	
	<i>Natrix tessellata</i>	1292	2013 2007	U1- XX b1	U1- FV b1	U1- XX b1	
	<i>Phyllodactylus europaeus</i>	1229	2013 2007			FV U2 b1	
	<i>Podarcis filfolensis</i>	1237	2013 2007			FV XX c1	
	<i>Podarcis melisellensis</i>	1241	2013 2007		U1- XX b1		
	<i>Podarcis muralis</i>	1256	2013 2007	FV FV	FV FV	FV FV	
	<i>Podarcis sicula</i>	1250	2013 2007 b1	FV XX b1	FV XX b1	FV FV	
	<i>Podarcis tiliguerta</i>	1246	2013 2007			FV XX b1	
	<i>Podarcis wagleriana</i>	1244	2013 2007			FV U1 b1	
	<i>Telescopus fallax</i>	1289	2013 2007 b1		FV XX b1		
	<i>Testudo graeca</i>	1219	2013 2007			FV FV	
	<i>Testudo hermanni</i>	1217	2013 2007 a		U2- U1- a	U1- U1- U1-	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Testudo marginata</i>	1218	2013 2007			FV XX b1	
	<i>Vipera ammodytes</i>	1295	2013 2007	U1- U1 d	FV FV		
	<i>Vipera ursinii</i>	1298	2013 2007	FV U1 b1	FV U1 b1	U1- U1-	
Mammals	<i>Balaenoptera physalus</i>	2621	2013 2007				XX XX
	<i>Barbastella barbastellus</i>	1308	2013 2007	U1- U2- b1	U2- U2	U2- U2-	
	<i>Canis aureus</i>	1353	2013 2007	FV U2	FV U2		
	<i>Canis lupus</i>	1352	2013 2007	FV U1+	FV U1+	FV U1+	
	<i>Capra aegagrus</i>	1372	2013 2007	a	a	FV U1	
	<i>Capra ibex</i>	1375	2013 2007	U1- FV a			
	<i>Cervus elaphus corsicanus</i>	1367	2013 2007			FV FV	
	<i>Crocidura sicula</i>	4001	2013 2007			FV XX b1	
	<i>Delphinus delphis</i>	1350	2013 2007				XX U2 c1
	<i>Dryomys nitedula</i>	1342	2013 2007	FV FV		U1x XX c1	
	<i>Eptesicus nilssonii</i>	1313	2013 2007	FV XX b1			
	<i>Eptesicus serotinus</i>	1327	2013 2007	FV U1 b1	FV U1 b1	FV U1 b1	
	<i>Felis silvestris</i>	1363	2013 2007	FV U1- a	FV U1- a	FV U1- c1	
	<i>Globicephala melas</i>	2029	2013 2007				XX XX
	<i>Grampus griseus</i>	2030	2013 2007				XX XX
	<i>Hypsugo savii</i>	5365	2013 2007		FV FV	FV FV	
	<i>Hystrix cristata</i>	1344	2013 2007		FV FV	FV FV	
	<i>Lepus timidus</i>	1334	2013 2007	U1= FV c1			
	<i>Lutra lutra</i>	1355	2013 2007			FV U1+ a	
	<i>Lynx lynx</i>	1361	2013 2007	U2- U2 d			
	<i>Martes martes</i>	1357	2013 2007	FV U1+ b1	FV U1+ a	FV U1+ b1	
	<i>Miniopterus schreibersii</i>	1310	2013 2007	U2- U2 d	U2- U2 d	U2- U2 d	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Monachus monachus</i>	1366	2013 2007				U2- U2 nc
	<i>Muscardinus avellanarius</i>	1341	2013 2007	FV FV	FV FV	FV FV	
	<i>Mustela putorius</i>	1358	2013 2007	FV U1 c1	FV U1 a	XX U1 c1	
	<i>Myotis alcathoe</i>	5003	2013 2007				
	<i>Myotis bechsteinii</i>	1323	2013 2007	U1- U2- b1	U1- U2- b1	U1- U2- b1	
	<i>Myotis blythii</i>	1307	2013 2007	U1- U1-	U1- U1-	U1- U1-	
	<i>Myotis brandtii</i>	1320	2013 2007	XX		XX U1 d	
	<i>Myotis capaccinii</i>	1316	2013 2007	U2- U2-	U2- U2-	U2- U2-	
	<i>Myotis daubentonii</i>	1314	2013 2007	U1= FV b1	U1= FV b1	U2- FV b1	
	<i>Myotis emarginatus</i>	1321	2013 2007	U1- U1 d	U1- U1 d	U1- U1 d	
	<i>Myotis myotis</i>	1324	2013 2007	U1- U2- b1	U1- U2- b1	U1- U2- b1	
	<i>Myotis mystacinus</i>	1330	2013 2007	FV U1- b1	FV U1- b1	FV U1- b1	
	<i>Myotis nattereri</i>	1322	2013 2007	U1- U1-	U1- U1-	U1- U1-	
	<i>Myotis punicus</i>	5005	2013 2007			U1- XX b1	
	<i>Nyctalus lasiopterus</i>	1328	2013 2007		U2- U2-	U2- U2-	
	<i>Nyctalus leisleri</i>	1331	2013 2007	FV U1 b1	U1- U1 d	U1- U1 d	
	<i>Nyctalus noctula</i>	1312	2013 2007	XX d	FV b1	XX U1 d	
	<i>Ovis gmelini musimon</i>	1373	2013 2007			FV FV	
	<i>Physeter catodon</i>	5031	2013 2007				XX
	<i>Pipistrellus kuhlii</i>	2016	2013 2007	FV FV	FV FV	FV FV	
	<i>Pipistrellus nathusii</i>	1317	2013 2007	FV U1 b1	FV U1 b1	FV U1 b1	
	<i>Pipistrellus pipistrellus</i>	1309	2013 2007	FV FV	FV FV	FV FV	
	<i>Pipistrellus pygmaeus</i>	5009	2013 2007	U1- XX b1	U1- XX b1	U1- XX b1	
	<i>Plecotus auritus</i>	1326	2013 2007	FV U1 b1	U1- U1 d	U1- U1 d	
	<i>Plecotus austriacus</i>	1329	2013 2007	XX U1 d	U1- U1 d	U1- U1 d	

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Plecotus macrobullaris</i>	5012	2013 2007	XX XX	XX		
	<i>Plecotus sardus</i>	5013	2013 2007			U1x U2- b1	
	<i>Rhinolophus euryale</i>	1305	2013 2007	XX U2- d	U2- U2-	U2- U2-	
	<i>Rhinolophus ferrumequinum</i>	1304	2013 2007	U1- U1-	U1- U1-	U2- U1-	
	<i>Rhinolophus hipposideros</i>	1303	2013 2007	U1- U2-	U1- U2-	U1- U2-	
	<i>Rhinolophus mehelyi</i>	1302	2013 2007	b1	b1	U1- U2- b1	
	<i>Rupicapra pyrenaica ornata</i>	1374	2013 2007	FV U1+			
	<i>Rupicapra rupicapra</i>	1369	2013 2007	FV a b1			
	<i>Stenella coeruleoalba</i>	2034	2013 2007				XX XX
	<i>Tadarida teniotis</i>	1333	2013 2007	FV FV	FV FV	FV FV	
	<i>Tursiops truncatus</i>	1349	2013 2007				XX XX
	<i>Ursus arctos</i>	1354	2013 2007	U1+ U2+		U2- U2+	
	<i>Vespertilio murinus</i>	1332	2013 2007	a XX U2 d	XX XX	b1	
	<i>Ziphius cavirostris</i>	2035	2013 2007				XX XX
Other invertebrates	<i>Centrostephanus longispinus</i>	1008	2013 2007			FV XX c1	
	<i>Corallium rubrum</i>	1001	2013 2007			FV XX b1	
	<i>Hirudo medicinalis</i>	1034	2013 2007	U1x XX c1	U1x U2 c1	U1x U2 c1	

*species which is extinct but not conservation status reported

Species reported as occasional (OCC), newly arriving (ARR), extinct prior the Habitats Directive came into force (PEX), marginal (MAR), invalid report in marine region (IRM) or introduced (INT) etc. (only listed when an occasional species etc has been reported). In addition species with optional reports (OP) and scientific reserves (SR) are listed here.

Group	Name	Code	Year	ALP	CON	MED	MMED
Vascular plants	<i>Aquilegia bertolonii</i>	1474	2013 2007	MAR XX			
	<i>Arnica montana</i>	1762	2013 2007			MAR FV	
	<i>Asplenium hemionitis*</i>	1424	2013 2007			SR FV	
	<i>Astragalus aquilanus</i>	1558	2013 2007		MAR		

Group	Name	Code	Year	ALP	CON	MED	MMED
	Campanula sabatia	1751	2013 2007	MAR FV			
	Myosotis rehsteineri*	1670	2013 2007		SR U1		
	Salicornia veneta	1443	2013 2007			MAR	
	Stipa austroitalica	1883	2013 2007		MAR		
Molluscs	Helix pomatia	1026	2013 2007			MAR U1	
	Margaritifera auricularia	1030	2013 2007		PEX U2		
	Microcondylaea compressa	1031	2013 2007	MAR U2			
Arthropods	Bolbelasmus unicornis	4011	2013 2007		OCC U2		
	Coenonympha oedippus	1071	2013 2007	MAR U2			
	Leucorrhinia pectoralis	1042	2013 2007		MAR U2		
	Lycaena dispar	1060	2013 2007	MAR U1-			
	Maculinea teleius	1059	2013 2007	MAR U2-			
	Melanargia arge	1062	2013 2007	MAR FV	MAR		
	Oxygastra curtisii	1041	2013 2007	MAR XX			
	Parnassius apollo	1057	2013 2007		MAR U2		
	Parnassius mnemosyne	1056	2013 2007		MAR U1		
	Rhysodes sulcatus	4026	2013 2007	MAR			
Fish	Acipenser naccarii	1100	2013 2007	MAR			
	Alosa agone	4124	2013 2007		MAR		
	Alosa alosa	1102	2013 2007			PEX	
	Barbus plebejus	1137	2013 2007			MAR U1	
	Chondrostoma genei	1115	2013 2007	MAR U1-		MAR XX	
	Cottus gobio	1163	2013 2007			MAR U1	
Amphibians	Pelobates fuscus insubricus	1199	2013 2007	MAR U2			
Reptiles	Chelonia mydas	1227	2013 2007				OCC XX XX

Group	Name	Code	Year	ALP	CON	MED	MMED
	<i>Dermochelys coriacea</i>	1223	2013 2007				OCC
	<i>Eretmochelys imbricata</i>	1225	2013 2007				OCC
	<i>Lepidochelys kempii</i>	1226	2013 2007				OCC
Mammals	<i>Balaenoptera acutorostrata</i>	2618	2013 2007				OCC XX
	<i>Hystrix cristata</i>	1344	2013 2007	ARR FV			
	<i>Kogia simus</i>	2623	2013 2007				OCC XX
	<i>Lepus timidus</i>	1334	2013 2007		MAR	MAR	
	<i>Lutra lutra</i>	1355	2013 2007	ARR U1+	MAR		
	<i>Lynx lynx</i>	1361	2013 2007		MAR U2		
	<i>Megaptera novaeangliae</i>	1345	2013 2007				OCC XX
	<i>Orcinus orca</i>	2027	2013 2007				OCC XX
	<i>Pseudorca crassidens</i>	2028	2013 2007				OCC XX
	<i>Rupicapra pyrenaica ornata</i>	1374	2013 2007		MAR	MAR U1+	
	<i>Rupicapra rupicapra</i>	1369	2013 2007		MAR XX	MAR XX	
	<i>Steno bredanensis</i>	2033	2013 2007				OCC XX

*According to Italy these species are not present in Italy.