

National Summary for Article 17 - France

1 General information

1.1 Number of SCIs and SACs

The table below provides the total number and total area of sites proposed and designated under the Habitats Directive (Sites of Community Importance, SCIs & Special Areas of Conservation, SACs), terrestrial area of sites and number and area of marine sites (i.e. any site with a marine component).

Empty cells in tables mean that the component requested is not applicable.

	All		Terrestrial	Marine	
	No.	Area (km ²)	Area (km ²)	No.	Area (km ²)
SCIs & SACs	1367	74537	46832	207	27705
SACs only	713	28055	23528	33	4527
Date of database used: 30-04-2013					

1.2 Number of sites with comprehensive management plans (Art. 6(1))

Number of sites for which comprehensive management plans have been adopted: **591**

Percentage of network area covered by comprehensive management plans: **76%**

Number of sites for which management plans are under preparation (optional): **264**

2. Number of habitats and species/subspecies

The table in this section gives the number of habitat types and species/subspecies in each Annex of the Habitats Directive by biogeographical and marine regions in France. The species and habitats with the following presence status are included in the table: 'present', species of which taxonomy is not clear (SR TAX), species where the link to the corresponding name in the Habitats Directive is not clear (LR), species extinct after the Directive came into force (EX) and optional reports (OP).

Region	HABITATS		SPECIES					
	Annex I		Annex II		Annex IV		Annex V	
	Non-priority	Priority	Non-priority	Priority	Including those in Annex II	Excluding those in Annex II	Including those in Annex II	Excluding those in Annex II
Number of habitats & species in the MS	102	28	133	24	204	90	68	57
	130		157		204		68	
Alpine	50	14	61	6	97	50	42	39
Atlantic	56	16	67	10	99	46	35	28
Continental	50	14	73	5	99	50	45	39
Mediterranean	66	18	76	12	119	53	30	26
Marine Atlantic	6		4	3	17	12	4	2
Marine Mediterranean	6	1	1	2	14	11	4	4

Additional information:

Number of assessments of marginal habitat types: **7**

Number of assessments of marginal & occasional species: **36**

Number of assessments of newly arriving species: **none**

Number of species regionally extinct prior the Habitats Directive came into force: **1**

Number of species regionally extinct after the Habitats Directive came into force: **none**

Number of species globally extinct after the Habitats Directive came into force: **none**

Number of assessments of species/habitat types for which no reports received: **none**

3. Information on Conservation status



Please note that the figures shown for 2001-2006 and 2007-2012 are not necessarily directly comparable because there can be differences in number of assessments between the reporting rounds, changes in how some features were allocated in biogeographical regions etc.

The following have been excluded from all statistics under section 3:

- Habitats reported as marginal (MAR) or with scientific reserve (SR)
- Species reported as marginal (MAR), occasional (OCC), newly arriving (ARR), regionally extinct before the Habitats Directive came into force (PEX) and introduced species (INT). In addition reports that give only an information about species without evaluation of the conservation status
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected (IRM).

3.1 a) Overall assessment of conservation status of habitats and species (%)

These figures show the percentage of biogeographical assessments in each category of conservation status for habitats and species, respectively. The information on which these figures are based are presented in the table below the figures (real values).

Conservation status of **habitats**Conservation status of **species**

■ FV - Favourable ■ NA - Not reported ■ XX - Unknown ■ U1 - Unfavourable inadequate ■ U2 - Unfavourable bad

Year of assessment	HABITATS					SPECIES				
	FV	NA	XX	U1	U2	FV	NA	XX	U1	U2
2007	53		20	106	124	137		164	138	219
2013	67		11	113	106	193	1	107	216	163



3.1 b) Percentage of assessments where the conservation status has changed between the reporting periods

This table shows the percentage of assessments where the Member State has indicated a change between two reporting rounds (2001-2006 and 2007-2013) and the percentages of all reported changes where the change has been reported as a genuine change. Change can be either a change from one conservation status category to another or a change within the same category (within the qualifiers '-', '+', '=', 'x'). Data have been taken from the 'audit trail table' where the Member State indicates the nature of change. The Member State's results on this audit trail are shown under section 7.

	SPECIES	HABITAT TYPES
% of assessments that changed	41%	31%
% of total changes considered genuine	7%	2%

3.2 Improving/deteriorating trends of habitats and species with an unfavourable conservation status (%)

These figures show the proportion of unfavourable assessments (U1 & U2) which are improving, deteriorating, stable or unknown.



Habitats – overall trend in Conservation Status

Species – overall trend in Conservation Status

U (+) = unfavourable (inadequate and bad) improving, U (=) = unfavourable stable, U (-) = unfavourable declining, U (x) = unfavourable unknown trend

This table shows trends in conservation status of habitats & species separately for those cases where the overall conclusion is unfavourable inadequate (U1) and unfavourable bad (U2).


Qualifiers of CS	U1+	U1=	U1-	U1x	U2+	U2=	U2-	U2x
Habitats	2	79	22	10		34	66	6
Species	12	133	22	49	5	58	78	21

Note: U1+ = unfavourable-inadequate improving, U1= = unfavourable-inadequate stable, U1- = unfavourable-inadequate declining, U1x = unfavourable-inadequate trend unknown, U2+ = unfavourable-bad improving, U2= = unfavourable-bad stable, U2- = unfavourable-bad declining, U2x = unfavourable-bad trend unknown


3.3 Overall assessment of conservation status of habitats and species by biogeographical/marine region (%)

These figures show the percentage of assessments in each of conservation status category by biogeographical and marine region, for habitats and species, respectively.

Please note that some habitats reported as terrestrial in 2001-2006 have been reported as marine in 2007-2012 (e.g. estuaries). Some species (e.g. seals, marine turtles) which in some cases were reported for both marine and terrestrial regions were only reported for one region in 2007-2012 (this statement only applies to Member States with marine regions).



Conservation status of **habitats** in biogeographical and marine regions




Conservation status of **species** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

3.4 Overall assessment of conservation status by habitat category/species group (%)

These figures show the percentage of biogeographical and marine assessments in each conservation status category by habitat category and by taxonomic group, for habitats and species, respectively.


The figures show the proportion of assessments in each conservation status class for 2007-2012 (upper bar) and 2001-2006 (lower bar). The information (number of assessments) on which these figures are based are presented in the tables below each figure (real values).

Habitats

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	HABITATS				
		FV	NA	XX	U1	U2
Forests	2007	8		9	24	20
	2013	11		5	31	15
Rocky habitats	2007	24		3	8	4
	2013	25		4	7	3
Bogs, mires & fens	2007				9	18
	2013	1			12	14
Grasslands	2007	6		4	16	20
	2013	8		1	11	24
Sclerophyllous scrubs	2007	11			4	2
	2013	11			4	2
Heath & scrub	2007	3			9	7
	2013	4			8	5
Freshwater habitats	2007	1			14	25
	2013	4		1	19	15
Dunes habitats	2007			3	6	13
	2013	1			7	13
Coastal habitats	2007			1	16	15
	2013	2			14	15

NB: Coastal habitats cover coastal and halophytic habitats (code 1xxx) and Dunes habitat types cover coastal sand dunes and inland dunes (code 2xxx) as listed in the Habitats Directive

Species

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	SPECIES				
		FV	NA	XX	U1	U2
Other invertebrates	2007			3	1	
	2013			1	1	
Mammals	2007	38		86	22	28
	2013	54		46	54	28
Reptiles	2007	13		5	14	13
	2013	21		4	11	10
Amphibians	2007	8		5	16	38
	2013	12		9	22	17
Fish	2007	10		12	21	19
	2013	8	1		20	21
Arthropods	2007	35		29	21	44
	2013	40		15	40	26
Molluscs	2007			6		16
	2013	1		5	2	18
Vascular plants	2007	26		5	41	46
	2013	49		1	48	34
Non-vascular plants	2007	7		13	2	15
	2013	8		26	18	9

3.5 Reasons for change in reported values of parameters (%)

This table provides information on reasons for changes of values reported for the parameters 'Range', 'Area (habitat)', 'Population' and 'Habitat for the species' between reporting periods 2001-2006 and 2007-2012. The table gives the percentage of habitats/species assessments for which a particular reason for change in values was reported. The reporting format lists three principal reasons for change: genuine change, better knowledge/data and use of different method.

Reason for change	Habitats		Species/subspecies		
	Surface area of range	Surface area of habitat	Surface area of range	Population size	Area of habitat for the species
Genuine change	4	7	19	27	21
Better knowledge/data	63	54	70	60	50
Use of different method	82	51	42	31	25


Note: More than one reason for change can be reported for each habitat and species.

4 Frequency of main pressures and threats (%) ¹

This section provides information on the relative importance of pressures and threats (aggregated to level 1) reported for habitats and species. The figures show the percentage of biogeographical assessments reported as being affected by one or more pressures or threats categorised as of 'high importance'. The information for the number of pressures and threats on which these figures are based are presented in the tables below the figures.

¹ The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.



% of **habitat assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat


Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **297**

Number of assessments with no high ranking threats (or no threats at all reported): **84**

Number of assessment with no high ranking pressures (or no pressures at all): **95**

Pressures and threats	HABITATS	
	Number of threats	Number of pressures
A - Agriculture	69	74
B - Sylviculture, forestry	31	36
C - Mining, extraction of materials and energy production	25	25
D - Transportation and service corridors	15	16
E - Urbanisation, residential and commercial development	38	38
F - Biological resource use other than agriculture & forestry	13	13
G - Human intrusions and disturbances	21	22
H - Pollution	44	43
I - Invasive, other problematic species and genes	53	42
J - Natural System modifications	100	98
K - Natural biotic and abiotic processes (without catastrophes)	57	48
L - Geological events, natural catastrophes	7	5
M - Climate change	27	8



% of **species assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat

Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **680**

Number of assessments with no high ranking threats (or no threats at all reported): **186**

Number of assessment with no high ranking pressures (or no pressures at all): **214**

Pressures and threats	SPECIES	
	Number of threats	Number of pressures
A - Agriculture	256	251
B - Sylviculture, forestry	160	148
C - Mining, extraction of materials and energy production	73	38
D - Transportation and service corridors	105	94
E - Urbanisation, residential and commercial development	74	63
F - Biological resource use other than agriculture & forestry	59	55
G - Human intrusions and disturbances	72	60
H - Pollution	86	74
I - Invasive, other problematic species and genes	64	54
J - Natural System modifications	141	131
K - Natural biotic and abiotic processes (without catastrophes)	80	74
L - Geological events, natural catastrophes	14	10
M - Climate change	56	40

5 Natura 2000 coverage and conservation measures ²


Note: The figures under section 5 cover only Annex I habitat types and Annex II species.

5.1 Natura 2000 coverage (%)

This section presents statistics on the coverage of Annex I habitats and Annex II species in Natura 2000 sites by habitat category/species group. These figures show the percentage of habitats/species assessments in three classes based on coverage by Natura 2000 sites, for habitats and species, respectively. The geometric mean is used if Member States have reported minimum and maximum values. The information for the number of assessments per coverage by Natura 2000 on which these figures are based are presented in the tables below the figures (real values). Please note that these statistics are based on Article 17 data and are independent from the results of the Biogeographical Seminars.

² The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.




% of **habitat assessments** in 3 classes of coverage by Natura 2000 sites

coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the habitat category.

Group	HABITATS			
	0-24%	25-74%	75-100%	unknown
Forests	18	15	20	9
Rocky habitats	9	6	11	13
Bogs, mires & fens	1	7	14	5
Grasslands	5	15	15	9
Sclerophyllous scrubs	3		13	1
Heath & scrub	6	5	6	
Freshwater habitats	5	10	20	4
Dunes habitats	2	4	11	4
Coastal habitats	7	8	15	1



% of **species assessments** in 3 classes of coverage by Natura 2000 sites


coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the species category.

Group	SPECIES			
	0-24%	25-74%	75-100%	unknown
Mammals	16	21	8	18
Reptiles	1	2	1	11
Amphibians	1			11
Fish	20	6	4	12
Arthropods	1	6	3	72
Molluscs			1	14
Vascular plants	5	11	32	26
Non-vascular plants	6	3	5	3

5.2 Main conservation measures (%)

This section provides information on the relative importance of conservation measures at level 1 implemented during the reporting period 2007-2012 for Annex I habitats and Annex II species. The figures show the percentage of biogeographical assessments for which one or more 'high importance' conservation measures was implemented. Measures not reported are omitted.




% of **habitat assessments** for which one or more 'high' importance measures were reported

Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct habitat types have been included in calculations.

Total number of assessments considered in the calculation: **297**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **223**



% of **species assessments** for which one or more 'high' importance measures were reported


Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct species have been included in calculations.

Total number of assessments considered in the calculation: **320**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **197**

5.3 Impact of conservation measures (%)

This section provides information on the effects of implemented conservation measures for each level 1 measure category. The figures show, for each level 1 measure category, the frequency of reported effects. The information for the number of assessments per measure category on which these figures are based are presented in the tables below the figures (full names of the measures are shown in the tables).




% of **habitat assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	HABITATS				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures	6			18	1
2 - Measures related to agriculture and open habitats	11	9			29
3 - Measures related to forests and wooded habitats		5	5		10
4 - Measures related to wetland, freshwater and coastal habitats	6	15	8		13
5 - Measures related to marine habitats			2		2
6 - Measures related to spatial planning	5	5	4		22
7 - Measures related to hunting, taking and fishing and species management			2		8
8 - Measures related to urban areas, industry, energy and transport	1	1			
9 - Measures related to special resource use	1		2		1



% of **species assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	SPECIES				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures	7			15	4
2 - Measures related to agriculture and open habitats	15	10	2		26
3 - Measures related to forests and wooded habitats		2	3		7
4 - Measures related to wetland, freshwater and coastal habitats	3	30	4		31
6 - Measures related to spatial planning	20	14	7		38
7 - Measures related to hunting, taking and fishing and species management	3		2		8
8 - Measures related to urban areas, industry, energy and transport	1	1	2		2
9 - Measures related to special resource use	2				

6 Data quality and completeness ³

The aim of this section is to provide an overview of the data gaps in the report; most of these gaps are due to insufficient knowledge. This section does not refer to potential errors or technical problems in the Member State's report and concentrates on what is relevant for evaluating data completeness.

The tables give percentages of habitats/species assessments with unknown or missing information for components of conservation status and conclusions.

³ The statistics on missing information take into account that for the plant species listed in Annex V at the genus level only 'Overall assessment of conservation status' and 'Overall trend' are mandatory. The same approach was used for the species extinct after the Habitats Directive came into force.

6.1 a) Percentage of mandatory information that is missing (%)**Habitats**

Habitat range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat area	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Structure & functions	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	0
	Measures	0
Overall	Conclusion	0
	Trend	0
	Maps	0

Species

Species range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Species population	Size	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat for species	Area	0
	Trend	0
	Area of suitable habitat*	71
	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	0
	Measures	0
Overall	Conclusion	0.2
	Trend	0.3
	Maps	0

*This field is a mandatory field in the reporting format, however there is an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.1 b) Percentage of mandatory information reported as unknown (%)**Habitats**

Habitat range	Area	0
	Trend	5
	Reference value	5
	Conclusion	7
Habitat area	Area	7
	Trend	8
	Reference value	9
	Conclusion	10
Structure & functions	Conclusion	6
Future prospects	Conclusion	11
Pressures & threats		0.7
Natura 2000	Coverage	
	Measures	26
Overall	Conclusion	4
	Trend	7
	Maps	0

Species

Species range	Area	0.3
	Trend	12
	Reference value	11
	Conclusion	12
Species population	Size	29
	Trend	38
	Reference value	23
	Conclusion	
Habitat for species	Area	55
	Trend	24
	Area of suitable habitat*	12
	Conclusion	0
Future prospects	Conclusion	38
Pressures & threats		1.3
Natura 2000	Coverage	52
	Measures	43
Overall	Conclusion	14
	Trend	17
	Maps	0.4

*This field is a mandatory field in the reporting format, however there remained an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.2 Methods used to estimate values or trends in Member State reports (%)

This section presents information about the quality of estimated values and trends in habitat and species biogeographical reports. For some parameters and trends, the reporting format requires an indication of which of three methods (complete survey or a statistically robust estimate, partial data with some extrapolation and/or modelling, expert opinion with no or minimal sampling) have been used to estimate the values or trends. The tables in this section present percentage of habitats/species assessments for which values were estimated by each of the three methods mentioned above.

Habitats

	Map	Range	Area	Area trend	Str.&Funct.	N2000	Average
Expert opinion (%)	3	12	16	80	85	6	34
Extrapolation (%)	65	72	74	15	14	70	52
Complete survey (%)	31	15	3	1	1	12	11
Absent data (%)	0	0	7	4	0	12	4

Species

	Map	Range	Population	Pop. trend	Habitat	N2000*	Average
Expert opinion (%)	6	14	25	36	20	15	19
Extrapolation (%)	64	64	34	29	18	23	39
Complete survey (%)	27	19	14	11	9	9	15
Absent data (%)	3	3	27	24	53	53	27

*This column covers only Annex II species

Source of information:

[Link to the national general report on CDR](#)

[Link to the national report for habitats on CDR](#)

[Link to the national report for species on CDR](#)

Other links (national links to be provided by the Member State)

7. List of habitats and species reported and their conservation status

This section lists habitats and species reported by the Member State and the overall conclusions on their conservation status for the reporting period 2001-2006 (indicated as 2007) and 2007-2012 (indicated as 2013). Information from the audit trail has been used for this list and its focus is on what was reported in 2013.

There are two tables for habitats and species if relevant for the Member State. The second table includes only habitats or species with a status OCC, SR, MAR etc. Please note that occurrences e.g. OCCif only reported in 2007, are included only in the second table.

In addition the list includes information provided by the Member State on the nature of change in the overall conservation status between the reporting periods.

The codes are the following :

- a = there is a genuine change: the overall conservation status improved (or deteriorated) due to natural or non-natural reasons (management, intervention, etc.)
- b1 = the change observed is due to more accurate data (e.g. better mapping of distribution) or improved knowledge (e.g. on ecology of species or habitat)
- b2 = the change observed is due to a taxonomic review: one taxon becoming several taxa, or vice versa
- c1 = the change observed is due to use of different methods to measure or evaluate individual parameters or the overall conservation status
- c2 = the change observed is mainly due to the use of different thresholds e.g. to fix Favourable reference values
- d = no information about the nature of change
- e = the change observed is due to less accurate or absent data than the one used in the previous reporting period
- nc = no change (e.g. overall trend in conservation status only evaluated in 2013 but assumed to be the same in 2007 or not known)

Habitats reported by France

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
Forests	(Sub-) Mediterranean pine forests with endemic black pines	9530	2013 2007					U1 U2 b1	
	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	9410	2013 2007	FV (=) FV nc		U1 FV b1			
	Alluvial forests with <i>Alnus glutinosa</i> and <i>Fraxinus excelsior</i> (Alno-Padion, Alnion incanae, Salicion albae)	91E0	2013 2007	U2 (=) U2 nc	U2 (=) U2 nc	U2 (=) U2 nc		U2 (=) U2 nc	
	Alpine <i>Larix decidua</i> and/or <i>Pinus cembra</i> forests	9420	2013 2007	U1 (=) U1 nc					
	Asperulo-Fagetum beech forests	9130	2013 2007	U1 DEL b1	U1 (=) U1 nc	U1 (=) U1 nc			
	Atlantic acidophilous beech forests with <i>Ilex</i> and sometimes also <i>Taxus</i> in the shrublayer (Quercion roburi-Bog woodland)	9120	2013 2007	U1 XX b1	U1 U2 b1	FV XX b1		U1 XX d	
	Bog woodland	91D0	2013 2007	U1 (=) U2 nc	U1 (x) U2 nc	U1 (=) U1 nc			
	<i>Castanea sativa</i> woods	9260	2013 2007	U2 (-) U2 nc		XX U2 c1		U2 (=) U2 nc	
	Endemic forests with <i>Juniperus</i> spp.	9560	2013 2007	U1 (=) U1 nc				U1 U1 FV b1	
	Forests of <i>Ilex aquifolium</i>	9380	2013 2007					FV (=) FV nc	
	Galicio-Portuguese oak woods with <i>Quercus robur</i> and <i>Quercus pyrenaica</i>	9230	2013 2007		XX U1 c1				
	Galio-Carpinetum oak-hornbeam forests	9170	2013 2007			U1 (=) U1 nc			
	Luzulo-Fagetum beech forests	9110	2013 2007	FV (=) FV nc	U1 (=) U1 nc	U1 (=) U1 nc			

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Medio-European limestone beech forests of the Cephalanthero-Fagion	9150	2013 2007	U1 (=) U1 nc	U1 (=) U1 nc	U1 XX b1		U1 (=) U1 nc	
	Medio-European subalpine beech woods with Acer and Rumex arifolius	9140	2013 2007	FV XX b1		U1 XX b1			
	Mediterranean pine forests with endemic Mesogean pines	9540	2013 2007					U2 (-) U2 nc	
	Mediterranean Taxus baccata woods	9580	2013 2007					FV U1 b1	
	Old acidophilous oak woods with Quercus robur on sandy plains	9190	2013 2007		U1 (x) U1 nc	U1 (=) U1 nc			
	Old sessile oak woods with Ilex and Blechnum in the British Isles	91A0	2013 2007		XX U1 c1				
	Olea and Ceratonia forests	9320	2013 2007					U1 (=) U1 nc	
	Quercus ilex and Quercus rotundifolia forests	9340	2013 2007	XX (x) XX nc	XX (x) XX nc			FV (=) FV nc	
	Quercus suber forests	9330	2013 2007		U2 (-) U2 nc			U1 (=) U1 nc	
	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus	91F0	2013 2007		U1 U2 b1	U2 (-) U2 nc		U2 (=) U2 nc	
	Salix alba and Populus alba galleries	92A0	2013 2007			U2 (x) U2 nc		U2 (=) U2 nc	
	Southern riparian galleries and thickets (Nerio-Tamaricetea and Securinegion tinctoriae)	92D0	2013 2007					U2 (=) U2 nc	
	Subalpine and montane Pinus uncinata forests (* if on gypsum or limestone)	9430	2013 2007	FV U1 b1		U1 (=) U1 nc		FV U1 b1	
	Sub-Atlantic and medio-European oak or oak-hornbeam forests of the Carpinion betuli	9160	2013 2007		U1 (=) U1 nc	FV (=) FV nc			
	Thermophilous Fraxinus angustifolia woods	91B0	2013 2007					U2 XX b1	
	Tilio-Acerion forests of slopes, screes and ravines	9180	2013 2007	FV U1 d	U2 (x) U2 nc	U1 FV b1		U1 (x) U1 nc	
Rocky habitats	Calcareous and calcshist screes of the montane to alpine levels (Thlaspietea rotundifolii)	8120	2013 2007	FV (x) FV nc		FV (=) FV nc		FV (-) FV nc	
	Calcareous rocky slopes with chasmophytic vegetation	8210	2013 2007	FV (=) FV nc	U1 U1 nc	FV (=) FV nc		FV (=) FV nc	
	Caves not open to the public	8310	2013 2007	FV (x) FV nc	U1 U2 c1	FV U2 c1		FV (=) FV nc	
	Limestone pavements	8240	2013 2007	FV (=) FV nc		FV XX b1		FV (=) FV nc	
	Medio-European calcareous scree of hill and montane levels	8160	2013 2007	XX (x) XX nc	U2 (-) U2 nc	U1 FV c1			
	Medio-European upland siliceous screes	8150	2013 2007	XX (x) XX nc	XX U1 c1	U2 FV c1		FV (-) FV nc	
	Permanent glaciers	8340	2013 2007	U2 (-) U2 nc					
	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii	8230	2013 2007	FV U1 c1	U1 (=) U1 nc	FV (=) FV nc		FV U1 c1	
	Siliceous rocky slopes with chasmophytic vegetation	8220	2013 2007	FV (=) FV nc	U1 U1 nc	FV (=) FV nc		FV (=) FV nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	8110	2013 2007	FV (=) FV nc		FV (=) FV nc		FV (=) FV nc	
	Submerged or partially submerged sea caves	8330	2013 2007				XX U1 c1		U1 (=) U1 nc
	Western Mediterranean and thermophilous scree	8130	2013 2007	FV (=) FV nc	U1 FV c1	FV (=) FV nc		FV (=) FV nc	
Bogs, mires & fens	Active raised bogs	7110	2013 2007	U1 (=) U2 nc	U2 (-) U2 nc	U1 (-) U2 nc		U2 (-) U2 nc	
	Alkaline fens	7230	2013 2007	U1 (=) U1 nc	U2 (=) U2 nc	U2 (-) U2 nc		U2 (-) U2 nc	
	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	7240	2013 2007	U1 U2 b1					
	Blanket bogs (* if active bog)	7130	2013 2007		FV U1 b1				
	Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i>	7210	2013 2007	U1 (-) U1 nc	U1 (=) U1 nc	U1 (-) U1 nc		U2 U1 a	
	Degraded raised bogs still capable of natural regeneration	7120	2013 2007	U1 U2 d	U2 (-) U2 nc	U2 U1 d			
	Depressions on peat substrates of the <i>Rhynchosporion</i>	7150	2013 2007	U1 U2 c1	U2 (-) U2 nc	U2 (-) U2 nc			
	Petrifying springs with tufa formation (<i>Cratoneurion</i>)	7220	2013 2007	U1 (=) U1 nc	U2 (=) U2 nc	U1 (-) U2 nc		U2 U1 c2	
	Transition mires and quaking bogs	7140	2013 2007	U2 (=) U2 nc	U2 (=) U2 nc	U1 U2 b1			
Grasslands	Alluvial meadows of river valleys of the <i>Cnidion dubii</i>	6440	2013 2007			U2 (-) U2 nc			
	Alpine and subalpine calcareous grasslands	6170	2013 2007	FV (=) FV nc		U1 (-) U1 nc		U1 (=) U1 nc	
	Calaminarian grasslands of the <i>Violetalia calaminariae</i>	6130	2013 2007	FV (=) FV nc	U2 (-) U2 nc			FV XX d	
	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	6430	2013 2007	FV (=) FV nc	U1 U2 b1	U1 (-) U1 nc		U1 (=) U1 nc	
	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	6510	2013 2007	U2 U1 a	U2 (-) U2 nc	U2 (-) U2 nc		U2 (-) U2 nc	
	Mediterranean tall humid grasslands of the <i>Molinio-Holoschoenion</i>	6420	2013 2007		U2 (-) U2 nc			U2 (-) U2 nc	
	<i>Molinia</i> meadows on calcareous, peaty or clayey-silt-laden soils (<i>Molinion caeruleae</i>)	6410	2013 2007	U2 (-) U1 nc	U2 (-) U2 nc	U2 (-) U2 nc		U2 (-) U1 nc	
	Mountain hay meadows	6520	2013 2007	U2 (-) U2 nc		U2 (-) U2 nc		U2 (-) U2 nc	
	Pseudo-steppe with grasses and annuals of the <i>Thero-Brachypodietea</i>	6220	2013 2007		U2 XX b1	U2 (x) U2 nc		U2 U1 b1	
	Rupicolous calcareous or basophilic grasslands of the <i>Alyso-Sedion albi</i>	6110	2013 2007	U1 (=) U1 nc	U1 (=) U1 nc	U1 (=) U1 nc		FV (=) FV nc	
	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (*)	6210	2013 2007	U1 (-) U1 nc	U2 (-) U2 nc	U2 (-) U2 nc		U2 (-) U1 a	
	Siliceous alpine and boreal grasslands	6150	2013 2007	FV (=) FV nc					
	Siliceous Pyrenean <i>Festuca eskia</i> grasslands	6140	2013 2007	FV (=) FV nc					

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Species-rich <i>Nardus</i> grasslands, on silicious substrates in mountain areas (and submountain areas in	6230	2013 2007	FV U1 c1	U2 (-) U2 nc	U1 U2 d		U1 (=) U1 nc	
	Xeric sand calcareous grasslands	6120	2013 2007		U2 (=) U2 nc	U2 (-) U2 nc		XX (x) XX nc	
Sclerophyllous scrubs	Arborescent matorral with <i>Juniperus</i> spp.	5210	2013 2007	FV (=) FV nc				FV (=) FV nc	
	<i>Juniperus communis</i> formations on heaths or calcareous grasslands	5130	2013 2007	U1 FV b1	U1 (=) U1 nc	U1 U2 b1		FV U1 b1	
	<i>Laurus nobilis</i> thickets	5310	2013 2007					FV (=) FV nc	
	Low formations of <i>Euphorbia</i> close to cliffs	5320	2013 2007					U2 U1 b1	
	Mountain <i>Cytisus purgans</i> formations	5120	2013 2007	FV (=) FV nc		FV (=) FV nc		FV (=) FV nc	
	Stable xerothermophilous formations with <i>Buxus sempervirens</i> on rock slopes (<i>Berberidion</i> p.p.)	5110	2013 2007	FV (=) FV nc	FV (=) FV nc	FV (=) FV nc		FV (=) FV nc	
	Thermo-Mediterranean and pre-desert scrub	5330	2013 2007					U1 (=) U1 nc	
	West Mediterranean cliff-top phryganas (<i>Astragalo-Plantaginietum subulatae</i>)	5410	2013 2007					U2 (=) U2 nc	
Heath & scrub	Alpine and Boreal heaths	4060	2013 2007	FV (=) FV nc		U1 (-) U1 nc		U1 FV b1	
	Bushes with <i>Pinus mugo</i> and <i>Rhododendron hirsutum</i> (<i>Mugo-Rhododendretum hirsuti</i>)	4070	2013 2007	FV (+) FV nc					
	Dry Atlantic coastal heaths with <i>Erica vagans</i>	4040	2013 2007		U1 (=) U1 nc				
	Endemic oro-Mediterranean heaths with gorse	4090	2013 2007	FV U1 b1				U2 U1 b1	
	European dry heaths	4030	2013 2007	U1 (=) U1 nc	U1 (=) U2 nc	U1 (-) U2 nc		U1 (=) U1 nc	
	Northern Atlantic wet heaths with <i>Erica tetralix</i>	4010	2013 2007		U2 (=) U2 nc	U2 (-) U2 nc			
	Sub-Arctic <i>Salix</i> spp. scrub	4080	2013 2007	FV U1 c2		U1 (-) U1 nc			
	Temperate Atlantic wet heaths with <i>Erica ciliaris</i> and <i>Erica tetralix</i>	4020	2013 2007		U2 (=) U2 nc	U2 U1 a			
Freshwater habitats	Alpine rivers and the herbaceous vegetation along their banks	3220	2013 2007	U1 (-) U1 nc					
	Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i>	3230	2013 2007	U1 U2 b1		U2 (-) U2 nc		U1 U2 b1	
	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	3240	2013 2007	U1 (=) U1 nc		U1 U2 b1		U1 FV b1	
	Constantly flowing Mediterranean rivers with <i>Glaucium flavum</i>	3250	2013 2007	XX U2 d				U1 (=) U1 nc	
	Constantly flowing Mediterranean rivers with <i>Paspalo-Agrostidion</i> species and hanging curtains of <i>Salix</i>	3280	2013 2007					U2 U1 b1	
	Hard oligo-mesotrophic waters with benthic vegetation of <i>Chara</i> spp.	3140	2013 2007	U1 (=) U1 nc	U1 U2 b1	U1 U2 b1		U1 (-) U1 nc	
	Intermittently flowing Mediterranean rivers of the <i>Paspalo-Agrostidion</i>	3290	2013 2007					U1 U2 b1	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Mediterranean temporary ponds	3170	2013 2007					U2 (-) U2 nc	
	Natural dystrophic lakes and ponds	3160	2013 2007	U1 U2 b1	U2 (-) U2 nc	U2 (=) U2 nc			
	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	3150	2013 2007	U1 U2 c1	FV U2 c1	U1 U2 c1		U2 U1 c1	
	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the	3130	2013 2007	U2 (-) U2 nc	U1 U2 c2	U2 (-) U2 nc		U1 (=) U1 nc	
	Oligotrophic waters containing very few minerals generally on sandy soils of the West Mediterranean, with	3120	2013 2007		U2 U1 c2			U2 (=) U2 nc	
	Oligotrophic waters containing very few minerals of sandy plains (Littorelletalia uniflorae)	3110	2013 2007		U2 (=) U2 nc	U2 (-) U2 nc			
	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	3270	2013 2007	U1 U2 b1	U2 (-) U2 nc	U2 (-) U2 nc		U1 U2 b1	
	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	3260	2013 2007	FV (=) U1 nc	FV (=) U1 nc	FV (=) U1 nc		U2 U1 b1	
Dunes habitats	Atlantic decalcified fixed dunes (Calluno-Ulicetea)	2150	2013 2007		U2 (x) U2 nc				
	Brachypodietalia dune grasslands with annuals	2240	2013 2007					U2 (=) U2 nc	
	Cisto-Lavenduletalia dune sclerophyllous scrubs	2260	2013 2007		U2 (=) U2 nc			U1 U2 b1	
	Coastal dunes with Juniperus spp.	2250	2013 2007					U2 U1 b1	
	Crucianellion maritimae fixed beach dunes	2210	2013 2007					U2 U1 c2	
	Dunes with Hippophaë rhamnoides	2160	2013 2007		FV U1 b1				
	Dunes with Salix repens ssp. argentea (Salicion arenariae)	2170	2013 2007		U1 (-) U1 nc				
	Embryonic shifting dunes	2110	2013 2007		U1 U2 c1			U2 (=) U2 nc	
	Fixed coastal dunes with herbaceous vegetation ('grey dunes')	2130	2013 2007		U1 U2 c1				
	Humid dune slacks	2190	2013 2007		U1 U2 b1			U2 XX c2	
	Inland dunes with open Corynephorus and Agrostis grasslands	2330	2013 2007		U2 (=) U2 nc	U2 (=) U2 nc		U2 XX a	
	Malcolmietalia dune grasslands	2230	2013 2007					U2 (=) U2 nc	
	Shifting dunes along the shoreline with Ammophila arenaria ('white dunes')	2120	2013 2007		U1 (=) U1 nc			U2 (=) U2 nc	
	Wooded dunes of the Atlantic, Continental and Boreal region	2180	2013 2007		U1 (=) U1 nc				
	Wooded dunes with Pinus pinea and/or Pinus pinaster	2270	2013 2007					U2 (=) U2 nc	
Coastal habitats	Annual vegetation of drift lines	1210	2013 2007		U1(x) U1 nc			U2 (x) U2 nc	
	Atlantic salt meadows (Glaucopuccinellietalia maritimae)	1330	2013 2007		U1 (=) U1 nc				

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Coastal lagoons	1150	2013 2007		U1 U2 b1			U2 (=) U2 nc	
	Estuaries	1130	2013 2007				U2 (=) U2 nc		U2 (=) U2 nc
	Halo-nitrophilous scrubs (Pegano-Salsoletea)	1430	2013 2007					FV U1 b1	
	Inland salt meadows	1340	2013 2007	U1 (=) U2 nc		U1 (=) U2 nc			
	Large shallow inlets and bays	1160	2013 2007				U2 (x) U2 nc		U2 (x) U2 nc
	Mediterranean and thermo-Atlantic halophilous scrubs (<i>Sarcocornetea fruticosi</i>)	1420	2013 2007		U1 (=) U1 nc			U2 U1 a	
	Mediterranean salt meadows (<i>Juncetalia maritimi</i>)	1410	2013 2007		U1 (=) U1 nc			U2 U1 b1	
	Mediterranean salt steppes (<i>Limonietalia</i>)	1510	2013 2007					U2 (=) U2 nc	
	Mudflats and sandflats not covered by seawater at low tide	1140	2013 2007				U1 (=) U1 nc		U2 (=) U2 nc
	Perennial vegetation of stony banks	1220	2013 2007		U1(=) U1 nc				
	Posidonia beds (<i>Posidonion oceanicae</i>)	1120	2013 2007						U1 (=) U1 nc
	Reefs	1170	2013 2007				U1 (x) U1 nc		FV U1 b1
	Salicornia and other annuals colonizing mud and sand	1310	2013 2007		U1 U1 nc	U1 U2 b1		U2 U1 b1	
	Sandbanks which are slightly covered by sea water all the time	1110	2013 2007				U2 (-) U2 nc		U2 (-) U2 nc
	Spartina swards (<i>Spartinion maritimae</i>)	1320	2013 2007		U2 (=) U2 nc				
	Vegetated sea cliffs of the Atlantic and Baltic Coasts	1230	2013 2007		U1 (=) U1 nc				
	Vegetated sea cliffs of the Mediterranean coasts with endemic <i>Limonium</i> spp.	1240	2013 2007					U2 U1 c2	

Habitat types reported as scientific reserve (SR), marginal (MAR), invalid report in marine region (IRM) etc. (only listed when a scientific reserve etc has been reported)

Group	Name	Code	Year	ALP	ATL	CON	MED
Forests	Apennine beech forests with <i>Abies alba</i> and beech forests with <i>Abies nebrodensis</i>	9220	2013 2007				SR XX d
	Galicio-Portuguese oak woods with <i>Quercus robur</i> and <i>Quercus pyrenaica</i>	9230	2013 2007	MAR		MAR	MAR
Rocky habitats	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	8110	2013 2007		MAR		
Bogs, mires & fens	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	7240	2013 2007			SR XX d	SR XX d
Grasslands	Dehesas with evergreen <i>Quercus</i> spp.	6310	2013 2007				SR XX (x) XX nc

Group	Name	Code	Year	ALP	ATL	CON	MED
Heath & scrub	Endemic oro-Mediterranean heaths with gorse	4090	2013 2007			MAR	
Freshwater habitats	Alpine rivers and the herbaceous vegetation along their banks	3220	2013 2007				MAR
	Mediterranean temporary ponds	3170	2013 2007		SR	MAR	
Coastal habitats	Halo-nitrophilous scrubs (Pegano-Salsotea)	1430	2013 2007		SR XX XX nc		

Species reported by France

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
Non-vascular plants	Bruchia vogesiaca	1385	2013 2007			U1 U2 b1			
	Buxbaumia viridis	1386	2013 2007	U1 FV b1		U1 FV b1		FV FV nc	
	Cladonia spp. (subgenus Cladina)	1378	2013 2007	XX	XX	XX		XX	
	Dichelyma capillaceum	1383	2013 2007		FV U1 b1				
	Dicranum viride	1381	2013 2007	U1 XX b1	U2 U2 nc	FV FV nc			
	Drepanocladus vernicosus	1393	2013 2007	U1 U2 b1		U1 U2 c1			
	Leucobryum glaucum	1400	2013 2007	U1 FV b1	FV FV nc	U1 FV c1		XX U2 c1	
	Lithothamnium coralloides	1376	2013 2007				FV U2 b1		U1 XX b1
	Mannia triandra	1379	2013 2007			U2 U2 nc		XX XX nc	
	Orthotrichum rogeri	1387	2013 2007	XX XX nc		U1 U1 nc			
	Phymatholiton calcareum	1377	2013 2007				FV U2 b1		U1 XX b1
	Riccia breidleri	1384	2013 2007	U2 U2 nc					
	Riella helicophylla	1391	2013 2007					U2 U2 nc	
	Sphagnum pylaesii	1398	2013 2007		U1 U2 b1				
	Sphagnum spp.	1409	2013 2007	U1 U2 b1	U1 U2 b1	U2 U2 nc			U1 U2 b1
Vascular plants	Aconitum corsicum	1475	2013 2007					FV U1 b1	
	Alyssum pyrenaicum	1508	2013 2007	FV FV nc					
	Anchusa crispa	1674	2013 2007					U2 U2 nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Androsace cylindrica	1631	2013 2007	FV FV nc					
	Androsace pyrenaica	1632	2013 2007	FV FV nc					
	Angelica heterocarpa	1607	2013 2007		U1 U1 nc				
	Apium repens	1614	2013 2007		U2 U2 nc	U2 U2 nc			
	Aquilegia alpina	1480	2013 2007	U1 U1 nc					
	Aquilegia bertolonii	1474	2013 2007	FV FV nc				FV FV nc	
	Arenaria provincialis	1453	2013 2007					U1 U1 nc	
	Armeria soleirolii	1636	2013 2007					FV U1 b1	
	Arnica montana	1762	2013 2007	FV FV nc	U2 U2 nc	U1 U1 nc		FV U1 c1	
	Artemisia eriantha	1763	2013 2007	FV U1 b1					
	Artemisia genipi	1764	2013 2007	FV U1 b1					
	Asplenium jahandiezii	1423	2013 2007					FV FV nc	
	Aster pyrenaicus	1802	2013 2007	U1 U1 nc					
	Astragalus centralpinus	1557	2013 2007	FV U1 b1				U2 U2 nc	
	Biscutella neustriaca	1506	2013 2007		U1 U2 a				
	Botrychium simplex	1419	2013 2007	U1 U2 b1		U2 U2 nc		U1 U1 nc	
	Brassica insularis	1496	2013 2007					FV FV nc	
	Caldesia parnassifolia	1832	2013 2007		U2 U2 nc	U2 U2 nc			
	Centaurea corymbosa	1801	2013 2007					U1 U1 nc	
	Centranthus trinervis	1746	2013 2007					U1 FV c1	
	Colchicum corsicum	1836	2013 2007					FV U2 b1	
	Coleanthus subtilis	1887	2013 2007		U1 U2 a				
	Cypripedium calceolus	1902	2013 2007	FV U1 b1		U1 U2 b1		U1 U1 nc	
	Dracocephalum austriacum	1689	2013 2007	U1 U1 nc				U2 FV c1	
	Eryngium alpinum	1604	2013 2007	FV U1 b1		U1 U1 nc			

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Eryngium viviparum</i>	1603	2013 2007		U2 U2 nc				
	<i>Euphrasia genargentea</i>	1720	2013 2007					FV U1 b1	
	<i>Galanthus nivalis</i>	1866	2013 2007	FV XX b1	FV FV nc	FV FV nc		FV b1	
	<i>Gentiana ligustica</i>	1656	2013 2007	FV FV nc				U1 FV c1	
	<i>Gentiana lutea</i>	1657	2013 2007	FV FV nc		U1 U1 nc		FV FV nc	
	<i>Gladiolus palustris</i>	4096	2013 2007	U2 XX b1		U1 U2 b1			
	<i>Herniaria latifolia</i> ssp. <i>litardierei</i>	1466	2013 2007					FV U1 b1	
	<i>Isoetes boryana</i>	1416	2013 2007		U2 U2 nc				
	<i>Kosteletzkya pentacarpos</i>	1581	2013 2007					FV FV nc	
	<i>Leucojum nicaeense</i>	1871	2013 2007					U1 U1 nc	
	<i>Ligularia sibirica</i>	1758	2013 2007	FV U1 b1		U1 U1 nc			
	<i>Lilium rubrum</i>	1841	2013 2007	FV FV				FV FV	
	<i>Limonium strictissimum</i>	1643	2013 2007					FV U1 b1	
	<i>Linaria flava</i>	1715	2013 2007					FV U2 b1	
	<i>Lindernia procumbens</i>	1725	2013 2007		U2 U2	U2 U2			
	<i>Liparis loeselii</i>	1903	2013 2007	U1 U2 b1	U2 U2 nc	U2 U2 nc		U1 U2 b1	
	<i>Luronium natans</i>	1831	2013 2007		U1 U1 nc	U1 U2 b1			
	<i>Lycopodium</i> spp.	1413	2013 2007	FV	U2	U2		XX	
	<i>Marsilea quadrifolia</i>	1428	2013 2007		U1 U2 b1	U2 U2 nc			
	<i>Marsilea strigosa</i>	1429	2013 2007					U2 U2 nc	
	<i>Narcissus bulbocodium</i>	1864	2013 2007		U1 U1 nc				
	<i>Narcissus juncifolius</i>	5192	2013 2007	U1 U1 nc	FV b1			FV FV nc	
	<i>Narcissus triandrus</i> ssp. <i>capax</i>	1868	2013 2007		FV U1 d				
	<i>Omphalodes littoralis</i>	1676	2013 2007		FV U1 b1				
	<i>Potentilla delphinensis</i>	1534	2013 2007	U1 U1 nc					

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Rouya polygama	1608	2013 2007					U1 U1 nc	
	Rumex rupestris	1441	2013 2007		U1 U1 nc				
	Ruscus aculeatus	1849	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	
	Saxifraga florulenta	1527	2013 2007	FV FV nc					
	Saxifraga hirculus	1528	2013 2007			U2 U2 nc			
	Saxifraga valdensis	1522	2013 2007	FV FV nc					
	Serratula lycopifolia	4087	2013 2007					U2 U1 a	
	Silene velutina	1465	2013 2007					FV U1 b1	
	Sisymbrium supinum	1493	2013 2007		U2 U2 nc	U1 U2 b1			
	Soldanella villosa	1625	2013 2007		FV XX b1				
	Spiranthes aestivalis	1900	2013 2007	U1 U2 c1	U2 U2 nc	U2 U2 nc		U1 XX b1	
	Thorella verticillatinundata	1618	2013 2007		U1 U1 nc				
	Trichomanes speciosum	1421	2013 2007		U1 U2 a	FV XX b1		FV b1	
	Trifolium saxatile	1545	2013 2007	U1 U1 nc					
	Viola hispida	1585	2013 2007		U2 U2 nc				
	Woodwardia radicans	1426	2013 2007					FV U1 b1	
Molluscs	Anisus vorticulus	4056	2013 2007		U2 U2 nc	U2 U2 nc		U2 b1	
	Elona quimperiana	1007	2013 2007		U1 U2 b1				
	Helix pomatia	1026	2013 2007	XX XX nc	U1 XX b1	XX XX nc		XX XX nc	
	Lithophaga lithophaga	1027	2013 2007						XX XX nc
	Margaritifera auricularia	1030	2013 2007		U2 U2 nc				
	Margaritifera margaritifera	1029	2013 2007		U2 U2 nc	U2 U2 nc			
	Patella ferruginea	1012	2013 2007						XX U2
	Pinna nobilis	1028	2013 2007						FV U2
	Unio crassus	1032	2013 2007		U2 U2 nc	U2 U2 nc		U2 U2 nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Unio elongatulus</i>	1033	2013 2007		U2	U2		U2	
	<i>Vertigo angustior</i>	1014	2013 2007	U2 U2 nc	U2 U2 nc	U2 U2 nc		U2 XX	
	<i>Vertigo moulinsiana</i>	1016	2013 2007		U2 U2 nc	U2 U2 nc			
Arthropods	<i>Astacus astacus</i>	1091	2013 2007			U2 U2 nc			
	<i>Austropotamobius pallipes</i>	1092	2013 2007	U2 U2 nc	U2 U2 nc	U2 U2 nc		U2 U2 nc	
	<i>Austropotamobius torrentium</i>	1093	2013 2007			U2 U2 nc			
	<i>Callimorpha quadripunctaria</i>	1078	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	
	<i>Carabus (variolosus) nodulosus</i>	5377	2013 2007	2		2			
	<i>Cerambyx cerdo</i>	1088	2013 2007	FV XX b1	U1 U1 nc	U1 U1 nc		FV FV nc	
	<i>Coenagrion mercuriale</i>	1044	2013 2007	XX U2 c1	U1 U2 b1	U1 U2 b1		U1 FV b1	
	<i>Coenagrion ornatum</i>	4045	2013 2007			U1 U2 b1			
	<i>Coenonympha hero</i>	1070	2013 2007			U2 U2 nc			
	<i>Coenonympha oedippus</i>	1071	2013 2007		U1 U2 b1	U2 U1 b1			
	<i>Erebia sudetica</i>	1069	2013 2007	FV XX c1		FV XX c1			
	<i>Eriogaster catax</i>	1074	2013 2007	XX XX nc	U1 XX b1	U1 XX b1		XX XX nc	
	<i>Euphydryas aurinia</i>	1065	2013 2007	FV FV nc	U2 U2 nc	U1 U1 nc		FV FV nc	
	<i>Fabriciana elisa</i>	1064	2013 2007					FV FV nc	
	<i>Gomphus graslinii</i>	1046	2013 2007		U1 U2 b1	XX XX nc		U1 FV a	
	<i>Gortyna borelii lunata</i>	4035	2013 2007		U2 U2 nc			FV FV nc	
	<i>Graellsia isabellae</i>	1075	2013 2007	FV FV nc				XX XX nc	
	<i>Graphoderus bilineatus</i>	1082	2013 2007			XX b1			
	<i>Hyles hippophaes</i>	1077	2013 2007	XX XX nc				XX XX nc	
	<i>Hypodryas maturna</i>	1052	2013 2007		U2 U2 nc	U2 U2 nc			
	<i>Leucorrhinia albifrons</i>	1038	2013 2007	U2 XX a	U1 U2 a	U1 U2 b1			
	<i>Leucorrhinia caudalis</i>	1035	2013 2007		U1 U2 b1	U1 U2 b1			

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Leucorrhinia pectoralis</i>	1042	2013 2007		U1 U2	U1 U2			
	<i>Limniscus violaceus</i>	1079	2013 2007		a U2 U2	a U2 U2		U1 U2	
	<i>Lopinga achine</i>	1067	2013 2007	FV U1	U1 U2	U1 U2		FV XX	
	<i>Lucanus cervus</i>	1083	2013 2007	a FV FV	a FV FV	a FV FV		a FV FV	
	<i>Lycaena dispar</i>	1060	2013 2007	nc FV FV	nc FV U1	nc FV FV		nc	
	<i>Lycaena helle</i>	4038	2013 2007	nc U1 FV	a U1	nc U1 U2			
	<i>Macromia splendens</i>	1036	2013 2007		a U2 XX	a XX XX		U1 U1	
	<i>Maculinea arion</i>	1058	2013 2007	FV FV	U1 U1	U1 U1		U1 U1	
	<i>Maculinea nausithous</i>	1061	2013 2007	nc U1 U2	nc	nc FV U2		nc	
	<i>Maculinea teleius</i>	1059	2013 2007	a U1 U2	nc U2 U2	nc U1 U1		U1	
	<i>Ophiogomphus cecilia</i>	1037	2013 2007		a FV FV	a FV XX			
	<i>Osmoderma eremita</i>	1084	2013 2007	nc U2 XX	nc U2 U1	nc U2 U2		U2 U1	
	<i>Oxygastra curtisii</i>	1041	2013 2007	a FV	a FV U1	a FV U1		a FV FV	
	<i>Papilio alexanor</i>	1054	2013 2007	nc FV FV				nc U2 U1	
	<i>Papilio hospiton</i>	1055	2013 2007					a U1 FV	
	<i>Parnassius apollo</i>	1057	2013 2007	FV FV		U2 U2		U1 U2	
	<i>Parnassius mnemosyne</i>	1056	2013 2007	nc FV FV		nc U2 U2		c1 U1 U2	
	<i>Proserpinus proserpina</i>	1076	2013 2007	nc FV FV	nc FV FV	nc FV FV		nc FV FV	
	<i>Rhysodes sulcatus</i>	4026	2013 2007	nc U2 XX		nc U2 XX			
	<i>Rosalia alpina</i>	1087	2013 2007	a U1 FV	a FV U1	a nc U1		U1 U1	
	<i>Saga pedo</i>	1050	2013 2007		c1 XX FV			nc XX FV	
	<i>Scyllarides latus</i>	1090	2013 2007					b1	XX U1 c1
	<i>Stephanopachys linearis</i>	1926	2013 2007	U1 XX				XX	
	<i>Stephanopachys substriatus</i>	1927	2013 2007	b1 U1 XX				b1	
	<i>Stylurus flavipes</i>	1040	2013 2007		b1 FV FV			FV	
					nc	nc		b1	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Zerynthia polyxena	1053	2013 2007					U1 U1 nc	
Fish	Acipenser sturio	1101	2013 2007		U2 U2 nc		U2 U2 nc		
	Alosa alosa	1102	2013 2007		U2 U2 nc	U2 U2 nc			
	Alosa fallax	1103	2013 2007		U2 U1 a			U2 U1 a	
	Aphanius fasciatus	1152	2013 2007					U1 U1 nc	
	Barbus barbus	5085	2013 2007	FV XX c1	U1 FV c1	U1 FV c1		FV FV nc	
	Barbus meridionalis	1138	2013 2007		U1 U1 nc	U1 U1 nc		U1 U1 nc	
	Chondrostoma toxostoma	1126	2013 2007	U1 d	U2 U1 b1	U1 U2 b1		U2 U2 nc	
	Cobitis taenia	1149	2013 2007		FV XX a	FV XX b1			
	Coregonus lavaretus	2494	2013 2007	FV U1 a					
	Cottus gobio	1163	2013 2007	FV FV nc	U1 FV c1	U1 FV b1		U1 U1 nc	
	Cottus petiti	1162	2013 2007					U2 U2 nc	
	Lampetra fluviatilis	1099	2013 2007		U2 U2 nc				
	Lampetra planeri	1096	2013 2007	U1 U1 nc	U1 XX c1	U1 XX c1			
	Leuciscus souffia	1131	2013 2007	U1 U1 nc		U1 U1 nc		U1 U1 nc	
	Misgurnus fossilis	1145	2013 2007		U2 U2 nc	U2 U2 nc			
	Petromyzon marinus	1095	2013 2007		U2 U1 a	U2 U1 a		U2 U2 nc	
	Rhodeus sericeus amarus	1134	2013 2007		FV FV nc	FV FV nc		FV FV nc	
	Salmo cetti	5349	2013 2007						
	Salmo salar	1106	2013 2007	U2 U2 nc	U2 U2 nc	U2 U2 nc			
	Thymallus thymallus	1109	2013 2007	U1 U2 b1		U2 U2 nc		U1 U1 nc	
	Zingel asper	1158	2013 2007			U2 U2 nc		U2 U2 nc	
Amphibians	Alytes obstetricans	1191	2013 2007	U1 U2 b1	U1 U2 a	U1 U2 c1		FV U1 b1	
	Bombina variegata	1193	2013 2007	U2 U2 nc	U2 U2 nc	U1 U2 a		XX U1 b1	
	Bufo calamita	1202	2013 2007	U1 U2 b1	U2 U2 nc	U2 U2 nc		U1 U1 nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Bufo viridis</i>	1201	2013 2007			U2 U2 nc		FV U1 c1	
	<i>Discoglossus montalentii</i>	1196	2013 2007					FV FV nc	
	<i>Discoglossus sardus</i>	1190	2013 2007					U1 U1 nc	
	<i>Euproctus asper</i>	1173	2013 2007	XX U2 b1					
	<i>Euproctus montanus</i>	1164	2013 2007					FV FV nc	
	<i>Hydromantes strinatii</i>	1994	2013 2007	XX FV b1				XX FV b1	
	<i>Hyla arborea</i>	1203	2013 2007	U2 U2 nc	U1 U2 c1	U1 U2 a			
	<i>Hyla meridionalis</i>	1205	2013 2007		U1 U2 b1	U1 U2 b1		FV FV nc	
	<i>Hyla sarda</i>	1204	2013 2007					FV XX b1	
	<i>Pelobates cultripipes</i>	1198	2013 2007		U2 U2 nc			U2 U2 nc	
	<i>Pelobates fuscus</i>	1197	2013 2007		U2 U2 nc	U2 U2 nc			
	<i>Rana arvalis</i>	1214	2013 2007		U1 U2 b1	U2 U2 nc			
	<i>Rana dalmatina</i>	1209	2013 2007	XX U2 b1	FV U2 c1	U1 U2 a		U1 U1 nc	
	<i>Rana esculenta</i>	1210	2013 2007		U1 U2 b1	U2 U1 b1			
	<i>Rana lessonae</i>	1207	2013 2007		U2 U1 b1	U2 U2 nc		FV U2 b1	
	<i>Rana perezi</i>	1211	2013 2007	XX XX nc	U1 U2 d			U1 U2 b1	
	<i>Rana ridibunda</i>	1212	2013 2007			FV FV nc			
	<i>Rana temporaria</i>	1213	2013 2007	FV U1 b1	U2 U2 nc	U1 U1 nc		FV U1 c1	
	<i>Salamandra atra</i>	1177	2013 2007	XX U2 d					
	<i>Salamandra lanzai</i>	1179	2013 2007	U1 U2 c1					
	<i>Triturus cristatus</i>	1166	2013 2007	U2 U2 nc	FV U1 c1	XX U2 c1		U1 U1 nc	
	<i>Triturus marmoratus</i>	1174	2013 2007	U2 U1 b1	U1 U2 b1	XX U1 c1		U1 XX c1	
Reptiles	<i>Algyroides fitzingeri</i>	1240	2013 2007					FV FV nc	
	<i>Caretta caretta</i>	1224	2013 2007				U2 XX b1		U2 U1 c1
	<i>Chelonia mydas</i>	1227	2013 2007				U2 U1 b1		XX U2 c1

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Coluber viridiflavus	1284	2013 2007	FV U1 c1	U1 U1 nc	U1 U1 nc		FV FV nc	
	Coronella austriaca	1283	2013 2007	FV U2 c1	FV U1 c1	FV U1 c1		U1 U1 nc	
	Dermochelys coriacea	1223	2013 2007				U2 XX b1		U2 U2 nc
	Elaphe longissima	1281	2013 2007	FV U1 c1	FV U1 c1	FV U1 c1		FV U1 c1	
	Emys orbicularis	1220	2013 2007		U2 U2 nc	U1 U2 b1		U1 U2 c1	
	Lacerta agilis	1261	2013 2007	U1 XX b1	U2 U2 nc	U1 U1 nc		XX FV b1	
	Lacerta aranica	5274	2013 2007	XX					
	Lacerta aurelioi	5275	2013 2007	XX					
	Lacerta bedriagae	1245	2013 2007					FV FV nc	
	Lacerta bonnali	1995	2013 2007	FV U2 b1					
	Lacerta viridis	1263	2013 2007						
	Mauremys leprosa	1221	2013 2007					U1 U1 nc	
	Natrix natrix corsa	1291	2013 2007					U1 FV c1	
	Phyllodactylus europaeus	1229	2013 2007					FV FV nc	
	Podarcis muralis	1256	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	
	Podarcis tiliguerta	1246	2013 2007					FV FV nc	
	Testudo hermanni	1217	2013 2007					U2 U2 nc	
	Vipera seoanei	1297	2013 2007		FV U2				
	Vipera ursinii	1298	2013 2007	U2 U2 nc				U2 U2 nc	
Mammals	Balaenoptera acutorostrata	2618	2013 2007				XX XX nc		
	Balaenoptera physalus	2621	2013 2007				XX XX nc		XX U2 b1
	Barbastella barbastellus	1308	2013 2007	FV U1 a	U1 U1 nc	U1 U1 nc		U1 U2 a	
	Canis lupus	1352	2013 2007	FV FV nc		FV b1		FV b1	
	Capra ibex	1375	2013 2007	FV FV nc					
	Castor fiber	1337	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Cervus elaphus corsicanus</i>	1367	2013 2007					U1 U1 nc	
	<i>Cricetus cricetus</i>	1339	2013 2007			U2 U2 nc			
	<i>Delphinus delphis</i>	1350	2013 2007				U2 XX b1		
	<i>Eptesicus nilssonii</i>	1313	2013 2007	XX XX nc		XX XX nc			
	<i>Eptesicus serotinus</i>	1327	2013 2007	XX XX nc	U1 XX b1	U1 XX b1		U1 XX b1	
	<i>Felis silvestris</i>	1363	2013 2007	FV FV nc	FV FV nc	FV FV nc			
	<i>Galemys pyrenaicus</i>	1301	2013 2007	U2 U2 nc	U2 U2 nc			U2 U2 nc	
	<i>Genetta genetta</i>	1360	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	
	<i>Globicephala melas</i>	2029	2013 2007				XX XX nc		XX XX nc
	<i>Grampus griseus</i>	2030	2013 2007				XX XX nc		XX XX nc
	<i>Halichoerus grypus</i>	1364	2013 2007				FV XX a		
	<i>Hypsugo savii</i>	5365	2013 2007	FV XX b1	XX XX nc	FV XX b1		FV XX b1	
	<i>Kogia breviceps</i>	2622	2013 2007						
	<i>Lagenorhynchus albirostris</i>	2032	2013 2007				XX XX nc		
	<i>Lepus timidus</i>	1334	2013 2007	U1 U1 nc					
	<i>Lutra lutra</i>	1355	2013 2007	U2	FV FV nc	FV FV nc		U2 FV a	
	<i>Lynx lynx</i>	1361	2013 2007	U1 U1 nc		FV FV nc			
	<i>Martes martes</i>	1357	2013 2007	FV FV nc	FV FV nc	FV FV nc		FV FV nc	
	<i>Mesoplodon bidens</i>	2038	2013 2007						
	<i>Miniopterus schreibersii</i>	1310	2013 2007	U2 U2 nc	U2 U2 nc	U2 U2 nc		U2 U2 nc	
	<i>Muscardinus avellanarius</i>	1341	2013 2007	U1 U1 nc	U2 U2 nc	U1 U1 nc		XX U1 b1	
	<i>Mustela lutreola</i>	1356	2013 2007		U2 U2 nc				
	<i>Mustela putorius</i>	1358	2013 2007	U1 XX c1	FV XX c1	FV XX c1		U1 XX c1	
	<i>Myotis alcaethoe</i>	5003	2013 2007	XX b1	XX nc	XX nc		U1 b1	
	<i>Myotis bechsteinii</i>	1323	2013 2007	U1 XX b1	U1 XX b1	U1 XX b1		U1 XX b1	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Myotis blythii	1307	2013 2007	U2 U2	U2 U2	U2 U2		U2 U2	
	Myotis brandtii	1320	2013 2007	nc U1	nc XX	nc U1		nc	
	Myotis capaccinii	1316	2013 2007		b1	b1		U2 U2	
	Myotis dasycneme	1318	2013 2007		U2 U2			nc	
	Myotis daubentonii	1314	2013 2007	FV FV	FV FV	FV FV		FV FV	
	Myotis emarginatus	1321	2013 2007	nc U1 XX	nc U1 FV	nc U1 XX		nc U1 U1	
	Myotis escaleraei	5278	2013 2007						
	Myotis myotis	1324	2013 2007	U1 U1	U1 XX	U1 XX		U1 U2	
	Myotis mystacinus	1330	2013 2007	nc XX b1	nc XX b1	nc XX b1		nc XX XX	
	Myotis nattereri	1322	2013 2007	FV XX b1	U1 XX b1	U1 XX b1		nc XX XX	
	Myotis punicus	5005	2013 2007					U2 U1	
	Nyctalus lasiopterus	1328	2013 2007	XX XX nc	XX XX nc	XX XX nc		XX XX nc	
	Nyctalus leisleri	1331	2013 2007	FV XX b1	FV XX b1	FV XX b1		FV XX b1	
	Nyctalus noctula	1312	2013 2007	FV XX b1	U1 XX b1	FV XX b1		XX XX nc	
	Ovis gmelini musimon	1373	2013 2007					U2 U2	
	Phoca vitulina	1365	2013 2007				FV nc		
	Phocoena phocoena	1351	2013 2007				U2 XX b1		
	Physeter catodon	5031	2013 2007				XX XX nc		XX XX nc
	Pipistrellus kuhlii	2016	2013 2007	U1 XX b1	FV nc	FV nc		U1 FV b1	
	Pipistrellus nathusii	1317	2013 2007	XX XX nc	XX XX nc	XX XX nc		U1 XX b1	
	Pipistrellus pipistrellus	1309	2013 2007	FV FV nc	U2 FV a	U1 FV a		U1 FV b1	
	Pipistrellus pygmaeus	5009	2013 2007	XX b1	XX b1	XX b1		U1 XX b1	
	Plecotus auritus	1326	2013 2007	XX XX nc	FV XX b1	FV XX b1		FV XX b1	
	Plecotus austriacus	1329	2013 2007	U1 XX b1	U1 XX b1	U1 XX b1		U1 XX b1	
	Plecotus macrobullaris	5012	2013 2007	XX XX nc				XX XX nc	

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Rhinolophus euryale	1305	2013 2007	U2 U2	U2 U2	U2 U2		U1 U2	
	Rhinolophus ferrumequinum	1304	2013 2007	nc U1 U1	nc U1 U1	nc U1 U1		a U2 U2	
	Rhinolophus hipposideros	1303	2013 2007	nc U1 U1	nc U1 U1	nc U1 U1		nc U2 U2	
	Rupicapra pyrenaica	5178	2013 2007	FV FV					
	Rupicapra rupicapra	1369	2013 2007	nc FV FV		FV FV		FV FV	
	Stenella coeruleoalba	2034	2013 2007				XX XX		XX XX
	Tadarida teniotis	1333	2013 2007	nc XX XX	FV b1	XX XX nc		U1 XX b1	
	Tursiops truncatus	1349	2013 2007				U1 XX		U1 XX
	Ursus arctos	1354	2013 2007	nc U1 U1					b1
	Vespertilio murinus	1332	2013 2007	nc XX XX		U1 XX b1		XX nc	
	Ziphius cavirostris	2035	2013 2007				XX XX		XX XX
Other invertebrates	Centrostephanus longispinus	1008	2013 2007				nc		nc XX XX
	Corallium rubrum	1001	2013 2007						U1 U1 nc

Species reported as occasional (OCC), newly arriving (ARR), extinct prior the Habitats Directive came into force (PEX), marginal (MAR), invalid report in marine region (IRM) or introduced (INT) etc. (only listed when an occasional species etc has been reported). In addition species with optional reports (OP) and scientific reserves (SR) are listed here.

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
Non-vascular plants	Cladonia arbuscula	5203	2013 2007	OP XX b1	OP FV XX b1				
	Cladonia mediterranea	5205	2013 2007		OP XX b1			OP XX XX nc	
	Cladonia mitis	5206	2013 2007	OP XX b1	OP XX b1	OP XX XX nc			
	Cladonia rangiferina	5208	2013 2007	OP FV XX b1	OP XX XX nc	OP XX XX nc		OP XX nc	
	Cladonia stellaris	5209	2013 2007	OP XX b1		OP XX XX nc			
	Cladonia stygia	5210	2013 2007	OP XX		OP XX		OP XX	
	Sphagnum affine	5211	2013 2007			OP U1			
	Sphagnum austinii	5213	2013 2007		OP U2				

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Sphagnum balticum</i>	5214	2013 2007			OP U1			
	<i>Sphagnum lindbergii</i>	5225	2013 2007	OP XX					
	<i>Sphagnum majus</i>	5227	2013 2007	OP U2		OP XX			
	<i>Sphagnum molle</i>	5228	2013 2007	OP XX	OP U2	OP U1			
	<i>Sphagnum obtusum</i>	5229	2013 2007			OP XX			
	<i>Sphagnum riparium</i>	5235	2013 2007		OP U2	OP FV			
Vascular plants	<i>Diphasiastrum alpinum</i>	5183	2013 2007	OP U1		OP U2		OP U1	
	<i>Diphasiastrum issleri</i>	5198	2013 2007	OP U2		OP U1			
	<i>Diphasiastrum oellgaardii</i>	5186	2013 2007			OP U1			
	<i>Diphasiastrum tristachyum</i>	5187	2013 2007			OP U2			
	<i>Diphasiastrum zeilleri</i>	6352	2013 2007			OP U1			
	<i>Huperzia selago</i>	5189	2013 2007	OP FV U2 b1	OP U2 U2 nc	OP U1 U2 a		OP U1 U2 a	
	<i>Lycopodiella inundata</i>	5191	2013 2007	OP U1 U2 a	OP U2 U2 nc	OP U2 U2 nc		MAR	
	<i>Lycopodium annotinum</i>	5104	2013 2007	OP U1 U1 nc		OP U1 U1 nc			
	<i>Lycopodium clavatum</i>	5105	2013 2007	OP U1 U2 b1	OP U2 U2 nc	OP U2 U2 nc		OP U1 U1 nc	
	<i>Narcissus bulbocodium</i>	1864	2013 2007	MAR U2					
Molluscs	<i>Unio elongatulus</i>	1033	2013 2007	SR U2					
Arthropods	<i>Bolbelasmus unicornis</i>	4011	2013 2007			SR XX XX nc			
	<i>Coenonympha hero</i>	1070	2013 2007		PEX U2				
	<i>Coenonympha oedippus</i>	1071	2013 2007	MAR U1					
	<i>Gortyna borelii lunata</i>	4035	2013 2007	MAR					
	<i>Graphoderus bilineatus</i>	1082	2013 2007		SR XX U2 a				
	<i>Leucorrhinia caudalis</i>	1035	2013 2007	MAR U2					
	<i>Oxygastra curtisii</i>	1041	2013 2007	MAR U2					
	<i>Parnassius apollo</i>	1057	2013 2007		MAR XX				

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	<i>Phryganophilus ruficollis</i>	4021	2013 2007					SR XX	
	<i>Rhysodes sulcatus</i>	4026	2013 2007		MAR			MAR	
	<i>Saga pedo</i>	1050	2013 2007	MAR		MAR XX			
	<i>Zerynthia polyxena</i>	1053	2013 2007	MAR XX					
Fish	<i>Alosa alosa</i>	1102	2013 2007				IRM U2		
	<i>Alosa fallax</i>	1103	2013 2007				nc IRM XX		IRM XX
	<i>Aphanius fasciatus</i>	1152	2013 2007				nc		nc IRM XX
	<i>Barbus meridionalis</i>	1138	2013 2007	MAR U1					nc
	<i>Coregonus lavaretus</i>	2494	2013 2007			MAR U1			
	<i>Lampetra fluviatilis</i>	1099	2013 2007				IRM U2 nc	SR U2 U1	IRM U2 nc
	<i>Lampetra planeri</i>	1096	2013 2007					SR XX U1 c1	
	<i>Petromyzon marinus</i>	1095	2013 2007				IRM XX nc		IRM XX nc
	<i>Salmo salar</i>	1106	2013 2007				IRM U2 nc		
Amphibians	<i>Euproctus asper</i>	1173	2013 2007		MAR			MAR	
	<i>Hyla meridionalis</i>	1205	2013 2007	MAR XX					
	<i>Rana esculenta</i>	1210	2013 2007					SR XX U2 b1	
Reptiles	<i>Vipera seoanei</i>	1297	2013 2007	MAR					
Mammals	<i>Delphinus delphis</i>	1350	2013 2007						OCC XX U2 d
	<i>Eptesicus nilssonii</i>	1313	2013 2007		MAR			MAR	
	<i>Felis silvestris</i>	1363	2013 2007					MAR U1	
	<i>Hyperoodon ampullatus</i>	5033	2013 2007				OCC		
	<i>Lagenorhynchus acutus</i>	2031	2013 2007				OCC XX XX nc		
	<i>Lepus timidus</i>	1334	2013 2007			MAR U1		MAR U1	
	<i>Lynx lynx</i>	1361	2013 2007					MAR	
	<i>Megaptera novaeangliae</i>	1345	2013 2007				OCC XX XX nc		

Group	Name	Code	Year	ALP	ATL	CON	MATL	MED	MMED
	Myotis brandtii	1320	2013 2007					SR XX b1	
	Myotis capaccinii	1316	2013 2007	MAR					
	Myotis dasycneme	1318	2013 2007			SR U2 XX b1			
	Orcinus orca	2027	2013 2007				OCC XX XX nc		OCC XX nc
	Plecotus macrobullaris	5012	2013 2007			MAR			
	Rhinolophus mehelyi	1302	2013 2007					SR U2 U2 nc MAR	
	Rupicapra pyrenaica	5178	2013 2007		MAR				
	Ursus arctos	1354	2013 2007					MAR	
	Vespertilio murinus	1332	2013 2007		MAR				
Other invertebrates	Hirudo medicinalis	1034	2013 2007		SR XX XX nc			SR XX XX nc	