

## National Summary for Article 17 - Greece

### 1 General information

#### 1.1 Number of SCIs and SACs

The table below provides the total number and total area of sites proposed and designated under the Habitats Directive (Sites of Community Importance, SCIs & Special Areas of Conservation, SACs), terrestrial area of sites and number and area of marine sites (i.e. any site with a marine component).

Empty cells in tables mean that the component requested is not applicable.

	All		Terrestrial	Marine	
	No.	Area (km <sup>2</sup> )	Area (km <sup>2</sup> )	No.	Area (km <sup>2</sup> )
SCIs & SACs	241	28076	21625	101	6451
SACs only	239	27798	21608	99	6190
Date of database used: 31-10-2012					

#### 1.2 Number of sites with comprehensive management plans (Art. 6(1))

Number of sites for which comprehensive management plans have been adopted: **4**

Percentage of network area covered by comprehensive management plans: **2%**

Number of sites for which management plans are under preparation (optional): **34**

### 2. Number of habitats and species/subspecies

The table in this section gives the number of habitat types and species/subspecies in each Annex of the Habitats Directive by biogeographical and marine regions in Greece. The species and habitats with the following presence status are included in the table: 'present', species of which taxonomy is not clear (SR TAX), species where the link to the corresponding name in the Habitats Directive is not clear (LR), species extinct after the Directive came into force (EX) and optional reports (OP).

Region	HABITATS		SPECIES					
	Annex I		Annex II		Annex IV		Annex V	
	Non-priority	Priority	Non-priority	Priority	Including those in Annex II	Excluding those in Annex II	Including those in Annex II	Excluding those in Annex II
Number of habitats & species in the MS	69	17	136	38	206	100	38	24
	<b>86</b>		<b>174</b>		<b>206</b>		<b>38</b>	
Mediterranean	63	16	134	35	191	90	36	22
Marine Mediterranean	6	1	2	4	16	10	2	2

#### Additional information:

Number of assessments of marginal habitat types: **none**

Number of assessments of marginal & occasional species: **5**

Number of assessments of newly arriving species: **none**

Number of species regionally extinct prior the Habitats Directive came into force: **none**

Number of species regionally extinct after the Habitats Directive came into force: **none**

Number of species globally extinct after the Habitats Directive came into force: **none**

Number of assessments of species/habitat types for which no reports received: **none**

### 3. Information on Conservation status


Please note that the figures shown for 2001-2006 and 2007-2012 are not necessarily directly comparable because there can be differences in number of assessments between the reporting rounds, changes in how some features were allocated in biogeographical regions etc.

The following have been excluded from all statistics under section 3:


- Habitats reported as marginal (MAR) or with scientific reserve (SR)
- Species reported as marginal (MAR), occasional (OCC), newly arriving (ARR), regionally extinct before the Habitats Directive came into force (PEX) and introduced species (INT). In addition reports that give only an information about species without evaluation of the conservation status
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected (IRM).

#### 3.1 a) Overall assessment of conservation status of habitats and species (%)

These figures show the percentage of biogeographical assessments in each category of conservation status for habitats and species, respectively. The information on which these figures are based are presented in the table below the figures (real values).



Conservation status of **habitats**



Conservation status of **species**

■ FV - Favourable    ■ NA - Not reported    ■ XX - Unknown    ■ U1 - Unfavourable inadequate    ■ U2 - Unfavourable bad

Year of assessment	HABITATS					SPECIES				
	FV	NA	XX	U1	U2	FV	NA	XX	U1	U2
2007	49		3	26	7	30	2	151	45	14
2013	54		1	28	3	100		35	127	37



### 3.1 b) Percentage of assessments where the conservation status has changed between the reporting periods

This table shows the percentage of assessments where the Member State has indicated a change between two reporting rounds (2001-2006 and 2007-2013) and the percentages of all reported changes where the change has been reported as a genuine change. Change can be either a change from one conservation status category to another or a change within the same category (within the qualifiers '-', '+', '=', 'x'). Data have been taken from the 'audit trail table' where the Member State indicates the nature of change. The Member State's results on this audit trail are shown under section 7.

	SPECIES	HABITAT TYPES
% of assessments that changed	74%	30%
% of total changes considered genuine	1%	0%

### 3.2 Improving/deteriorating trends of habitats and species with an unfavourable conservation status (%)

These figures show the proportion of unfavourable assessments (U1 & U2) which are improving, deteriorating, stable or unknown.



**Habitats** – overall trend in Conservation Status

**Species** – overall trend in Conservation Status

U (+) = unfavourable (inadequate and bad) improving, U (=) = unfavourable stable, U (-) = unfavourable declining, U (x) = unfavourable unknown trend

This table shows trends in conservation status of habitats & species separately for those cases where the overall conclusion is unfavourable inadequate (U1) and unfavourable bad (U2).


Qualifiers of CS	U1+	U1=	U1-	U1x	U2+	U2=	U2-	U2x
Habitats		24	4			1	2	
Species	4	18	36	69		1	23	13

**Note:** U1+ = unfavourable-inadequate improving, U1= = unfavourable-inadequate stable, U1- = unfavourable-inadequate declining, U1x = unfavourable-inadequate trend unknown, U2+ = unfavourable-bad improving, U2= = unfavourable-bad stable, U2- = unfavourable-bad declining, U2x = unfavourable-bad trend unknown


### 3.3 Overall assessment of conservation status of habitats and species by biogeographical/marine region (%)

These figures show the percentage of assessments in each of conservation status category by biogeographical and marine region, for habitats and species, respectively.

Please note that some habitats reported as terrestrial in 2001-2006 have been reported as marine in 2007-2012 (e.g. estuaries). Some species (e.g. seals, marine turtles) which in some cases were reported for both marine and terrestrial regions were only reported for one region in 2007-2012 (this statement only applies to Member States with marine regions).



Conservation status of **habitats** in biogeographical and marine regions




Conservation status of **species** in biogeographical and marine regions

**Note:** wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

### 3.4 Overall assessment of conservation status by habitat category/species group (%)

These figures show the percentage of biogeographical and marine assessments in each conservation status category by habitat category and by taxonomic group, for habitats and species, respectively.

The figures show the proportion of assessments in each conservation status class for 2007-2012 (upper bar) and 2001-2006 (lower bar). The information (number of assessments) on which these figures are based are presented in the tables below each figure (real values).


**Habitats**Conservation status of **habitats** in biogeographical and marine regions

**Note:** wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	HABITATS				
		FV	NA	XX	U1	U2
Forests	2007	21			6	
	<b>2013</b>	<b>25</b>			<b>3</b>	
Rocky habitats	2007	5			1	
	<b>2013</b>	<b>5</b>			<b>1</b>	
Bogs, mires & fens	2007	2		2		
	<b>2013</b>	<b>2</b>		<b>1</b>	<b>1</b>	
Grasslands	2007	3			5	
	<b>2013</b>	<b>5</b>			<b>3</b>	
Sclerophyllous scrubs	2007	6			1	
	<b>2013</b>	<b>7</b>				
Heath & scrub	2007	2				
	<b>2013</b>	<b>2</b>				
Freshwater habitats	2007	6			3	
	<b>2013</b>	<b>4</b>			<b>5</b>	
Dunes habitats	2007	2			6	
	<b>2013</b>	<b>1</b>			<b>6</b>	<b>1</b>
Coastal habitats	2007	2		1	4	7
	<b>2013</b>	<b>3</b>			<b>9</b>	<b>2</b>

NB: Coastal habitats cover coastal and halophytic habitats (code 1xxx) and Dunes habitat types cover coastal sand dunes and inland dunes (code 2xxx) as listed in the Habitats Directive

## Species

Conservation status of **species** in biogeographical and marine regions

**Note:** wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	SPECIES				
		FV	NA	XX	U1	U2
Other invertebrates	2007			3		
	2013			1	2	
Mammals	2007			43	8	6
	2013	9		16	28	5
Reptiles	2007	5		27	11	3
	2013	36		3	8	3
Amphibians	2007	7		1	2	2
	2013	13			4	
Fish	2007	13	2	3	4	1
	2013	18		4	23	20
Arthropods	2007			35		
	2013	2			31	2
Molluscs	2007			7	1	
	2013			2	6	
Vascular plants	2007	5		31	19	2
	2013	22		9	25	6
Non-vascular plants	2007			1		
	2013					1

### 3.5 Reasons for change in reported values of parameters (%)

This table provides information on reasons for changes of values reported for the parameters 'Range', 'Area (habitat)', 'Population' and 'Habitat for the species' between reporting periods 2001-2006 and 2007-2012. The table gives the percentage of habitats/species assessments for which a particular reason for change in values was reported. The reporting format lists three principal reasons for change: genuine change, better knowledge/data and use of different method.

Reason for change	Habitats		Species/subspecies		
	Surface area of range	Surface area of habitat	Surface area of range	Population size	Area of habitat for the species
Genuine change			2	4	4
Better knowledge/data	99	98	61	68	51
Use of different method	90	90	70	59	48


**Note:** More than one reason for change can be reported for each habitat and species.

### 4 Frequency of main pressures and threats (%) <sup>1</sup>

This section provides information on the relative importance of pressures and threats (aggregated to level 1) reported for habitats and species. The figures show the percentage of biogeographical assessments reported as being affected by one or more pressures or threats categorised as of 'high importance'. The information for the number of pressures and threats on which these figures are based are presented in the tables below the figures.

<sup>1</sup> The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.



% of **habitat assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat

**Note:** Threats and pressures categories not reported are omitted.


Total number of assessments considered in the calculation: **86**

Number of assessments with no high ranking threats (or no threats at all reported): **71**

Number of assessment with no high ranking pressures (or no pressures at all): **71**

Pressures and threats	HABITATS	
	Number of threats	Number of pressures
A - Agriculture	5	4
B - Sylviculture, forestry	1	1
C - Mining, extraction of materials and energy production	1	1
D - Transportation and service corridors	2	2
E - Urbanisation, residential and commercial development	2	
F - Biological resource use other than agriculture & forestry	5	6
G - Human intrusions and disturbances	4	2
H - Pollution	2	3
I - Invasive, other problematic species and genes		1
J - Natural System modifications	6	6
K - Natural biotic and abiotic processes (without catastrophes)	1	1
M - Climate change	4	4





% of **species assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat

**Note:** Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **299**

Number of assessments with no high ranking threats (or no threats at all reported): **180**

Number of assessment with no high ranking pressures (or no pressures at all): **189**

Pressures and threats	SPECIES	
	Number of threats	Number of pressures
A - Agriculture	20	22
B - Sylviculture, forestry	2	2
C - Mining, extraction of materials and energy production	4	6
D - Transportation and service corridors	5	5
E - Urbanisation, residential and commercial development	11	6
F - Biological resource use other than agriculture & forestry	19	19
G - Human intrusions and disturbances	8	7
H - Pollution	13	13
I - Invasive, other problematic species and genes	7	6
J - Natural System modifications	69	68
K - Natural biotic and abiotic processes (without catastrophes)	9	8
L - Geological events, natural catastrophes	7	1
M - Climate change	6	4

## 5 Natura 2000 coverage and conservation measures <sup>2</sup>

**Note:** The figures under section 5 cover only Annex I habitat types and Annex II species.


### 5.1 Natura 2000 coverage (%)

This section presents statistics on the coverage of Annex I habitats and Annex II species in Natura 2000 sites by habitat category/species group. These figures show the percentage of habitats/species assessments in three classes based on coverage by Natura 2000 sites, for habitats and species, respectively. The geometric mean is used if Member States have reported minimum and maximum values. The information for the number of assessments per coverage by Natura 2000 on which these figures are based are presented in the tables below the figures (real values). Please note that these statistics are based on Article 17 data and are independent from the results of the Biogeographical Seminars.

---

<sup>2</sup> The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.




% of **habitat assessments** in 3 classes of coverage by Natura 2000 sites

coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

**Note:** The number in brackets corresponds to the number of biogeographical assessments in the habitat category.

Group	HABITATS			
	0-24%	25-74%	75-100%	unknown
Forests	9	16	3	
Rocky habitats			5	1
Bogs, mires & fens			3	1
Grasslands	4	3	1	
Sclerophyllous scrubs	2	2	2	1
Heath & scrub		1	1	
Freshwater habitats		4	5	
Dunes habitats		2	6	
Coastal habitats	3	4	7	



% of **species assessments** in 3 classes of coverage by Natura 2000 sites


coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

**Note:** The number in brackets corresponds to the number of biogeographical assessments in the species category.

Group	SPECIES			
	0-24%	25-74%	75-100%	unknown
Mammals	6	13	2	2
Reptiles	4	5	2	1
Amphibians		3	3	
Fish	14	29	15	3
Arthropods		9	15	
Molluscs	1	2		
Vascular plants	3	11	29	2
Non-vascular plants			1	

## 5.2 Main conservation measures (%)

This section provides information on the relative importance of conservation measures at level 1 implemented during the reporting period 2007-2012 for Annex I habitats and Annex II species. The figures show the percentage of biogeographical assessments for which one or more 'high importance' conservation measures was implemented. Measures not reported are omitted.




% of **habitat assessments** for which one or more 'high' importance measures were reported

**Note:** Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct habitat types have been included in calculations.

Total number of assessments considered in the calculation: **86**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **34**



% of **species assessments** for which one or more 'high' importance measures were reported


**Note:** Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct species have been included in calculations.

Total number of assessments considered in the calculation: **175**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **63**

### 5.3 Impact of conservation measures (%)

This section provides information on the effects of implemented conservation measures for each level 1 measure category. The figures show, for each level 1 measure category, the frequency of reported effects. The information for the number of assessments per measure category on which these figures are based are presented in the tables below the figures (full names of the measures are shown in the tables).




% of **habitat assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

**Note:** The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	HABITATS				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures		3			1
4 - Measures related to wetland, freshwater and coastal habitats		3			1
6 - Measures related to spatial planning	34	21	55		3
7 - Measures related to hunting, taking and fishing and species management		1			
8 - Measures related to urban areas, industry, energy and transport		1			



% of **species assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

**Note:** The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	SPECIES				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures					1
2 - Measures related to agriculture and open habitats					1
3 - Measures related to forests and wooded habitats			2		4
4 - Measures related to wetland, freshwater and coastal habitats		2	2		
6 - Measures related to spatial planning	26	54	79	8	14
7 - Measures related to hunting, taking and fishing and species management	1	17	52		6
8 - Measures related to urban areas, industry, energy and transport	1	1	1		
9 - Measures related to special resource use		1			

## 6 Data quality and completeness <sup>3</sup>

The aim of this section is to provide an overview of the data gaps in the report; most of these gaps are due to insufficient knowledge. This section does not refer to potential errors or technical problems in the Member State's report and concentrates on what is relevant for evaluating data completeness.

The tables give percentages of habitats/species assessments with unknown or missing information for components of conservation status and conclusions.

<sup>3</sup> The statistics on missing information take into account that for the plant species listed in Annex V at the genus level only 'Overall assessment of conservation status' and 'Overall trend' are mandatory. The same approach was used for the species extinct after the Habitats Directive came into force.



**6.1 a) Percentage of mandatory information that is missing (%)****Habitats**

Habitat range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat area	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Structure & functions	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	0
	Measures	0
Overall	Conclusion	0
	Trend	0
	Maps	0

**Species**

Species range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Species population	Size	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat for species	Area	0
	Trend	0
	Area of suitable habitat*	0
	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	2
	Measures	2
Overall	Conclusion	0
	Trend	0
	Maps	0

\*This field is a mandatory field in the reporting format, however there is an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

**6.1 b) Percentage of mandatory information reported as unknown (%)****Habitats**

Habitat range	Area	1.2
	Trend	1.2
	Reference value	1.2
	Conclusion	1.2
Habitat area	Area	2
	Trend	1.2
	Reference value	3
	Conclusion	3
Structure & functions	Conclusion	5
Future prospects	Conclusion	3
Pressures & threats		0
Natura 2000	Coverage	3
	Measures	0
Overall	Conclusion	1.2
	Trend	0
	Maps	0

**Species**

Species range	Area	1.3
	Trend	21
	Reference value	10
	Conclusion	15
Species population	Size	4
	Trend	43
	Reference value	16
	Conclusion	32
Habitat for species	Area	20
	Trend	49
	Area of suitable habitat*	53
	Conclusion	32
Future prospects	Conclusion	19
Pressures & threats		6
Natura 2000	Coverage	3
	Measures	3
Overall	Conclusion	12
	Trend	50
	Maps	1.3

\*This field is a mandatory field in the reporting format, however there remained an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

## 6.2 Methods used to estimate values or trends in Member State reports (%)

This section presents information about the quality of estimated values and trends in habitat and species biogeographical reports. For some parameters and trends, the reporting format requires an indication of which of three methods (complete survey or a statistically robust estimate, partial data with some extrapolation and/or modelling, expert opinion with no or minimal sampling) have been used to estimate the values or trends. The tables in this section present percentage of habitats/species assessments for which values were estimated by each of the three methods mentioned above.

### Habitats

	Map	Range	Area	Area trend	Str.&Funct.	N2000	Average
Expert opinion (%)	0	0	0	5	2	0	1
Extrapolation (%)	98	99	98	92	5	8	66
Complete survey (%)	2	0	0	2	93	88	31
Absent data (%)	0	1	2	1	0	3	1

### Species

	Map	Range	Population	Pop. trend	Habitat	N2000*	Average
Expert opinion (%)	15	8	22	44	10	22	20
Extrapolation (%)	69	77	61	30	56	58	58
Complete survey (%)	15	14	12	5	15	17	13
Absent data (%)	1	1	4	21	20	3	9

\*This column covers only Annex II species

#### Source of information:

[Link to the national general report on CDR](#)

[Link to the national report for habitats on CDR](#)

[Link to the national report for species on CDR](#)

Other links (national links to be provided by the Member State)

## 7. List of habitats and species reported and their conservation status

This section lists habitats and species reported by the Member State and the overall conclusions on their conservation status for the reporting period 2001-2006 (indicated as 2007) and 2007-2012 (indicated as 2013). Information from the audit trail has been used for this list and its focus is on what was reported in 2013.

There are two tables for habitats and species if relevant for the Member State. The second table includes only habitats or species with a status OCC, SR, MAR etc. Please note that occurrences e.g. OCCif only reported in 2007, are included only in the second table.

In addition the list includes information provided by the Member State on the nature of change in the overall conservation status between the reporting periods.

The codes are the following :

- a = there is a genuine change: the overall conservation status improved (or deteriorated) due to natural or non-natural reasons (management, intervention, etc.)
- b1 = the change observed is due to more accurate data (e.g. better mapping of distribution) or improved knowledge (e.g. on ecology of species or habitat)
- b2 = the change observed is due to a taxonomic review: one taxon becoming several taxa, or vice versa
- c1 = the change observed is due to use of different methods to measure or evaluate individual parameters or the overall conservation status
- c2 = the change observed is mainly due to the use of different thresholds e.g. to fix Favourable reference values
- d = no information about the nature of change
- e = the change observed is due to less accurate or absent data than the one used in the previous reporting period
- nc = no change (e.g. overall trend in conservation status only evaluated in 2013 but assumed to be the same in 2007 or not known)

### Habitats reported by Greece

Group	Name	Code	Year	MED	MMED
Forests	(Sub-) Mediterranean pine forests with endemic black pines	9530	2013 2007	FV FV	
	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	9410	2013 2007	FV FV	
	Aegean Quercus brachyphylla woods	9310	2013 2007	FV FV	
	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	91E0	2013 2007	FV U1-	c1
	Asperulo-Fagetum beech forests	9130	2013 2007	FV FV	
	Castanea sativa woods	9260	2013 2007	FV U1	c1
	Cupressus forests (Acero-Cupression)	9290	2013 2007	FV FV	
	Endemic forests with Juniperus spp.	9560	2013 2007	FV FV	
	Hellenic beech forests with Abies borisii-regis	9270	2013 2007	FV FV	
	High oro-Mediterranean pine forests	95A0	2013 2007	FV	
	Luzulo-Fagetum beech forests	9110	2013 2007	FV FV	
	Medio-European limestone beech forests of the Cephalanthero-Fagion	9150	2013 2007	FV FV	
	Medio-European subalpine beech woods with Acer and Rumex arifolius	9140	2013 2007	FV FV	

Group	Name	Code	Year	MED	MMED
	Mediterranean pine forests with endemic Mesogean pines	9540	2013 2007	FV U1 b1	
	Moesian silver fir forests	91BA	2013 2007	FV	
	Olea and Ceratonia forests	9320	2013 2007	FV U1 c1	
	Palm groves of Phoenix	9370	2013 2007	U1= FV c1	
	Pannonian-Balkan turkey oak – sessile oak forests	91M0	2013 2007	FV FV	
	Platanus orientalis and Liquidambar orientalis woods (Platanion orientalis)	92C0	2013 2007	FV FV	
	Quercus frainetto woods	9280	2013 2007	FV FV	
	Quercus ilex and Quercus rotundifolia forests	9340	2013 2007	FV FV	
	Quercus macrolepis forests	9350	2013 2007	FV FV	
	Quercus trojana woods	9250	2013 2007	FV FV	
	Rhodopide and Balkan Range Scots pine forests	91CA	2013 2007	FV	
	Riparian mixed forests of Quercus robur, Ulmus laevis and Ulmus minor, Fraxinus excelsior or Fraxinus Salix alba and Populus alba galleries	91F0	2013 2007	U1= FV c1	
		92A0	2013 2007	U1= U1 nc	
	Southern riparian galleries and thickets (Nerio-Tamaricetea and Securinegion tinctoriae)	92D0	2013 2007	FV FV	
	Tilio-Acerion forests of slopes, screes and ravines	9180	2013 2007	FV FV	
Rocky habitats	Calcareous rocky slopes with chasmophytic vegetation	8210	2013 2007	FV FV	
	Caves not open to the public	8310	2013 2007	FV FV	
	Eastern Mediterranean screes	8140	2013 2007	FV FV	
	Fields of lava and natural excavations	8320	2013 2007	FV FV	
	Siliceous rocky slopes with chasmophytic vegetation	8220	2013 2007	FV FV	
	Submerged or partially submerged sea caves	8330	2013 2007		U1= U1 nc
Bogs, mires & fens	Alkaline fens	7230	2013 2007	FV FV	
	Calcareous fens with Cladium mariscus and species of the Caricion davallianae	7210	2013 2007	FV FV	
	Petrifying springs with tufa formation (Cratoneurion)	7220	2013 2007	XX XX	
	Transition mires and quaking bogs	7140	2013 2007	U1= XX b1	

Group	Name	Code	Year	MED	MMED	
Grasslands	Alpine and subalpine calcareous grasslands	6170	2013 2007	FV FV		
	Eastern sub-Mediterranean dry grasslands ( <i>Scorzoneratalia villosae</i> )	62A0	2013 2007	FV U1 b1		
	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	6430	2013 2007	FV U1 b1		
	Lowland hay meadows ( <i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i> )	6510	2013 2007	U1= U1 nc		
	Mediterranean tall humid grasslands of the Molinio-Holoschoenion	6420	2013 2007	U1= U1 nc		
	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	6220	2013 2007	FV FV		
	Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi	6110	2013 2007	U1= U1 nc		
	Species-rich <i>Nardus</i> grasslands, on silicious substrates in mountain areas (and submountain areas in	6230	2013 2007	FV FV		
	Sclerophyllous scrubs	Arborescent matorral with <i>Juniperus</i> spp.	5210	2013 2007	FV FV	
		Arborescent matorral with <i>Laurus nobilis</i>	5230	2013 2007	FV FV	
Endemic phrygas of the Euphorbio-Verbascion		5430	2013 2007	FV FV		
<i>Laurus nobilis</i> thickets		5310	2013 2007	FV FV		
<i>Sarcopoterium spinosum</i> phrygas		5420	2013 2007	FV FV		
Stable xerothermophilous formations with <i>Buxus sempervirens</i> on rock slopes ( <i>Berberidion</i> p.p.)		5110	2013 2007	FV FV		
Thermo-Mediterranean and pre-desert scrub		5330	2013 2007	FV U1 b1		
Heath & scrub		Alpine and Boreal heaths	4060	2013 2007	FV FV	
		Endemic oro-Mediterranean heaths with gorse	4090	2013 2007	FV FV	
		Freshwater habitats	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	3240	2013 2007	FV FV
Constantly flowing Mediterranean rivers with <i>Glaucium flavum</i>	3250		2013 2007	U1= FV b1		
Constantly flowing Mediterranean rivers with Paspalo-Agrostidion species and hanging curtains of <i>Salix</i>	3280		2013 2007	U1= FV b1		
Hard oligo-mesotrophic waters with benthic vegetation of <i>Chara</i> spp.	3140		2013 2007	U1= U1 nc		
Intermittently flowing Mediterranean rivers of the Paspalo-Agrostidion	3290		2013 2007	FV FV		
Mediterranean temporary ponds	3170		2013 2007	U1= FV b1		
Natural eutrophic lakes with Magnopotamion or Hydrocharition - type vegetation	3150		2013 2007	FV U1 b1		
Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the	3130		2013 2007	U1= U1 nc		

Group	Name	Code	Year	MED	MMED
	Water courses of plain to montane levels with the <i>Ranunculus fluitans</i> and <i>Callitriche-Batrachium</i> vegetation	3260	2013 2007	FV FV	
Dunes habitats	Cisto-Lavenduletalia dune sclerophyllous scrubs	2260	2013 2007	U1= U1 nc	
	Coastal dunes with <i>Juniperus</i> spp.	2250	2013 2007	U1= U1 nc	
	Dunes with <i>Euphorbia terracina</i>	2220	2013 2007	U1= FV b1	
	Embryonic shifting dunes	2110	2013 2007	U1= U1 nc	
	Humid dune slacks	2190	2013 2007	U1= U1 nc	
	Malcolmietalia dune grasslands	2230	2013 2007	U1= U1 nc	
	Shifting dunes along the shoreline with <i>Ammophila arenaria</i> ('white dunes')	2120	2013 2007	U2= U1 b1	
	Wooded dunes with <i>Pinus pinea</i> and/or <i>Pinus pinaster</i>	2270	2013 2007	FV FV	
Coastal habitats	Annual vegetation of drift lines	1210	2013 2007	U1= U1 nc	
	Coastal lagoons	1150	2013 2007	U2- U2 b1	
	Estuaries	1130	2013 2007		U1- U2 c1
	Halo-nitrophilous scrubs ( <i>Pegano-Salsoletea</i> )	1430	2013 2007	FV FV	
	Large shallow inlets and bays	1160	2013 2007		U1- U1 nc
	Mediterranean and thermo-Atlantic halophilous scrubs ( <i>Sarcocornetea fruticosi</i> )	1420	2013 2007	U1= U2 b1	
	Mediterranean salt meadows ( <i>Juncetalia maritimi</i> )	1410	2013 2007	U1= U2 b1	
	Mediterranean salt steppes ( <i>Limonietalia</i> )	1510	2013 2007	U1= U2 b1	
	Mudflats and sandflats not covered by seawater at low tide	1140	2013 2007		U1- U2 b1
	<i>Posidonia</i> beds ( <i>Posidonion oceanicae</i> )	1120	2013 2007		U1- U1+ b1
	Reefs	1170	2013 2007		U2- U1 c1
	<i>Salicornia</i> and other annuals colonizing mud and sand	1310	2013 2007	U1= U2 b1	
	Sandbanks which are slightly covered by sea water all the time	1110	2013 2007		FV XX b1
	Vegetated sea cliffs of the Mediterranean coasts with endemic <i>Limonium</i> spp.	1240	2013 2007	FV FV	

**Habitat types reported as scientific reserve (SR), marginal (MAR), invalid report in marine region (IRM) etc. (only listed when a scientific reserve etc has been reported)**

Group	Name	Code	Year	MED	MMED
Grasslands	Oro-Moesian acidophilous grasslands	62D0	2013 2007	SR XX	
Coastal habitats	Submarine structures made by leaking gases	1180	2013 2007		SR XX

**Species reported by Greece**

Group	Name	Code	Year	MED	MMED
Non-vascular plants	Buxbaumia viridis	1386	2013 2007	U2x XX b1	
Vascular plants	Androcymbium rechingeri	1842	2013 2007	U1x U1 nc	
	Anthemis glaberrima	1766	2013 2007	FV FV	
	Artemisia eriantha	1763	2013 2007	U2x XX b1	
	Asyneuma giganteum	1748	2013 2007	U1x XX b1	
	Botrychium simplex	1419	2013 2007	XX XX	
	Bupleurum capillare	1605	2013 2007	U1x U1 nc	
	Bupleurum kakiskalae	1606	2013 2007	U1= U1+ b1	
	Centaurea alba ssp. heldreichii	1770	2013 2007	FV FV nc	
	Centaurea attica ssp. megarensis	1806	2013 2007	FV FV	
	Centaurea immanuelis-loewii	4080	2013 2007	XX	
	Centaurea kalambakensis	1776	2013 2007	U1x XX b1	
	Centaurea lactiflora	1778	2013 2007	FV XX b1	
	Centaurea niederi	1780	2013 2007	FV XX b1	
	Centaurea peucedanifolia	1799	2013 2007	U1x XX b1	
	Centaurea princeps	6198	2013 2007	U1x U1 nc	
	Cephalanthera cucullata	1901	2013 2007	U1x U1 nc	
	Colchicum cousturieri	1835	2013 2007	XX U1 b1	
	Consolida samia	1478	2013 2007	XX U1 b1	



Group	Name	Code	Year	MED	MMED
	<i>Convolvulus argyrothamnus</i>	1663	2013 2007	U2x U2 nc	
	<i>Crepis crocifolia</i>	1786	2013 2007	U1- U1 b1	
	<i>Crepis pusilla</i>	4082	2013 2007	U1- XX b1	
	<i>Dactylorhiza kalopissii</i>	4103	2013 2007	U2-	
	<i>Fritillaria conica</i>	1834	2013 2007	U1x U2 b1	
	<i>Fritillaria drenovskii</i>	1846	2013 2007	FV XX b1	
	<i>Fritillaria gussichiae</i>	1845	2013 2007	U1x XX b1	
	<i>Fritillaria obliqua</i>	1852	2013 2007	U2x U1- b1	
	<i>Fritillaria rhodocanakis</i>	1843	2013 2007	FV U1 b1	
	<i>Galanthus nivalis</i>	1866	2013 2007	U1x	
	<i>Gentiana lutea</i>	1657	2013 2007	U1x U1 nc	
	<i>Gladiolus palustris</i>	4096	2013 2007	XX	
	<i>Globularia stygia</i>	1432	2013 2007	FV XX b1	
	<i>Helichrysum sibthorpii</i>	1771	2013 2007	FV U1- c2	
	<i>Himantoglossum hircinum</i> ssp. <i>caprinum</i>	6218	2013 2007	FV	
	<i>Hypericum aciferum</i>	1433	2013 2007	FV FV	
	<i>Iberis runemarkii</i>	6194	2013 2007	U2- U1 b1	
	<i>Jankaea heldreichii</i>	1740	2013 2007	FV XX b1	
	<i>Linaria hellenica</i>	1718	2013 2007	U1- XX b1	
	<i>Lindernia procumbens</i>	1725	2013 2007	XX	
	<i>Marsilea quadrifolia</i>	1428	2013 2007	U1x XX b1	
	<i>Micromeria taygetea</i>	1697	2013 2007	FV XX b1	
	<i>Nepeta argolica</i> ssp. <i>dirphya</i>	6283	2013 2007	FV XX b1	
	<i>Nepeta sphaciotica</i>	1684	2013 2007	U1= FV b1	
	<i>Ophrys argolica</i>	1904	2013 2007	FV XX b1	

Group	Name	Code	Year	MED	MMED
	<i>Origanum dictamnus</i>	1685	2013 2007	FV XX b1	
	<i>Paeonia clusii</i> ssp. <i>rhodia</i>	1481	2013 2007	U1x U1 nc	
	<i>Paeonia parnassica</i>	1482	2013 2007	FV U1 b1	
	<i>Phoenix theophrasti</i>	1896	2013 2007	U1= U1 nc	
	<i>Polygonum praelongum</i>	1440	2013 2007	U1x XX b1	
	<i>Ramonda serbica</i>	1739	2013 2007	XX XX	
	<i>Rhododendron luteum</i>	4093	2013 2007	FV XX b1	
	<i>Ruscus aculeatus</i>	1849	2013 2007	FV XX b1	
	<i>Silene holzmannii</i>	1459	2013 2007	U1x XX b1	
	<i>Silene orphanidis</i>	1463	2013 2007	FV U1 c2	
	<i>Solenanthus albanicus</i>	1671	2013 2007	XX XX	
	<i>Symphytum cycladense</i>	1672	2013 2007	FV XX b1	
	<i>Tozzia alpina</i> ssp. <i>carpathica</i>	6244	2013 2007	XX	
	<i>Veronica oetaea</i>	1732	2013 2007	FV U1 b1	
	<i>Viola athois</i>	1588	2013 2007	U1= XX b1	
	<i>Viola delphinantha</i>	1590	2013 2007	U1x XX b1	
	<i>Wagenitzia lancifolia</i>	1767	2013 2007	U1= XX b1	
	<i>Woodwardia radicans</i>	1426	2013 2007	U2x XX b1	
	<i>Zelkova abelicea</i>	1436	2013 2007	U1x U1 nc	
Molluscs	<i>Helix pomatia</i>	1026	2013 2007	XX XX	
	<i>Lithophaga lithophaga</i>	1027	2013 2007		U1- XX b1
	<i>Microcondylaea compressa</i>	1031	2013 2007	XX XX	
	<i>Pinna nobilis</i>	1028	2013 2007		U1- U1 b1
	<i>Unio crassus</i>	1032	2013 2007	U1- XX b1	
	<i>Unio elongatulus</i>	1033	2013 2007	U1- XX b1	

Group	Name	Code	Year	MED	MMED
	<i>Vertigo angustior</i>	1014	2013 2007	U1- XX b1	
	<i>Vertigo moulinsiana</i>	1016	2013 2007	U1- XX b1	
Arthropods	<i>Apatura metis</i>	1066	2013 2007	U1- XX b1	
	<i>Astacus astacus</i>	1091	2013 2007	U1- XX b1	
	<i>Austropotamobius torrentium</i>	1093	2013 2007	U1- XX b1	
	<i>Bolbelasmus unicornis</i>	4011	2013 2007	U1x XX b1	
	<i>Buprestis splendens</i>	1085	2013 2007	U1x XX b1	
	<i>Callimorpha quadripunctaria</i>	1078	2013 2007	U1x XX b1	
	<i>Catopta thrips</i>	4028	2013 2007	U1x XX b1	
	<i>Cerambyx cerdo</i>	1088	2013 2007	U1x XX b1	
	<i>Coenagrion ornatum</i>	4045	2013 2007	U1- XX b1	
	<i>Cordulegaster heros</i>	4046	2013 2007	U1- XX b1	
	<i>Dioszeghyana schmidtii</i>	4032	2013 2007	U1x XX b1	
	<i>Eriogaster catax</i>	1074	2013 2007	U1x XX b1	
	<i>Euphydryas aurinia</i>	1065	2013 2007	U1= XX b1	
	<i>Hyles hippophaes</i>	1077	2013 2007	U1x XX b1	
	<i>Lindenia tetraphylla</i>	1043	2013 2007	U1- XX b1	
	<i>Lucanus cervus</i>	1083	2013 2007	U1x XX b1	
	<i>Lycaena dispar</i>	1060	2013 2007	U2- XX b1	
	<i>Maculinea arion</i>	1058	2013 2007	U1= XX b1	
	<i>Morimus funereus</i>	1089	2013 2007	U1x XX b1	
	<i>Ophiogomphus cecilia</i>	1037	2013 2007	U1- XX b1	
	<i>Osmoderma eremita</i>	1084	2013 2007	U1x XX b1	
	<i>Papilio alexanor</i>	1054	2013 2007	U2= XX b1	
	<i>Paracaloptenus caloptenoides</i>	4053	2013 2007	U1= XX b1	

Group	Name	Code	Year	MED	MMED
	Parnassius apollo	1057	2013 2007	U1x XX b1	
	Parnassius mnemosyne	1056	2013 2007	FV XX b1	
	Polyommatus eroides	4042	2013 2007	U1= XX b1	
	Probatiscus subrugosus	4022	2013 2007	U1x XX b1	
	Proserpinus proserpina	1076	2013 2007	U1x XX b1	
	Pseudophilotes bavus	4043	2013 2007	U1= XX b1	
	Rhysodes sulcatus	4026	2013 2007	U1x XX b1	
	Rosalia alpina	1087	2013 2007	U1x XX b1	
	Scyllarides latus	1090	2013 2007		U1x XX b1
	Stenobothrus eurasius	4055	2013 2007	U1x XX b1	
	Stylurus flavipes	1040	2013 2007	U1- XX b1	
	Zerynthia polyxena	1053	2013 2007	FV XX b1	
Fish	Acipenser stellatus	2488	2013 2007	U2x U1 b1	
	Acipenser sturio	1101	2013 2007	U2x U2+ b1	XX b1
	Alburnus vistoncus	5269	2013 2007	U2- b2	
	Alburnus volviticus	5268	2013 2007	U1- b2	
	Alosa fallax	1103	2013 2007	U2- XX b1	
	Alosa macedonica	2490	2013 2007	FV FV nc	
	Alosa vistonica	5048	2013 2007	U2- U1- b1	
	Aphanius almirensis	5276	2013 2007	U2- b2	
	Aphanius fasciatus	1152	2013 2007	U1= FV b1	
	Aspius aspius	1130	2013 2007	XX XX nc	
	Barbus albanicus	5180	2013 2007	FV FV nc	
	Barbus balcanicus	5261	2013 2007	FV b2	
	Barbus cyclolepis	5088	2013 2007	FV b2	

Group	Name	Code	Year	MED	MMED
	Barbus euboicus	5089	2013 2007	U2- b2	
	Barbus graecus	5090	2013 2007	U1= FV b1	
	Barbus macedonicus	5093	2013 2007	U1x FV b1	
	Barbus peloponnesius	5094	2013 2007	FV	
	Barbus pergamonensis	5254	2013 2007	U2x b2	
	Barbus prespensis	5095	2013 2007	U1x b2	
	Barbus sperchiensis	5256	2013 2007	FV b2	
	Barbus strumicae	5263	2013 2007	FV b2	
	Cobitis arachthosensis	5312	2013 2007	U1x b2	
	Cobitis hellenica	5313	2013 2007	U1+ b2	
	Cobitis meridionalis	5310	2013 2007	U1x b2	
	Cobitis ohridana	5308	2013 2007	U1x b2	
	Cobitis puncticulata	5311	2013 2007	U2x b2	
	Cobitis punctilineata	5306	2013 2007	U1- b2	
	Cobitis stephanidisi	5307	2013 2007	U2- b2	
	Cobitis strumicae	5299	2013 2007	FV b2	
	Cobitis trichonica	1144	2013 2007	U1x FV b1	
	Cobitis vardarensis	5309	2013 2007	FV b2	
	Economidichthys pygmaeus	5337	2013 2007	FV	
	Economidichthys trichonis	5338	2013 2007	FV	
	Eudontomyzon graecus	5260	2013 2007	XX b2	
	Eudontomyzon hellenicus	2483	2013 2007	U2x U1 b1	
	Gobio elimeius	6159	2013 2007	U1- b2	
	Knipowitschia goerneri	6292	2013 2007	U2- b2	
	Knipowitschia milleri	6293	2013 2007	U2x	

Group	Name	Code	Year	MED	MMED
	Ladigesocypris ghigii	1117	2013 2007	U1= FV b1	
	Leuciscus keadicus	6193	2013 2007	U1-	
	Pelasgus epiroticus	6263	2013 2007	U2- b2	
	Pelasgus laconicus	6291	2013 2007	U1x b2	
	Pelasgus marathonicus	5336	2013 2007	U1- b2	
	Pelasgus prespensis	6264	2013 2007	U1- b2	
	Pelasgus stymphalicus	5333	2013 2007	U1x FV b2	
	Pelasgus thesproticus	5279	2013 2007	XX b2	
	Rhodeus amarus	5339	2013 2007	FV FV nc	
	Rhodeus meridionalis	5340	2013 2007	FV b2	
	Rutilus panosi	5344	2013 2007	FV	
	Rutilus prespensis	5342	2013 2007	U1x	
	Rutilus ylikiensis	5343	2013 2007	FV	
	Sabanejewia balcanica	5197	2013 2007	U1- FV b1	
	Salmo farioides	5350	2013 2007	U1- b2	
	Salmo louroensis	5352	2013 2007	U2- b2	
	Salmo macedonicus	5353	2013 2007	U2- b2	
	Salmo pelagonicus	5354	2013 2007	U2- b2	
	Salmo peristericus	5355	2013 2007	U2- b2	
	Scardinius graecus	1121	2013 2007	U1- XX b1	
	Silurus aristotelis	1150	2013 2007	FV FV nc	
	Telestes beoticus	5335	2013 2007	U2x b2	
	Telestes pleurobipunctatus	5334	2013 2007	FV FV nc	
	Tropidophoxinellus hellenicus	5341	2013 2007	FV	
	Tropidophoxinellus spartiaticus	6289	2013 2007	U1=	

Group	Name	Code	Year	MED	MMED
	Valencia letourneuxi	1992	2013 2007	U2- U1 b1	
Amphibians	Bombina bombina	1188	2013 2007	U1x XX b1	
	Bombina variegata	1193	2013 2007	FV FV	
	Bufo viridis	1201	2013 2007	FV FV	
	Hyla arborea	1203	2013 2007	FV FV	
	Lyciasalamandra helverseni	5359	2013 2007	U1- b2	
	Mertensiella luschani	1176	2013 2007	FV U1- b2	
	Pelobates syriacus	1200	2013 2007	FV U1- b1	
	Rana bedriagae	5360	2013 2007	FV b2	
	Rana cerigensis	5362	2013 2007	U1- b2	
	Rana cretensis	5361	2013 2007	U1x b2	
	Rana dalmatina	1209	2013 2007	FV FV	
	Rana graeca	1208	2013 2007	FV FV	
	Rana kurtmuelleri	5363	2013 2007	FV b2	
	Rana ridibunda	1212	2013 2007	FV FV	
	Rana temporaria	1213	2013 2007	FV FV	
	Triturus karelinii	1171	2013 2007	FV U2 b1	
	Triturus macedonicus	5364	2013 2007	FV U2 b1	
Reptiles	Ablepharus kitaibelii	1276	2013 2007	FV XX b1	
	Algyroides moreoticus	1258	2013 2007	FV XX b1	
	Algyroides nigropunctatus	1243	2013 2007	FV XX b1	
	Anatololacerta anatolica	5373	2013 2007	XX U1 d	
	Anatololacerta oertzeni	5372	2013 2007	FV XX b1	
	Caretta caretta	1224	2013 2007		U2- U2 c1
	Chalcides ocellatus	1274	2013 2007	FV XX b1	

Group	Name	Code	Year	MED	MMED
	Chamaeleo chamaeleon	1235	2013 2007	U1- U1 b1	
	Chelonia mydas	1227	2013 2007		U2- U2 c1
	Coluber jugularis	1280	2013 2007	FV FV	
	Coluber najadum	1286	2013 2007	FV XX b1	
	Coluber viridiflavus	1284	2013 2007	FV	
	Coronella austriaca	1283	2013 2007	FV XX b1	
	Cyrtodactylus kotschy	6154	2013 2007	FV XX b1	
	Dermochelys coriacea	1223	2013 2007		U2- U2 c1
	Dolichophis caspius	6138	2013 2007	FV XX b1	
	Eirenis modesta	1282	2013 2007	FV U1 b1	
	Elaphe longissima	1281	2013 2007	FV XX b1	
	Elaphe quatuorlineata	1279	2013 2007	FV XX b1	
	Elaphe sauromates	5194	2013 2007	FV XX b1	
	Elaphe situla	1293	2013 2007	FV XX b1	
	Emys orbicularis	1220	2013 2007	U1- U1 nc	
	Eryx jaculus	1277	2013 2007	FV U1 b1	
	Hellenolacerta graeca	6079	2013 2007	FV XX b1	
	Hemorrhois nummifer	6153	2013 2007	XX FV d	
	Hierophis gemonensis	5669	2013 2007	FV	
	Lacerta agilis	1261	2013 2007	FV U1 b1	
	Lacerta trilineata	1251	2013 2007	FV XX b1	
	Lacerta viridis	1263	2013 2007	FV XX b1	
	Laudakia stellio	6139	2013 2007	FV FV	
	Macrovipera schweizeri	1296	2013 2007	U1= U1 nc	
	Mauremys rivulata	2373	2013 2007	U1- XX b1	



Group	Name	Code	Year	MED	MMED
	Natrix tessellata	1292	2013 2007	FV U1 b1	
	Ophiomorus punctatissimus	1271	2013 2007	XX U1 d	
	Ophisaurus apodus	1269	2013 2007	FV XX b1	
	Ophisops elegans	1268	2013 2007	FV FV	
	Podarcis cretensis	5375	2013 2007	FV b2	
	Podarcis erhardii	1238	2013 2007	FV XX b1	
	Podarcis levendis	5376	2013 2007	FV b2	
	Podarcis milensis	1239	2013 2007	FV FV	
	Podarcis muralis	1256	2013 2007	FV XX b1	
	Podarcis peloponnesiaca	1254	2013 2007	FV XX b1	
	Podarcis taurica	1248	2013 2007	FV XX b1	
	Telescopus fallax	1289	2013 2007	FV XX b1	
	Testudo graeca	1219	2013 2007	U1- U1 b1	
	Testudo hermanni	1217	2013 2007	U1- XX b1	
	Testudo marginata	1218	2013 2007	U1- XX b1	
	Vipera ammodytes	1295	2013 2007	FV XX b1	
	Vipera ursinii	1298	2013 2007	U1= U1 nc	
	Vipera xanthina	1294	2013 2007	FV XX b1	
Mammals	Balaenoptera physalus	2621	2013 2007		XX XX
	Barbastella barbastellus	1308	2013 2007	U1x XX b1	
	Canis aureus	1353	2013 2007	U1= U1 nc	
	Canis lupus	1352	2013 2007	U1+ U1+	
	Capra aegagrus	1372	2013 2007	FV U1 b1	
	Delphinus delphis	1350	2013 2007		U2- U2 b1
	Dryomys nitedula	1342	2013 2007	FV XX b1	

Group	Name	Code	Year	MED	MMED
	<i>Eptesicus bottae</i>	2651	2013 2007	U1x XX b1	
	<i>Eptesicus serotinus</i>	1327	2013 2007	XX XX	
	<i>Felis silvestris</i>	1363	2013 2007	XX XX	
	<i>Grampus griseus</i>	2030	2013 2007		U1x U1 nc
	<i>Hypsugo savii</i>	5365	2013 2007	FV XX b1	
	<i>Lutra lutra</i>	1355	2013 2007	FV XX b1	
	<i>Lynx lynx</i>	1361	2013 2007	XX U2 d	
	<i>Martes martes</i>	1357	2013 2007	XX XX	
	<i>Miniopterus schreibersii</i>	1310	2013 2007	U1x XX b1	
	<i>Monachus monachus</i>	1366	2013 2007		U1+ U2 a
	<i>Muscardinus avellanarius</i>	1341	2013 2007	FV XX b1	
	<i>Mustela putorius</i>	1358	2013 2007	XX XX	
	<i>Myomimus roachi</i>	2617	2013 2007	XX XX	
	<i>Myotis alcaethoe</i>	5003	2013 2007	XX XX	
	<i>Myotis aurascens</i>	5004	2013 2007	XX XX	
	<i>Myotis bechsteinii</i>	1323	2013 2007	U1x XX b1	
	<i>Myotis blythii</i>	1307	2013 2007	U1x XX b1	
	<i>Myotis brandtii</i>	1320	2013 2007	U1x	
	<i>Myotis capaccinii</i>	1316	2013 2007	U1x XX b1	
	<i>Myotis daubentonii</i>	1314	2013 2007	XX XX nc	
	<i>Myotis emarginatus</i>	1321	2013 2007	U1x XX b1	
	<i>Myotis myotis</i>	1324	2013 2007	U1x XX b1	
	<i>Myotis nattereri</i>	1322	2013 2007	U1x XX b1	
	<i>Nyctalus lasiopterus</i>	1328	2013 2007	U1x XX b1	
	<i>Nyctalus leisleri</i>	1331	2013 2007	U1x XX b1	

Group	Name	Code	Year	MED	MMED
	Nyctalus noctula	1312	2013 2007	U1x XX b1	
	Phocoena phocoena	1351	2013 2007		U2- U1 b1
	Physeter catodon	5031	2013 2007		U2- U2 c1
	Pipistrellus hanaki	5253	2013 2007	U1x b2	
	Pipistrellus kuhlii	2016	2013 2007	FV XX b1	
	Pipistrellus nathusii	1317	2013 2007	U1x XX b1	
	Pipistrellus pipistrellus	1309	2013 2007	FV XX b1	
	Pipistrellus pygmaeus	5009	2013 2007	U1x XX b1	
	Plecotus auritus	1326	2013 2007	U1x XX b1	
	Plecotus austriacus	1329	2013 2007	XX XX	
	Plecotus kolombatovici	5011	2013 2007	XX XX	
	Plecotus macrobullaris	5012	2013 2007	XX XX	
	Rhinolophus blasii	1306	2013 2007	U1x XX b1	
	Rhinolophus euryale	1305	2013 2007	U1x XX b1	
	Rhinolophus ferrumequinum	1304	2013 2007	U1x XX b1	
	Rhinolophus hipposideros	1303	2013 2007	FV XX b1	
	Rhinolophus mehelyi	1302	2013 2007	XX XX	
	Rupicapra rupicapra balcanica	1371	2013 2007	U2x U2 nc	
	Sciurus anomalus	1336	2013 2007	XX XX	
	Spermophilus citellus	1335	2013 2007	U1x U1- b1	
	Stenella coeruleoalba	2034	2013 2007		XX XX
	Tadarida teniotis	1333	2013 2007	FV XX b1	
	Tursiops truncatus	1349	2013 2007		U1- U2 c1
	Ursus arctos	1354	2013 2007	U1+ U1+	
	Vespertilio murinus	1332	2013 2007	U1x XX b1	

Group	Name	Code	Year	MED	MMED
	<i>Ziphius cavirostris</i>	2035	2013 2007		U2- U1 a
Other invertebrates	<i>Centrostephanus longispinus</i>	1008	2013 2007		U1= XX b1
	<i>Corallium rubrum</i>	1001	2013 2007		U1- XX b1
	<i>Hirudo medicinalis</i>	1034	2013 2007	XX XX	

Species reported as occasional (OCC), newly arriving (ARR), extinct prior the Habitats Directive came into force (PEX), marginal (MAR), invalid report in marine region (IRM) or introduced (INT) etc. (only listed when an occasional species etc has been reported). In addition species with optional reports (OP) and scientific reserves (SR) are listed here.

Group	Name	Code	Year	MED	MMED
Fish	<i>Acipenser naccarii</i>	1100	2013 2007	SR	IRM
	<i>Acipenser stellatus</i>	2488	2013 2007	nc	b1 IRM XX
	<i>Petromyzon marinus</i>	1095	2013 2007	OCC XX OCC nc	IRM XX b1
	<i>Zingel balcanicus</i>	5356	2013 2007	SR nc	
Mammals	<i>Balaenoptera acutorostrata</i>	2618	2013 2007		OCC OCC
	<i>Megaptera novaeangliae</i>	1345	2013 2007		OCC OCC
	<i>Pseudorca crassidens</i>	2028	2013 2007		OCC OCC
	<i>Steno bredanensis</i>	2033	2013 2007		OCC
	<i>Vormela peregusna</i>	2635	2013 2007	N/R XX	