

National Summary for Article 17 - Romania

1 General information

1.1 Number of SCIs and SACs

The table below provides the total number and total area of sites proposed and designated under the Habitats Directive (Sites of Community Importance, SCIs & Special Areas of Conservation, SACs), terrestrial area of sites and number and area of marine sites (i.e. any site with a marine component).

Empty cells in tables mean that the component requested is not applicable.

	All		Terrestrial	Marine	
	No.	Area (km ²)	Area (km ²)	No.	Area (km ²)
SCIs & SACs	383	41365	39794	8	1571
SACs only	0				

Date of database used: 06-11-2012

1.2 Number of sites with comprehensive management plans (Art. 6(1))

Number of sites for which comprehensive management plans have been adopted: **4**

Percentage of network area covered by comprehensive management plans: **2%**

Number of sites for which management plans are under preparation (optional): **272**

2. Number of habitats and species/subspecies

The table in this section gives the number of habitat types and species/subspecies in each Annex of the Habitats Directive by biogeographical and marine regions in Romania. The species and habitats with the following presence status are included in the table: 'present', species of which taxonomy is not clear (SR TAX), species where the link to the corresponding name in the Habitats Directive is not clear (LR), species extinct after the Directive came into force (EX) and optional reports (OP).

Region	HABITATS		SPECIES					
	Annex I		Annex II		Annex IV		Annex V	
	Non-priority	Priority	Non-priority	Priority	Including those in Annex II	Excluding those in Annex II	Including those in Annex II	Excluding those in Annex II
Number of habitats & species in the MS	60	25	147	15	174	50	35	26
	85		162		174		35	
Alpine	37	11	74	7	94	33	20	18
Black Sea	18	3	25	1	24	11	15	9
Continental	34	17	114	12	140	44	29	21
Pannonian	11	5	49	2	55	20	14	10
Steppic	18	6	64	3	87	39	19	13
Marine Black Sea	6		2		3	1		

Additional information:

Number of assessments of marginal habitat types: **6**

Number of assessments of marginal & occasional species: **1**

Number of assessments of newly arriving species: **none**

Number of species regionally extinct prior the Habitats Directive came into force: **none**

Number of species regionally extinct after the Habitats Directive came into force: **none**

Number of species globally extinct after the Habitats Directive came into force: **none**

Number of assessments of species/habitat types for which no reports received: **5**

3. Information on Conservation status


Please note that the figures shown for 2001-2006 and 2007-2012 are not necessarily directly comparable because there can be differences in number of assessments between the reporting rounds, changes in how some features were allocated in biogeographical regions etc.

The following have been excluded from all statistics under section 3:


- Habitats reported as marginal (MAR) or with scientific reserve (SR)
- Species reported as marginal (MAR), occasional (OCC), newly arriving (ARR), regionally extinct before the Habitats Directive came into force (PEX) and introduced species (INT). In addition reports that give only an information about species without evaluation of the conservation status
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected (IRM).

3.1 a) Overall assessment of conservation status of habitats and species (%)

These figures show the percentage of biogeographical assessments in each category of conservation status for habitats and species, respectively. The information on which these figures are based are presented in the table below the figures (real values).



Conservation status of **habitats**



Conservation status of **species**

■ FV - Favourable ■ NA - Not reported ■ XX - Unknown ■ U1 - Unfavourable inadequate ■ U2 - Unfavourable bad

Year of assessment	HABITATS					SPECIES				
	FV	NA	XX	U1	U2	FV	NA	XX	U1	U2
2007										
2013	105		2	47	12	108		48	383	31



3.1 b) Percentage of assessments where the conservation status has changed between the reporting periods

This table shows the percentage of assessments where the Member State has indicated a change between two reporting rounds (2001-2006 and 2007-2012) and the percentages of all reported changes where the change has been reported as a genuine change. Change can be either a change from one conservation status category to another or a change within the same category (within the qualifiers '-', '+', '=', 'x'). Data have been taken from the 'audit trail table' where the Member State indicates the nature of change. The Member State's results on this audit trail are shown under section 7.

	SPECIES	HABITAT TYPES
% of assessments that changed		
% of total changes considered genuine		

3.2 Improving/deteriorating trends of habitats and species with an unfavourable conservation status (%)

These figures show the proportion of unfavourable assessments (U1 & U2) which are improving, deteriorating, stable or unknown.



Habitats – overall trend in Conservation Status

Species – overall trend in Conservation Status

U (+) = unfavourable (inadequate and bad) improving, U (=) = unfavourable stable, U (-) = unfavourable declining, U (x) = unfavourable unknown trend

This table shows trends in conservation status of habitats & species separately for those cases where the overall conclusion is unfavourable inadequate (U1) and unfavourable bad (U2).


Qualifiers of CS	U1+	U1=	U1-	U1x	U2+	U2=	U2-	U2x
Habitats		25	7	3		3	3	2
Species		83	73	42			19	1

Note: U1+ = unfavourable-inadequate improving, U1= = unfavourable-inadequate stable, U1- = unfavourable-inadequate declining, U1x = unfavourable-inadequate trend unknown, U2+ = unfavourable-bad improving, U2= = unfavourable-bad stable, U2- = unfavourable-bad declining, U2x = unfavourable-bad trend unknown


3.3 Overall assessment of conservation status of habitats and species by biogeographical/marine region (%)

These figures show the percentage of assessments in each of conservation status category by biogeographical and marine region, for habitats and species, respectively.

Please note that some habitats reported as terrestrial in 2001-2006 have been reported as marine in 2007-2012 (e.g. estuaries). Some species (e.g. seals, marine turtles) which in some cases were reported for both marine and terrestrial regions were only reported for one region in 2007-2012 (this statement only applies to Member States with marine regions).



Conservation status of **habitats** in biogeographical and marine regions



Conservation status of **species** in biogeographical and marine regions


Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

3.4 Overall assessment of conservation status by habitat category/species group (%)

These figures show the percentage of biogeographical and marine assessments in each conservation status category by habitat category and by taxonomic group, for habitats and species, respectively.

The figures show the proportion of assessments in each conservation status class for 2007-2012 (upper bar) and 2001-2006 (lower bar). The information (number of assessments) on which these figures are based are presented in the tables below each figure (real values).

Habitats




Conservation status of **habitats** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	HABITATS				
		FV	NA	XX	U1	U2
Forests	2007					
	2013	21			19	6
Rocky habitats	2007					
	2013	12			3	
Bogs, mires & fens	2007					
	2013			2	5	4
Grasslands	2007					
	2013	30			4	1
Heath & scrub	2007					
	2013	4			5	
Freshwater habitats	2007					
	2013	26			3	
Dunes habitats	2007					
	2013	2			2	1
Coastal habitats	2007					
	2013	10			6	

NB: Coastal habitats cover coastal and halophytic habitats (code 1xxx) and Dunes habitat types cover coastal sand dunes and inland dunes (code 2xxx) as listed in the Habitats Directive

SpeciesConservation status of **species** in biogeographical and marine regions

Note: wide bar corresponds to the 2007-2012 reporting period, and the narrow bar to the 2001-2006 reporting period. The number in brackets corresponds to the number of biogeographical assessments in the category.

Group	Year of assessment	SPECIES				
		FV	NA	XX	U1	U2
Other invertebrates	2007					
	2013				4	
Mammals	2007					
	2013	43		15	77	1
Reptiles	2007					
	2013	7		1	44	3
Amphibians	2007					
	2013	3		17	34	
Fish	2007					
	2013	3			71	16
Arthropods	2007					
	2013	9		11	102	4
Molluscs	2007					
	2013	4		2	8	
Vascular plants	2007					
	2013	36		2	35	7
Non-vascular plants	2007					
	2013	3			8	

3.5 Reasons for change in reported values of parameters (%)

This table provides information on reasons for changes of values reported for the parameters 'Range', 'Area (habitat)', 'Population' and 'Habitat for the species' between reporting periods 2001-2006 and 2007-2012. The table gives the percentage of habitats/species assessments for which a particular reason for change in values was reported. The reporting format lists three principal reasons for change: genuine change, better knowledge/data and use of different method.

Reason for change	Habitats		Species/subspecies		
	Surface area of range	Surface area of habitat	Surface area of range	Population size	Area of habitat for the species
Genuine change					
Better knowledge/data					
Use of different method					


Note: More than one reason for change can be reported for each habitat and species.

4 Frequency of main pressures and threats (%) ¹

This section provides information on the relative importance of pressures and threats (aggregated to level 1) reported for habitats and species. The figures show the percentage of biogeographical assessments reported as being affected by one or more pressures or threats categorised as of 'high importance'. The information for the number of pressures and threats on which these figures are based are presented in the tables below the figures.

¹ The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.



% of **habitat assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat


Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **166**

Number of assessments with no high ranking threats (or no threats at all reported): **122**

Number of assessment with no high ranking pressures (or no pressures at all): **112**

Pressures and threats	HABITATS	
	Number of threats	Number of pressures
A - Agriculture	13	15
B - Sylviculture, forestry	4	4
C - Mining, extraction of materials and energy production	2	13
D - Transportation and service corridors	6	3
E - Urbanisation, residential and commercial development	8	8
F - Biological resource use other than agriculture & forestry	5	5
G - Human intrusions and disturbances	6	5
H - Pollution		1
I - Invasive, other problematic species and genes	2	1
J - Natural System modifications	11	16
K - Natural biotic and abiotic processes (without catastrophes)	12	15
M - Climate change	3	2



% of **species assessments** reported as being affected by one or more 'high' importance pressures/threats

■ pressure ■ threat

Note: Threats and pressures categories not reported are omitted.

Total number of assessments considered in the calculation: **570**

Number of assessments with no high ranking threats (or no threats at all reported): **106**

Number of assessment with no high ranking pressures (or no pressures at all): **120**

Pressures and threats	SPECIES	
	Number of threats	Number of pressures
A - Agriculture	116	138
B - Sylviculture, forestry	118	108
C - Mining, extraction of materials and energy production	21	4
D - Transportation and service corridors	22	18
E - Urbanisation, residential and commercial development	102	94
F - Biological resource use other than agriculture & forestry	44	37
G - Human intrusions and disturbances	22	27
H - Pollution	15	19
I - Invasive, other problematic species and genes	6	6
J - Natural System modifications	184	171
K - Natural biotic and abiotic processes (without catastrophes)	34	30
L - Geological events, natural catastrophes	1	1
M - Climate change	24	17
U - Unknown threat or pressure	1	1

5 Natura 2000 coverage and conservation measures ²


Note: The figures under section 5 cover only Annex I habitat types and Annex II species.

5.1 Natura 2000 coverage (%)

This section presents statistics on the coverage of Annex I habitats and Annex II species in Natura 2000 sites by habitat category/species group. These figures show the percentage of habitats/species assessments in three classes based on coverage by Natura 2000 sites, for habitats and species, respectively. The geometric mean is used if Member States have reported minimum and maximum values. The information for the number of assessments per coverage by Natura 2000 on which these figures are based are presented in the tables below the figures (real values). Please note that these statistics are based on Article 17 data and are independent from the results of the Biogeographical Seminars.

² The following have been excluded:

- Habitats reported as marginal or with scientific reserve.
- Species reported as marginal, occasional, newly arriving, regionally extinct before the Habitats Directive came into force and introduced species. In addition reports that give only an information about species without evaluation of the conservation status.
- Redundant reports provided for both marine and terrestrial regions for habitats and species and species for which only one, either terrestrial or marine report was expected.




% of **habitat assessments** in 3 classes of coverage by Natura 2000 sites

coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the habitat category.

Group	HABITATS			
	0-24%	25-74%	75-100%	unknown
Forests	8	21	17	
Rocky habitats	3			12
Bogs, mires & fens		1	10	
Grasslands	2	28	5	
Heath & scrub	1	3	5	
Freshwater habitats	27	1		1
Dunes habitats	4	1		
Coastal habitats	4	4	7	1



% of **species assessments** in 3 classes of coverage by Natura 2000 sites


coverage by Natura 2000 sites : ■ 0-24% ■ 25-74% ■ 75-100%

Note: The number in brackets corresponds to the number of biogeographical assessments in the species category.

Group	SPECIES			
	0-24%	25-74%	75-100%	unknown
Mammals	13	9	41	1
Reptiles		3	10	
Amphibians	2	8	8	
Fish			72	
Arthropods	2	15	74	14
Molluscs	1		9	
Vascular plants	10	8	40	7
Non-vascular plants			6	

5.2 Main conservation measures (%)

This section provides information on the relative importance of conservation measures at level 1 implemented during the reporting period 2007-2012 for Annex I habitats and Annex II species. The figures show the percentage of biogeographical assessments for which one or more 'high importance' conservation measures was implemented. Measures not reported are omitted.




% of **habitat assessments** for which one or more 'high' importance measures were reported

Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct habitat types have been included in calculations.

Total number of assessments considered in the calculation: **166**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **93**



% of **species assessments** for which one or more 'high' importance measures were reported


Note: Numbers in brackets correspond to the number of assessments where measure 1, 2, etc. is noted as being of high importance. Occasional and extinct species have been included in calculations.

Total number of assessments considered in the calculation: **353**

Number of assessments with no high ranking conservation measures or no conservation measures at all reported: **91**

5.3 Impact of conservation measures (%)

This section provides information on the effects of implemented conservation measures for each level 1 measure category. The figures show, for each level 1 measure category, the frequency of reported effects. The information for the number of assessments per measure category on which these figures are based are presented in the tables below the figures (full names of the measures are shown in the tables).




% of **habitat assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	HABITATS				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures	1	1	3		11
2 - Measures related to agriculture and open habitats	2	2	3		
3 - Measures related to forests and wooded habitats	28	35	32		
4 - Measures related to wetland, freshwater and coastal habitats	2	2	3		2
5 - Measures related to marine habitats	1	1	1		
6 - Measures related to spatial planning	52	60	64		10
7 - Measures related to hunting, taking and fishing and species management	3		3		
9 - Measures related to special resource use	3		2		



% of **species assessments** for which a particular effect of a measure was reported

■ maintain ■ enhance ■ longterm ■ no effect ■ unknown or not evaluated

Note: The numbers in brackets correspond to the numbers of biogeographical assessments for which one or more 'high' importance measure was reported.

Measure	SPECIES				
	maintain	enhance	longterm	no effect	unknown or not evaluated
1 - No measures	1	6	5		
2 - Measures related to agriculture and open habitats	26	25	58	1	8
3 - Measures related to forests and wooded habitats	4	9	93	1	19
4 - Measures related to wetland, freshwater and coastal habitats	16	141	181		18
6 - Measures related to spatial planning	29	19	48	2	21
7 - Measures related to hunting, taking and fishing and species management	11	21	20		3
8 - Measures related to urban areas, industry, energy and transport	4	4	6		1
9 - Measures related to special resource use	5	1	8	1	

6 Data quality and completeness ³

The aim of this section is to provide an overview of the data gaps in the report; most of these gaps are due to insufficient knowledge. This section does not refer to potential errors or technical problems in the Member State's report and concentrates on what is relevant for evaluating data completeness.

The tables give percentages of habitats/species assessments with unknown or missing information for components of conservation status and conclusions.

³ The statistics on missing information take into account that for the plant species listed in Annex V at the genus level only 'Overall assessment of conservation status' and 'Overall trend' are mandatory. The same approach was used for the species extinct after the Habitats Directive came into force.

6.1 a) Percentage of mandatory information that is missing (%)**Habitats**

Habitat range	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat area	Area	0
	Trend	0
	Reference value	0
	Conclusion	0
Structure & functions	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		0
Natura 2000	Coverage	1.2
	Measures	4
Overall	Conclusion	0
	Trend	27
	Maps	0

Species

Species range	Area	0.7
	Trend	0
	Reference value	0
	Conclusion	0
Species population	Size	0
	Trend	0
	Reference value	0
	Conclusion	0
Habitat for species	Area	0.7
	Trend	0.2
	Area of suitable habitat*	21
	Conclusion	0
Future prospects	Conclusion	0
Pressures & threats		4
Natura 2000	Coverage	0
	Measures	5
Overall	Conclusion	0
	Trend	47
	Maps	0

*This field is a mandatory field in the reporting format, however there is an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.1 b) Percentage of mandatory information reported as unknown (%)**Habitats**

Habitat range	Area	0
	Trend	4
	Reference value	34
	Conclusion	2
Habitat area	Area	0
	Trend	5
	Reference value	35
	Conclusion	2
Structure & functions	Conclusion	2
Future prospects	Conclusion	5
Pressures & threats		0.6
Natura 2000	Coverage	7
	Measures	6
Overall	Conclusion	1.2
	Trend	8
	Maps	0

Species

Species range	Area	0
	Trend	10
	Reference value	9
	Conclusion	7
Species population	Size	2
	Trend	12
	Reference value	8
	Conclusion	9
Habitat for species	Area	0.9
	Trend	12
	Area of suitable habitat*	18
	Conclusion	8
Future prospects	Conclusion	10
Pressures & threats		2
Natura 2000	Coverage	4
	Measures	2
Overall	Conclusion	8
	Trend	10
	Maps	0

*This field is a mandatory field in the reporting format, however there remained an inconsistency between the reporting format and the evaluation matrix as raised in the FAQ dated 14.2.2013

6.2 Methods used to estimate values or trends in Member State reports (%)

This section presents information about the quality of estimated values and trends in habitat and species biogeographical reports. For some parameters and trends, the reporting format requires an indication of which of three methods (complete survey or a statistically robust estimate, partial data with some extrapolation and/or modelling, expert opinion with no or minimal sampling) have been used to estimate the values or trends. The tables in this section present percentage of habitats/species assessments for which values were estimated by each of the three methods mentioned above.

Habitats

	Map	Range	Area	Area trend	Str.&Funct.	N2000	Average
Expert opinion (%)	17	20	20	24	16	18	19
Extrapolation (%)	54	51	51	44	55	44	50
Complete survey (%)	29	29	29	29	29	30	29
Absent data (%)	0	0	0	3	0	7	2

Species

	Map	Range	Population	Pop. trend	Habitat	N2000*	Average
Expert opinion (%)	62	63	53	53	65	74	62
Extrapolation (%)	32	35	28	28	34	19	29
Complete survey (%)	6	3	17	17	0	3	8
Absent data (%)	0	0	2	2	1	4	1

*This column covers only Annex II species

Source of information:

[Link to the national general report on CDR](#)

[Link to the national report for habitats on CDR](#)

[Link to the national report for species on CDR](#)

Other links (national links to be provided by the Member State)

7. List of habitats and species reported and their conservation status

This section lists habitats and species reported by the Member State and the overall conclusions on their conservation status for the reporting period 2001-2006 (indicated as 2007) and 2007-2012 (indicated as 2013). Information from the audit trail has been used for this list and its focus is on what was reported in 2013.

There are two tables for habitats and species if relevant for the Member State. The second table includes only habitats or species with a status OCC, SR, MAR etc. Please note that occurrences e.g. OCC if only reported in 2007, are included only in the second table.

In addition the list includes information provided by the Member State on the nature of change in the overall conservation status between the reporting periods.

The codes are the following :

- a = there is a genuine change: the overall conservation status improved (or deteriorated) due to natural or non-natural reasons (management, intervention, etc.)
- b1 = the change observed is due to more accurate data (e.g. better mapping of distribution) or improved knowledge (e.g. on ecology of species or habitat)
- b2 = the change observed is due to a taxonomic review: one taxon becoming several taxa, or vice versa
- c1 = the change observed is due to use of different methods to measure or evaluate individual parameters or the overall conservation status
- c2 = the change observed is mainly due to the use of different thresholds e.g. to fix Favourable reference values
- d = no information about the nature of change
- e = the change observed is due to less accurate or absent data than the one used in the previous reporting period
- nc = no change (e.g. overall trend in conservation status only evaluated in 2013 but assumed to be the same in 2007 or not known)

Habitats reported by Romania

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
Forests	(Sub-) Mediterranean pine forests with endemic black pines	9530	2013 2007	FV		FV			
	Acidophilous Picea forests of the montane to alpine levels (Vaccinio-Piceetea)	9410	2013 2007	U1=					
	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)	91E0	2013 2007	U1=		U1=			
	Alpine Larix decidua and/or Pinus cembra forests	9420	2013 2007	FV					
	Asperulo-Fagetum beech forests	9130	2013 2007	FV		FV			
	Bog woodland	91D0	2013 2007	U1=		U2x			
	Castanea sativa woods	9260	2013 2007	U2-		U2x			
	Dacian Beech forests (Symphyto-Fagion)	91V0	2013 2007	FV		FV			
	Dacian oak & hornbeam forests	91Y0	2013 2007			U1=			U1=
	Dobrogean beech forests	91X0	2013 2007						U1=
	Eastern white oak woods	91AA	2013 2007			U2=			U1=
	Euro-Siberian steppic woods with Quercus spp.	91I0	2013 2007			U2=		U1=	U2=
	Galio-Carpinetum oak-hornbeam forests	9170	2013 2007	FV		FV			

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	Illyrian <i>Fagus sylvatica</i> forests (Aremonio-Fagion)	91K0	2013 2007	FV		FV			
	Illyrian oak-hornbeam forests (Erythronio-Carpinion)	91L0	2013 2007			FV			
	Luzulo-Fagetum beech forests	9110	2013 2007	FV		FV			
	Medio-European limestone beech forests of the Cephalanthero-Fagion	9150	2013 2007	FV		FV			
	Pannonian woods with <i>Quercus pubescens</i>	91H0	2013 2007			U1=			
	Pannonian-Balkan turkey oak – sessile oak forests	91M0	2013 2007			FV			U1
	Riparian mixed forests of <i>Quercus robur</i> , <i>Ulmus laevis</i> and <i>Ulmus minor</i> , <i>Fraxinus excelsior</i> or <i>Fraxinus</i>	91F0	2013 2007			U1=		U1=	U1=
	<i>Salix alba</i> and <i>Populus alba</i> galleries	92A0	2013 2007		FV	U1=		U1=	U1=
	Southern riparian galleries and thickets (<i>Nerio-Tamaricetea</i> and <i>Securinegion tinctoriae</i>)	92D0	2013 2007		U1=				U1x
	Tilio-Acerion forests of slopes, screes and ravines	9180	2013 2007	FV		FV			
	Western Carpathian calcicolous <i>Pinus sylvestris</i> forests	91Q0	2013 2007	FV					
Rocky habitats	Calcareous and calcshist screes of the montane to alpine levels (<i>Thlaspietea rotundifolii</i>)	8120	2013 2007	FV		FV			
	Calcareous rocky slopes with chasmophytic vegetation	8210	2013 2007	FV		FV			
	Caves not open to the public	8310	2013 2007	U1=		U1=			U1=
	Medio-European calcareous scree of hill and montane levels	8160	2013 2007	FV		FV			
	Siliceous rock with pioneer vegetation of the <i>Sedo-Scleranthion</i> or of the <i>Sedo albi-Veronicion dillenii</i>	8230	2013 2007	FV		FV			FV
	Siliceous rocky slopes with chasmophytic vegetation	8220	2013 2007	FV		FV			
	Siliceous scree of the montane to snow levels (<i>Androsacetalia alpinae</i> and <i>Galeopsietalia ladani</i>)	8110	2013 2007	FV					
Bogs, mires & fens	Active raised bogs	7110	2013 2007	U1					
	Alkaline fens	7230	2013 2007	U1		U2			
	Calcareous fens with <i>Cladium mariscus</i> and species of the <i>Caricion davallianae</i>	7210	2013 2007			U2			
	Degraded raised bogs still capable of natural regeneration	7120	2013 2007	U2					
	Depressions on peat substrates of the <i>Rhynchosporion</i>	7150	2013 2007	U1		U2			
	Petrifying springs with tufa formation (<i>Cratoneurion</i>)	7220	2013 2007	XX		XX			
	Transition mires and quaking bogs	7140	2013 2007	U1		U1			

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
Grasslands	Alluvial meadows of river valleys of the <i>Cnidion dubii</i>	6440	2013 2007	FV	FV	FV		FV	FV
	Alpine and subalpine calcareous grasslands	6170	2013 2007	FV					
	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels	6430	2013 2007	FV	FV	FV		FV	FV
	Lowland hay meadows (<i>Alopecurus pratensis</i> , <i>Sanguisorba officinalis</i>)	6510	2013 2007	FV	FV	FV		FV	FV
	Mediterranean tall humid grasslands of the <i>Molinio-Holoschoenion</i>	6420	2013 2007		U2-				
	<i>Molinia</i> meadows on calcareous, peaty or clayey-silt-laden soils (<i>Molinion caeruleae</i>)	6410	2013 2007	FV	U1-	FV		U1	FV
	Mountain hay meadows	6520	2013 2007	FV					
	Ponto-Sarmatic steppes	62C0	2013 2007			FV			U1
	Rupicolous calcareous or basophilic grasslands of the <i>Alyso-Sedion albi</i>	6110	2013 2007	FV		FV			
	Rupicolous pannonic grasslands (<i>Stipo-Festucetalia pallentis</i>)	6190	2013 2007	FV		FV			
	Semi-natural dry grasslands and scrubland facies on calcareous substrates (<i>Festuco-Brometalia</i>) (*	6210	2013 2007	FV		FV			
	Siliceous alpine and boreal grasslands	6150	2013 2007	FV					
	Species-rich <i>Nardus</i> grasslands, on silicious substrates in mountain areas (and submountain areas in	6230	2013 2007	FV					
	Sub-Pannonic steppic grasslands	6240	2013 2007			U1			
	Xeric sand calcareous grasslands	6120	2013 2007			FV			
Heath & scrub	Alpine and Boreal heaths	4060	2013 2007	FV					
	Bushes with <i>Pinus mugo</i> and <i>Rhododendron hirsutum</i> (<i>Mugo-Rhododendretum hirsuti</i>)	4070	2013 2007	FV					
	European dry heaths	4030	2013 2007	FV					
	Ponto-Sarmatic deciduous thickets	40C0	2013 2007			U1x			U1x
	Sub-Arctic <i>Salix</i> spp. scrub	4080	2013 2007	U1=					
	Subcontinental peri-Pannonic scrub	40A0	2013 2007	FV		U1=		U1=	
Freshwater habitats	Alpine rivers and the herbaceous vegetation along their banks	3220	2013 2007	FV		FV			
	Alpine rivers and their ligneous vegetation with <i>Myricaria germanica</i>	3230	2013 2007	FV					
	Alpine rivers and their ligneous vegetation with <i>Salix elaeagnos</i>	3240	2013 2007	U1					
	Hard oligo-mesotrophic waters with benthic vegetation of <i>Chara</i> spp.	3140	2013 2007		FV	FV			FV

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	Natural dystrophic lakes and ponds	3160	2013 2007			FV		FV	FV
	Natural eutrophic lakes with Magnopotamion or Hydrocharition — type vegetation	3150	2013 2007	FV	FV	FV		FV	FV
	Oligotrophic to mesotrophic standing waters with vegetation of the Littorelletea uniflorae and/or of the	3130	2013 2007		FV	FV		FV	FV
	Rivers with muddy banks with Chenopodium rubri p.p. and Bidention p.p. vegetation	3270	2013 2007		FV	FV		FV	FV
	Transylvanian hot-spring lotus beds	31A0	2013 2007					FV	
	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitriche-Batrachion vegetation	3260	2013 2007	FV	U1	FV		U1=	FV
Dunes habitats	Dunes with Hippophaë rhamnoides	2160	2013 2007		U1				
	Embryonic shifting dunes	2110	2013 2007		U2-				
	Fixed coastal dunes with herbaceous vegetation ('grey dunes')	2130	2013 2007		U1-				
	Humid dune slacks	2190	2013 2007		FV				
	Pannonic inland dunes	2340	2013 2007					FV	
Coastal habitats	Annual vegetation of drift lines	1210	2013 2007		U1-				
	Coastal lagoons	1150	2013 2007		U1-				
	Estuaries	1130	2013 2007				FV		
	Large shallow inlets and bays	1160	2013 2007				FV		
	Mediterranean salt meadows (Juncetalia maritimi)	1410	2013 2007		U1=				
	Mudflats and sandflats not covered by seawater at low tide	1140	2013 2007				U1-		
	Pannonic salt steppes and salt marshes	1530	2013 2007		FV	FV		FV	FV
	Reefs	1170	2013 2007				U1-		
	Salicornia and other annuals colonizing mud and sand	1310	2013 2007		FV	FV			FV
	Sandbanks which are slightly covered by sea water all the time	1110	2013 2007				U1-		
	Submarine structures made by leaking gases	1180	2013 2007				FV		

Habitat types reported as scientific reserve (SR), marginal (MAR), invalid report in marine region (IRM) etc. (only listed when a scientific reserve etc has been reported)

Group	Name	Code	Year	ALP	MBLS

Group	Name	Code	Year	ALP	MBSL
Rocky habitats	Submerged or partially submerged sea caves	8330	2013 2007		SR XX
Bogs, mires & fens	Alpine pioneer formations of the <i>Caricion bicoloris-atrofuscae</i>	7240	2013 2007	SR XX	

Species reported by Romania

Group	Name	Code	Year	ALP	BLS	CON	MBSL	PAN	STE
Non-vascular plants	<i>Buxbaumia viridis</i>	1386	2013 2007	U1					
	<i>Cladonia</i> spp. (subgenus <i>Cladina</i>)	1378	2013 2007	FV		FV			
	<i>Dicranum viride</i>	1381	2013 2007	U1=					
	<i>Drepanocladus vernicosus</i>	1393	2013 2007	FV					
	<i>Leucobryum glaucum</i>	1400	2013 2007	U1					
	<i>Mannia triandra</i>	1379	2013 2007	U1					
	<i>Meesia longiseta</i>	1389	2013 2007	U1-		U1			
	<i>Sphagnum</i> spp.	1409	2013 2007	U1		U1			
Vascular plants	<i>Adenophora lilifolia</i>	4068	2013 2007	U2-		U2-		U2-	
	<i>Agrimonia pilosa</i>	1939	2013 2007	U1		FV			U1
	<i>Aldrovanda vesiculosa</i>	1516	2013 2007					U1	U1
	<i>Angelica palustris</i>	1617	2013 2007	U1		U1		U1	
	<i>Arnica montana</i>	1762	2013 2007	FV					
	<i>Artemisia eriantha</i>	1763	2013 2007	FV					
	<i>Asplenium adulterinum</i>	4066	2013 2007	U1		U1			
	<i>Astragalus peterfii</i>	2132	2013 2007			U1			
	<i>Campanula romanica</i>	2236	2013 2007						FV
	<i>Campanula serrata</i>	4070	2013 2007	FV		FV			
	<i>Centaurea jankae</i>	2253	2013 2007						U1
	<i>Centaurea pontica</i>	2255	2013 2007		U1-				

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	<i>Cirsium brachycephalum</i>	4081	2013 2007					U1	
	<i>Colchicum arenarium</i>	2285	2013 2007			U1			
	<i>Crambe tataria</i>	4091	2013 2007			FV			FV
	<i>Cypripedium calceolus</i>	1902	2013 2007	FV		FV			
	<i>Draba doreri</i>	2113	2013 2007	U1					
	<i>Dracocephalum austriacum</i>	1689	2013 2007	FV		FV			
	<i>Echium russicum</i>	4067	2013 2007			FV			FV
	<i>Eleocharis carniolica</i>	1898	2013 2007	FV		FV		FV	
	<i>Ferula sadleriana</i>	2170	2013 2007			U1			
	<i>Galanthus nivalis</i>	1866	2013 2007	FV		FV		FV	
	<i>Galium moldavicum</i>	2191	2013 2007			U2			
	<i>Gentiana lutea</i>	1657	2013 2007	U1-					
	<i>Gladiolus palustris</i>	4096	2013 2007			U2			
	<i>Himantoglossum caprinum</i>	2327	2013 2007			U1			U1
	<i>Iris aphylla</i> ssp. <i>hungarica</i>	4097	2013 2007	U1-		FV		U1	XX
	<i>Iris humilis</i> ssp. <i>arenaria</i>	4098	2013 2007			XX		U1	
	<i>Ligularia sibirica</i>	1758	2013 2007	FV		FV			
	<i>Lindernia procumbens</i>	1725	2013 2007		FV	FV		FV	FV
	<i>Liparis loeselii</i>	1903	2013 2007	U1		U1			
	<i>Lycopodium</i> spp.	1413	2013 2007	FV					
	<i>Marsilea quadrifolia</i>	1428	2013 2007			U2		U1	U1
	<i>Moehringia jankae</i>	2079	2013 2007						U1
	<i>Paeonia officinalis</i> ssp. <i>banatica</i>	2097	2013 2007			U1			
	<i>Potentilla emilii-popii</i>	2125	2013 2007						FV
	<i>Pulsatilla grandis</i>	2093	2013 2007			FV			FV

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	<i>Pulsatilla patens</i>	1477	2013 2007			FV			
	<i>Pulsatilla pratensis</i> ssp. <i>hungarica</i>	4110	2013 2007					U1	
	<i>Ruscus aculeatus</i>	1849	2013 2007		U1	FV		FV	U1
	<i>Saxifraga hirculus</i>	1528	2013 2007	U1					
	<i>Serratula lycopifolia</i>	4087	2013 2007			U1			
	<i>Stipa danubialis</i>	2318	2013 2007			U2			
	<i>Syringa josikaea</i>	2186	2013 2007	U1					
	<i>Thlaspi jankae</i>	2120	2013 2007			U1			
	<i>Tozzia carpathica</i>	4116	2013 2007	FV					
	<i>Tulipa hungarica</i>	2300	2013 2007			FV			
Molluscs	<i>Anisus vorticulus</i>	4056	2013 2007			U1		U1	U1
	<i>Chilostoma banaticum</i>	4057	2013 2007	U1		U1		U1	
	<i>Helix pomatia</i>	1026	2013 2007		FV	FV		FV	FV
	<i>Unio crassus</i>	1032	2013 2007			U1		U1	
	<i>Vertigo angustior</i>	1014	2013 2007	XX					
	<i>Vertigo moulinsiana</i>	1016	2013 2007	XX					
Arthropods	<i>Apatura metis</i>	1066	2013 2007			U1			U1
	<i>Arytrura musculus</i>	4027	2013 2007			U1		U1	U1
	<i>Astacus astacus</i>	1091	2013 2007	U1		U1			
	<i>Austropotamobius torrentium</i>	1093	2013 2007			U1			
	<i>Bolbelasmus unicornis</i>	4011	2013 2007			XX			XX
	<i>Buprestis splendens</i>	1085	2013 2007			U1			
	<i>Callimorpha quadripunctaria</i>	1078	2013 2007	FV		FV		U1	FV
	<i>Carabus hampei</i>	4012	2013 2007	U1		U1			
	<i>Carabus hungaricus</i>	4013	2013 2007			U1		U1	

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	<i>Carabus variolosus</i>	4014	2013 2007	FV		U1			
	<i>Carabus zawadzki</i>	4015	2013 2007	U1					
	<i>Catopta thrips</i>	4028	2013 2007			U1			U1
	<i>Cerambyx cerdo</i>	1088	2013 2007	U2		U1		U1	U1
	<i>Coenagrion mercuriale</i>	1044	2013 2007			U1			
	<i>Coenagrion ornatum</i>	4045	2013 2007			U1		U1	U1
	<i>Colias myrmidone</i>	4030	2013 2007	U1		U1			U1
	<i>Cordulegaster heros</i>	4046	2013 2007	U1		U1			
	<i>Cucujus cinnaberinus</i>	1086	2013 2007	U1					
	<i>Cucullia mixta</i>	4031	2013 2007			U1			
	<i>Dioszeghyana schmidtii</i>	4032	2013 2007			XX		XX	
	<i>Erannis ankeraria</i>	4033	2013 2007						XX
	<i>Erebia sudetica</i>	1069	2013 2007	U1					
	<i>Eriogaster catax</i>	1074	2013 2007			U1		U1	U1
	<i>Euphydryas aurinia</i>	1065	2013 2007	U1		U1			
	<i>Glyphipterix loricatella</i>	4034	2013 2007	U1		U1			
	<i>Gortyna borelii lunata</i>	4035	2013 2007			U1		U1	
	<i>Graphoderus bilineatus</i>	1082	2013 2007		U1	U1			U1
	<i>Hyles hippophaes</i>	1077	2013 2007						U1
	<i>Hypodryas maturna</i>	1052	2013 2007	U1		U1		U1	U1
	<i>Isophya costata</i>	4048	2013 2007	U1		U1			
	<i>Isophya harzi</i>	4049	2013 2007	U1					
	<i>Isophya stysi</i>	4050	2013 2007	U1		U1			
	<i>Leptidea morsei</i>	4036	2013 2007	U1	U1	U1			
	<i>Leucorrhinia pectoralis</i>	1042	2013 2007	U1					

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	Lopinga achine	1067	2013 2007			U1			
	Lucanus cervus	1083	2013 2007	U2		FV		U1	U1
	Lycaena dispar	1060	2013 2007	FV	U1	FV		U1	U1
	Lycaena helle	4038	2013 2007			U1			
	Maculinea nausithous	1061	2013 2007			XX			
	Maculinea teleius	1059	2013 2007	U1		U1		U1	
	Morimus funereus	1089	2013 2007	U1		U1			U1
	Nymphalis vaualbum	4039	2013 2007			XX			
	Odontopodisma rubripes	4052	2013 2007	U1		U1		U1	
	Ophiogomphus cecilia	1037	2013 2007	U1		U1		U1	U1
	Osmoderma eremita	1084	2013 2007	U2		U2			XX
	Paracaloptenus caloptenoides	4053	2013 2007			U1			U1
	Parnassius apollo	1057	2013 2007	U1					
	Parnassius mnemosyne	1056	2013 2007	U1		U1		U1	U1
	Pholidoptera transsylvanica	4054	2013 2007	FV		FV			
	Pilemia tigrina	4020	2013 2007			XX			
	Probaticus subrugosus	4022	2013 2007						U1
	Proserpinus proserpina	1076	2013 2007	U1		U1		U1	U1
	Pseudogaurotina excellens	4024	2013 2007	U1					
	Pseudophilotes bavius	4043	2013 2007			U1			U1
	Rhysodes sulcatus	4026	2013 2007	XX		XX			
	Rosalia alpina	1087	2013 2007	U1		U1			
	Saga pedo	1050	2013 2007			U1			U1
	Stenobothrus eurasius	4055	2013 2007	U1					
	Zerynthia polyxena	1053	2013 2007			U1		U1	U1

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
Fish	Acipenser gueldenstaedtii	5040	2013 2007		U2-	U2-			U2-
	Acipenser nudiventris	5041	2013 2007			U2x			
	Acipenser ruthenus	2487	2013 2007			U2-		U2-	U2-
	Acipenser stellatus	2488	2013 2007		U2-	U2-			U2-
	Alosa immaculata	4125	2013 2007		U1-	U1=			U1=
	Alosa tanaica	4127	2013 2007		U1=				U1x
	Aspius aspius	1130	2013 2007		FV	U1=		U1=	U1=
	Barbus barbus	5085	2013 2007			U1=		U1=	U1=
	Barbus meridionalis	1138	2013 2007	U1x		U1=			
	Cobitis elongata	2533	2013 2007			U1x			
	Cobitis taenia	1149	2013 2007		U1-	U1=		U1=	U1=
	Cottus gobio	1163	2013 2007	FV		FV			
	Eudontomyzon danfordi	4123	2013 2007	U1-		U1-			
	Eudontomyzon mariae	2484	2013 2007	U1-		U1-			
	Gobio albipinnatus	1124	2013 2007		U1-	U1x		U1x	U1x
	Gobio kessleri	2511	2013 2007			U1x		U1x	U1x
	Gobio uranoscopus	1122	2013 2007	U1-		U1-			
	Gymnocephalus baloni	2555	2013 2007		U1x	U1-		U1x	U1x
	Gymnocephalus schraetzer	1157	2013 2007		U1x	U1-		U1=	U1-
	Hucho hucho	1105	2013 2007	U2-		U2-			
	Huso huso	2489	2013 2007		U2-	U2-			U2-
	Leuciscus souffia	1131	2013 2007	U1=					
	Misgurnus fossilis	1145	2013 2007		U1-	U1-		U1-	U1-
	Pelecus cultratus	2522	2013 2007		U1=	U1x		U1x	U1x
	Rhodeus sericeus amarus	1134	2013 2007		U1=	U1=		U1=	U1=

Group	Name	Code	Year	ALP	BLS	CON	MBSL	PAN	STE
	Romanichthys valsanicola	1998	2013 2007			U2-			
	Sabanejewia aurata	1146	2013 2007	U1-	U1-	U1x		U1-	U1x
	Thymallus thymallus	1109	2013 2007	U1-		U1-			
	Umbra krameri	2011	2013 2007		U1-	U1-		U1-	U1x
	Zingel streber	1160	2013 2007		U1-	U1x		U1x	U1-
	Zingel zingel	1159	2013 2007		U1-	U1-		U1x	U1-
Amphibians	Bombina bombina	1188	2013 2007		FV	XX		XX	XX
	Bombina variegata	1193	2013 2007	XX		XX		XX	
	Bufo viridis	1201	2013 2007	U1	FV	U1		U1	U1
	Hyla arborea	1203	2013 2007	U1	FV	U1		U1	U1
	Pelobates fuscus	1197	2013 2007		U1-	U1x		U1x	U1x
	Pelobates syriacus	1200	2013 2007		U1x	U1-			U1-
	Rana arvalis	1214	2013 2007	U1-		U1-		U1-	
	Rana dalmatina	1209	2013 2007	U1-		U1-		U1-	U1-
	Rana esculenta	1210	2013 2007	U1-	U1	U1-		U1x	U1x
	Rana ridibunda	1212	2013 2007	U1-	U1=	U1=		U1-	U1-
	Rana temporaria	1213	2013 2007	U1-		U1-			
	Triturus cristatus	1166	2013 2007	XX		XX		XX	
	Triturus dobrogicus	1993	2013 2007		XX	XX		XX	XX
	Triturus montandoni	2001	2013 2007	XX		XX			
	Triturus vulgaris ampelensis	4008	2013 2007	XX		XX			
Reptiles	Ablepharus kitaibelii	1276	2013 2007			U1			U1
	Coluber caspius	1278	2013 2007		U1	U2			U2
	Coronella austriaca	1283	2013 2007	U1	U1	U1		U1	U1
	Elaphe longissima	1281	2013 2007	U1		U1		U1	U1

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	<i>Elaphe quatuorlineata</i>	1279	2013 2007			XX			FV
	<i>Emys orbicularis</i>	1220	2013 2007		FV	U1		U1	FV
	<i>Eryx jaculus</i>	1277	2013 2007			U1			U2
	<i>Lacerta agilis</i>	1261	2013 2007	U1	U1	U1		U1	U1
	<i>Lacerta trilineata</i>	1251	2013 2007						U1
	<i>Lacerta viridis</i>	1263	2013 2007	U1x		U1x		U1-	U1
	<i>Lacerta vivipara pannonica</i>	5037	2013 2007					U1-	
	<i>Natrix tessellata</i>	1292	2013 2007	U1-	U1-	U1x		U1x	U1-
	<i>Podarcis muralis</i>	1256	2013 2007	U1-		U1x			U1-
	<i>Podarcis taurica</i>	1248	2013 2007		U1-	U1-		U1-	U1-
	<i>Testudo graeca</i>	1219	2013 2007		FV				FV
	<i>Testudo hermanni</i>	1217	2013 2007			U1			FV
	<i>Vipera ammodytes</i>	1295	2013 2007	U1		U1			U1
	<i>Vipera ursinii</i>	1298	2013 2007		U1	U1			
	<i>Vipera ursinii rakosiensis</i>	4121	2013 2007			FV			
Mammals	<i>Barbastella barbastellus</i>	1308	2013 2007	U1=		U1=			
	<i>Canis aureus</i>	1353	2013 2007		FV	FV			FV
	<i>Canis lupus</i>	1352	2013 2007	FV		FV			
	<i>Castor fiber</i>	1337	2013 2007	FV		FV		FV	
	<i>Cricetus cricetus</i>	1339	2013 2007	FV		FV		FV	FV
	<i>Delphinus delphis</i>	1350	2013 2007				U1-		
	<i>Dryomys nitedula</i>	1342	2013 2007	FV		FV		FV	FV
	<i>Eptesicus nilssonii</i>	1313	2013 2007	U1=		U1=			
	<i>Eptesicus serotinus</i>	1327	2013 2007	U1=		U1=			U1=
	<i>Felis silvestris</i>	1363	2013 2007	FV	FV	FV		FV	FV

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	Hypsugo savii	5365	2013 2007			XX			XX
	Lutra lutra	1355	2013 2007	FV	FV	FV		FV	FV
	Lynx lynx	1361	2013 2007	FV		FV			
	Martes martes	1357	2013 2007	FV		FV		FV	FV
	Mesocricetus newtoni	2609	2013 2007						U1x
	Microtus tatricus	2612	2013 2007	XX					
	Miniopterus schreibersii	1310	2013 2007	U1=		U1=			U1=
	Muscardinus avellanarius	1341	2013 2007	FV		FV		FV	FV
	Mustela eversmanii	2633	2013 2007		XX			XX	XX
	Mustela lutreola	1356	2013 2007		XX				XX
	Mustela putorius	1358	2013 2007	FV		FV		FV	XX
	Myotis bechsteinii	1323	2013 2007	U1=		U1=			
	Myotis blythii	1307	2013 2007	U1=		U1=			U1=
	Myotis capaccinii	1316	2013 2007	U1=		U1=			U1-
	Myotis dasycneme	1318	2013 2007	U1=		U1=		U1=	
	Myotis daubentonii	1314	2013 2007	U1=		U1=			U1=
	Myotis emarginatus	1321	2013 2007	U1=		U1=			U1=
	Myotis myotis	1324	2013 2007	U1=		U1=			
	Myotis mystacinus	1330	2013 2007	U1=		U1=			
	Myotis nattereri	1322	2013 2007	U1=		U1=			
	Nyctalus lasiopterus	1328	2013 2007	XX		XX			
	Nyctalus leisleri	1331	2013 2007			U1=			U1=
	Nyctalus noctula	1312	2013 2007	U1=		U1=			U1=
	Phocoena phocoena	1351	2013 2007				U2-		
	Pipistrellus kuhlii	2016	2013 2007	U1x		U1x			U1=

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
	<i>Pipistrellus nathusii</i>	1317	2013 2007	U1x		U1x			U1x
	<i>Pipistrellus pipistrellus</i>	1309	2013 2007	U1=		U1=			U1=
	<i>Plecotus auritus</i>	1326	2013 2007	U1=		U1x			U1x
	<i>Plecotus austriacus</i>	1329	2013 2007	U1=		U1=			U1=
	<i>Rhinolophus blasii</i>	1306	2013 2007	U1=		U1=			
	<i>Rhinolophus euryale</i>	1305	2013 2007	U1=		U1=			
	<i>Rhinolophus ferrumequinum</i>	1304	2013 2007	U1=		U1=		U1=	U1=
	<i>Rhinolophus hipposideros</i>	1303	2013 2007	U1=		U1=		U1=	U1=
	<i>Rhinolophus mehelyi</i>	1302	2013 2007			U1-			U1-
	<i>Rupicapra rupicapra</i>	1369	2013 2007	FV		FV			
	<i>Sicista betulina</i>	1343	2013 2007	XX		XX			
	<i>Sicista subtilis</i>	2021	2013 2007			XX			XX
	<i>Spermophilus citellus</i>	1335	2013 2007			U1-		U1-	U1x
	<i>Tursiops truncatus</i>	1349	2013 2007				U1-		
	<i>Ursus arctos</i>	1354	2013 2007	FV		FV			
	<i>Vespertilio murinus</i>	1332	2013 2007	U1=		U1=			U1=
	<i>Vormela peregusna</i>	2635	2013 2007						U1-
Other invertebrates	<i>Hirudo medicinalis</i>	1034	2013 2007		U1-	U1-		U1-	U1-

Species reported as occasional (OCC), newly arriving (ARR), extinct prior the Habitats Directive came into force (PEX), marginal (MAR), invalid report in marine region (IRM) or introduced (INT) etc. (only listed when an occasional species etc has been reported). In addition species with optional reports (OP) and scientific reserves (SR) are listed here.

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
Vascular plants	<i>Aldrovanda vesiculosa</i>	1516	2013 2007			SR			
	<i>Poa granitica</i> ssp. <i>disparilis</i>	4122	2013 2007	SR					
	<i>Pulsatilla patens</i>	1477	2013 2007	SR					

Group	Name	Code	Year	ALP	BLS	CON	MBLS	PAN	STE
Molluscs	Vertigo angustior	1014	2013 2007			SR			
Arthropods	Coenagrion ornatum	4045	2013 2007		SR				
	Leucorrhinia pectoralis	1042	2013 2007			SR			
Fish	Acipenser gueldenstaedtii	5040	2013 2007				IRM U2-		
	Acipenser stellatus	2488	2013 2007				IRM U1-		
	Alosa immaculata	4125	2013 2007				IRM FV		
	Alosa tanaica	4127	2013 2007				IRM FV		
	Gobio uranoscopus	1122	2013 2007					MAR	
	Huso huso	2489	2013 2007				IRM U1-		
Mammals	Canis lupus	1352	2013 2007						SR
	Mustela eversmanii	2633	2013 2007			SR			
	Mustela lutreola	1356	2013 2007	SR					
	Myotis bechsteinii	1323	2013 2007						SR